

MEDIUM STRENGTH BLUE THREADLOCKER - THREADLOCKER, CERAMIC HIGH TEMP, 10ML BOTTLE

MEDIUM STRENGTH BLUE THREADLOCKER The Brownells Medium Strength Blue Threadlocker is a reliable adhesive designed to prevent threaded fasteners from loosening due to shock and vibration. This medium-hold threadlocker is ideal for applications where disassembly with standard hand tools is desired, providing a secure bond while allowing for future maintenance. Key Features: Medium Strength: Offers sufficient holding power to secure fasteners, yet permits disassembly with standard hand tools when necessary. Vibration Resistance: Effectively prevents loosening of metal thread engagements subjected to shock and vibration, ensuring the integrity of assemblies. User-Friendly Application: Cures through the evaporation of water, simplifying the bonding process without the need for specialized equipment. Specifications: Container Sizes: Available in 1.8 ml and 10 ml tubes, accommodating both small-scale and more extensive applications. Color: Blue, allowing for easy identification during application and inspection. Application Instructions: Surface Preparation: Ensure that parts are clean, dry, and free from oil or grease to promote optimal adhesion. Application: Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part. Assembly: Assemble parts and tighten as required. Curing: Allow the product to cure through the evaporation of water to build strength. Curing Time and Performance Temperature Range: Fixture Time: 15 - 20 minutes @ 72° F / 22° C Full Cure Time: 24 Hours @ 72° F / 22° C Temperature Range: -60° F to 300° F / -51° C to 150° C Incorporating the Brownells Medium Strength Blue Threadlocker into your assembly process ensures that threaded components remain secure under operational stresses, enhancing the reliability and longevity of your equipment.



Attributes

- Name: THREADLOCKER, CERAMIC HIGH TEMP, 10ML BOTTLE
- Manufacturer: BROWNELLS
- Product no.: 430110335
- Mfr. No.: 12110BROWN
- Color: Clear
- Size: 10 mL
- Delivery weight: 0.045kg
- Shipping height: 89mm
- Shipping width: 29mm
- Shipping length: 29mm
- UPC: 050806001329

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den Brownells Medium Strength Blue Threadlocker](#)
- [English: Safety Instruction Guide for MEDIUM STRENGTH BLUE THREADLOCKER](#)

Sicherheitshinweise für den Brownells Medium Strength Blue Threadlocker

Einleitung

Der Brownells Medium Strength Blue Threadlocker ist ein leistungsstarker Klebstoff, der entwickelt wurde, um Schraubverbindungen vor dem Lösen durch Vibration und Stoß zu schützen. Diese Sicherheitshinweise sollen Ihnen helfen, das Produkt sicher und effektiv zu verwenden.

Allgemeine Sicherheitsrichtlinien

- Verwenden Sie das Produkt nur für die vorgesehenen Anwendungen.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie regelmäßig auf Rückrufe und Sicherheitswarnungen über die Safety GatePlattform der EU.
- Melden Sie unsichere Produkte oder Vorfälle den zuständigen Behörden.

Besondere Sicherheitsvorkehrungen für die Anwendung

- **Hautkontakt vermeiden:** Vermeiden Sie den direkten Kontakt mit der Haut. Bei Kontakt gründlich mit Wasser und Seife reinigen.
- **Augenschutz tragen:** Tragen Sie eine Schutzbrille, um Ihre Augen vor Spritzern zu schützen.
- **Belüftung sicherstellen:** Verwenden Sie das Produkt in einem gut belüfteten Bereich, um das Einatmen von Dämpfen zu vermeiden.
- **Lagerung:** Lagern Sie das Produkt an einem kühlen, trockenen Ort, fern von Wärmequellen und direkter Sonneneinstrahlung.

Anweisungen für Installation und Verwendung

1. Oberflächenvorbereitung:

- Stellen Sie sicher, dass die zu verbindenden Teile sauber, trocken und frei von Öl oder Fett sind.

2. Anwendung:

- Tragen Sie den Threadlocker gleichmäßig auf die Gewinde auf. Decken Sie eine Länge ab, die etwa 1,5mal so groß ist wie der Durchmesser des Teils.

3. Montage:

- Fügen Sie die Teile zusammen und ziehen Sie sie nach Bedarf fest.

4. Aushärtung:

- Lassen Sie das Produkt aushärten, indem Sie es an einem Ort belassen, wo es durch Verdampfung von Wasser trocknen kann.
- **Fixierzeit:** 15 20 Minuten bei 22° C.
- **Vollständige Aushärtungszeit:** 24 Stunden bei 22° C.

5. Temperaturbereich:

- Das Produkt ist für Temperaturen von 51° C bis 150° C geeignet.

Entsorgungsanweisungen

- Entsorgen Sie nicht verwendetes Produkt gemäß den örtlichen Vorschriften für chemische Abfälle.
- Werfen Sie leere Behälter in den Restmüll, sofern sie vollständig entleert sind.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen über das Produkt wenden Sie sich bitte an den Kundendienst des Herstellers oder an die entsprechenden Behörden in Ihrem Land.

Diese Sicherheitshinweise sind darauf ausgelegt, Ihnen eine sichere Verwendung des Brownells Medium Strength Blue Threadlocker zu ermöglichen. Bitte befolgen Sie diese Anweisungen sorgfältig, um Verletzungen oder Schäden zu vermeiden.

Safety Instruction Guide for MEDIUM STRENGTH BLUE THREADLOCKER

Introduction

Thank you for choosing the Brownells Medium Strength Blue Threadlocker. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. It is important to follow these guidelines to protect yourself and others while using this adhesive.

General Safety Guidelines

- Product Safety:
 - Ensure safe use of this threadlocker as a nonfood product.
 - Be aware of risks that may not be covered by other regulations.
- Enhanced Recalls:
 - Familiarize yourself with standardized recall notices.
 - Know that free remedies are available for any dangerous products.
- Online Shopping:
 - If purchased online, understand that you have the same protections as those who shop in physical stores.
- Special Consumer Focus:
 - Extra precautions should be taken when using this product around vulnerable groups, especially children.
- EU Contact Point:
 - For any safety inquiries, there should be an EUbased contact available.
- Rapid Alerts:
 - Stay informed about unsafe products through the EU Safety Gate system.

Specific Safety Precautions for Use

- Avoid contact with skin and eyes. If contact occurs, rinse immediately with plenty of water.
- Ensure the work area is wellventilated to avoid inhalation of vapors.
- Keep out of reach of children and pets.
- Do not ingest. If swallowed, seek medical advice immediately and show the product label.
- Store in a cool, dry place away from direct sunlight and heat sources.
- Do not use on plastic parts unless specified as safe.

Instructions for Installation and Usage

- **Surface Preparation:**
 - Ensure that all parts are clean, dry, and free from oil or grease to promote optimal adhesion.
- **Application:**
 - Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part.
- **Assembly:**
 - Assemble parts and tighten as required.
- **Curing:**
 - Allow the product to cure through the evaporation of water to build strength.
- **Curing Time and Performance Temperature Range:**
 - Fixture Time: 15 20 minutes at 72° F / 22° C.
 - Full Cure Time: 24 hours at 72° F / 22° C.
 - Temperature Range: 60° F to 300° F / 51° C to 150° C.

Disposal Instructions

- Dispose of any unused product or packaging in accordance with local regulations.
- Do not dispose of in household waste. Check for local hazardous waste disposal facilities.

Contact Information for Further Support

For any further inquiries or assistance regarding the use of the Brownells Medium Strength Blue Threadlocker, please refer to the product packaging for contact information specific to your region.

Thank you for taking the time to read this safety instruction guide. By following these guidelines, you can ensure a safe and effective application of the Brownells Medium Strength Blue Threadlocker.