

MEDIUM STRENGTH BLUE THREADLOCKER - THREADLOCKER, CERAMIC HIGH TEMP, 18ML TUBE

MEDIUM STRENGTH BLUE THREADLOCKER The Brownells Medium Strength Blue Threadlocker is a reliable adhesive designed to prevent threaded fasteners from loosening due to shock and vibration. This medium-hold threadlocker is ideal for applications where disassembly with standard hand tools is desired, providing a secure bond while allowing for future maintenance. Key Features: Medium Strength: Offers sufficient holding power to secure fasteners, yet permits disassembly with standard hand tools when necessary. Vibration Resistance: Effectively prevents loosening of metal thread engagements subjected to shock and vibration, ensuring the integrity of assemblies. User-Friendly Application: Cures through the evaporation of water, simplifying the bonding process without the need for specialized equipment. Specifications: Container Sizes: Available in 1.8 ml and 10 ml tubes, accommodating both small-scale and more extensive applications. Color: Blue, allowing for easy identification during application and inspection. Application Instructions: Surface Preparation: Ensure that parts are clean, dry, and free from oil or grease to promote optimal adhesion. Application: Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part. Assembly: Assemble parts and tighten as required. Curing: Allow the product to cure through the evaporation of water to build strength. Curing Time and Performance Temperature Range: Fixture Time: 15 - 20 minutes @ 72° F / 22° C Full Cure Time: 24 Hours @ 72° F / 22° C Temperature Range: -60° F to 300° F / -51° C to 150° C Incorporating the Brownells Medium Strength Blue Threadlocker into your assembly process ensures that threaded components remain secure under operational stresses, enhancing the reliability and longevity of your equipment.



Attributes

- Name: THREADLOCKER, CERAMIC HIGH TEMP, 18ML TUBE
- Manufacturer: BROWNELLS
- Product no.: 430110336
- Mfr. No.: 12102BROWN
- Color: Blue
- Size: 1.8 mL
- Delivery weight: 0.045kg
- UPC: 050806001336

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den Brownells Medium Strength Blue Threadlocker](#)
- [English: Safety Instruction Guide for Brownells Medium Strength Blue Threadlocker](#)

Sicherheitshinweise für den Brownells Medium Strength Blue Threadlocker

Einführung

Willkommen zu den Sicherheitshinweisen für den Brownells Medium Strength Blue Threadlocker. Dieses Produkt ist speziell entwickelt worden, um Schraubverbindungen gegen das Lösen durch Stoß und Vibration zu sichern. Um eine sichere Anwendung zu gewährleisten, ist es wichtig, die folgenden Sicherheitsrichtlinien zu beachten.

Allgemeine Sicherheitsrichtlinien

- Achte darauf, dass das Produkt außerhalb der Reichweite von Kindern aufbewahrt wird.
- Verwende das Produkt nur für den vorgesehenen Zweck.
- Überprüfe vor der Anwendung, dass die Teile sauber und trocken sind.
- Halte dich an die empfohlenen Aushärtungszeiten und Temperaturbereiche.
- Informiere dich über mögliche Rückrufe oder Sicherheitswarnungen auf der EU Safety Gate Plattform.

Besondere Sicherheitsvorkehrungen für die Anwendung

- **Vorsicht bei Hautkontakt:** Vermeide den direkten Kontakt mit der Haut. Bei Kontakt mit der Haut sofort gründlich mit Wasser und Seife abwaschen.
- **Augenschutz:** Trage geeignete Schutzbrille, um deine Augen vor möglichen Spritzern zu schützen.
- **Belüftung:** Stelle sicher, dass der Arbeitsbereich gut belüftet ist, um das Einatmen von Dämpfen zu vermeiden.
- **Lagerung:** Lagere das Produkt an einem kühlen, trockenen Ort, fern von Wärmequellen und direkter Sonneneinstrahlung.

Anweisungen zur Installation und Anwendung

1. Oberflächenvorbereitung:

- Stelle sicher, dass die Teile, die du verbinden möchtest, sauber, trocken und frei von Öl oder Fett sind.

2. Anwendung:

- Trage den Threadlocker gleichmäßig auf die Gewinde auf.
- Decke eine Länge ab, die etwa 1,5mal so groß ist wie der Durchmesser des Teils.

3. Montage:

- Füge die Teile zusammen und ziehe sie nach Bedarf fest.

4. Aushärtung:

- Lasse das Produkt durch die Verdampfung von Wasser aushärten, um die Festigkeit zu erhöhen.
- **Fixierzeit:** 15 20 Minuten bei 72° F / 22° C.
- **Vollständige Aushärtungszeit:** 24 Stunden bei 72° F / 22° C.

5. Temperaturbereich:

- Das Produkt ist wirksam bei Temperaturen von 60° F bis 300° F / 51° C bis 150° C.

Entsorgungsanweisungen

- Entsorge leere oder nicht verwendete Produkte gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Stelle sicher, dass das Produkt nicht in die Hände von Kindern gelangt, auch nicht bei der Entsorgung.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen wende dich bitte an den Hersteller oder den Verkaufsort, wo du das Produkt erworben hast.

Bitte beachte, dass die Sicherheit bei der Anwendung des Brownells Medium Strength Blue Threadlockers oberste Priorität hat. Halte dich an die oben genannten Richtlinien, um eine sichere und effektive Nutzung zu gewährleisten.

Safety Instruction Guide for Brownells Medium Strength Blue Threadlocker

Introduction

Thank you for choosing Brownells Medium Strength Blue Threadlocker. This product is designed to securely bond threaded fasteners while allowing for future disassembly. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always ensure safe use of all products, including this threadlocker.
- Be aware that this product is not intended for foodrelated applications.
- If you are purchasing this product online, ensure you are buying from a reputable source that meets EU safety requirements.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Keep Out of Reach of Children:** This product is not intended for use by children. Store it in a safe place where children cannot access it.
- **Avoid Skin Contact:** Direct contact with skin may cause irritation. Wear gloves during application to protect your skin.
- **Use in a WellVentilated Area:** Ensure proper ventilation while using the product to avoid inhaling vapors.
- **Avoid Ingestion:** Do not ingest this product. If swallowed, seek medical attention immediately.
- **Check for Allergies:** If you have known allergies to adhesives or chemical compounds, consult a medical professional before use.
- **Follow Application Instructions:** Adhere to the application instructions provided to avoid potential hazards.

Instructions for Installation and Usage

- **Surface Preparation:**
 - Ensure that the surfaces to be bonded are clean, dry, and free from oil or grease.
- **Application:**
 - Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part.
- **Assembly:**
 - Assemble the parts and tighten them as required to ensure a secure fit.
- **Curing:**
 - Allow the product to cure through the evaporation of water. This process builds strength in the bond.
- **Curing Time and Performance Temperature Range:**
 - Fixture Time: 15 20 minutes at 72° F / 22° C
 - Full Cure Time: 24 hours at 72° F / 22° C
 - Temperature Range: 60° F to 300° F / 51° C to 150° C

Disposal Instructions

- Dispose of any unused product or empty containers in accordance with local regulations.
- Do not dispose of the product in household waste or down the drain. Follow your local waste disposal guidelines for hazardous materials.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the use of Brownells Medium Strength Blue Threadlocker, please consult the product packaging or visit the manufacturer's website for more information.

By following these guidelines, you can use Brownells Medium Strength Blue Threadlocker safely and effectively, ensuring the reliability and longevity of your equipment. Thank you for your attention to safety.