

FIBER OPTIC FRONT SIGHT - Walther Fixed Front Fiber Optic Sight

Is there really a difference with Dawson Precision sights? You bet there is! While other sights give off a hazy glow making it difficult to focus, DP sights offer you the sharpest picture. We counterbore the blade so the optic is recessed. This subtle difference focuses the light in the sight making it not only brighter, but clearer. A fully cradled optic provides a longer optic lifespan.



Attributes

- Name: [Walther Fixed Front Fiber Optic Sight](#)
- Manufacturer: [DAWSON PRECISION](#)
- Product no.: 000004393
- Mfr. No.: 019279
- Make: Walther
- Model: P99,PPQ,PPS M2,PPX,CCP
- Style: Fiber Optic
- Delivery weight: 0.018kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- Startpage
- FIBER OPTIC FRONT SIGHT Safety Instructions
- About Us

FIBER OPTIC FRONT SIGHT Safety Instructions

Introduction

Thank you for choosing the FIBER OPTIC FRONT SIGHT for your Walther firearm. This guide provides important safety instructions to ensure the safe use and installation of your new sight. Please read this manual carefully before use to maximize your safety and the performance of your product.

General Safety Guidelines

- Always treat your firearm and its accessories with respect and caution.
- Ensure that the firearm is unloaded before installing or adjusting the sight.
- Use the sight only with compatible Walther models: P99, PPQ, PPX, PPS M2, and CCP.
- Keep the sight and firearm out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of damage or wear.
- Report unsafe products and accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the sight in conditions with poor visibility, as this may impair your ability to aim accurately.
- Avoid using the sight if it is damaged or if the fiber optic is not functioning properly.
- Ensure that the sight is properly secured to the firearm before use to prevent any accidents.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.
- Always wear appropriate eye and ear protection when using firearms.

Instructions for Installation and Usage

Installation

1. **Prepare the Firearm:** Ensure that the firearm is completely unloaded and pointed in a safe direction.
2. **Remove the Existing Sight:** If applicable, carefully remove the existing front sight using appropriate tools.
3. **Install the FIBER OPTIC FRONT SIGHT:**
 - Align the new sight with the mounting slot on the firearm.
 - Secure the sight using the provided screws or mounting hardware. Ensure it is firmly attached.
4. **Check Alignment:** After installation, check the alignment of the sight with the rear sight to ensure proper aiming.

Usage

- When aiming, focus on the front sight to improve accuracy.
- Adjust your stance and grip to maintain stability while aiming.
- Practice regularly to become familiar with the sight and improve your shooting skills.

Disposal Instructions

- Dispose of the FIBER OPTIC FRONT SIGHT in accordance with local regulations.
- If the sight is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the sight in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the FIBER OPTIC FRONT SIGHT, please contact the manufacturer or

your point of purchase for assistance.

Thank you for following these safety instructions. Enjoy your shooting experience with the FIBER OPTIC FRONT SIGHT!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at