

SLIDE FOR GLOCK® G43 - BROWNELLS IRON SIGHT SLIDE FOR GLOCK 43 STAINLESS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Maximize the Performance of Your Pocket Glock? With an Upgraded "Top Half"

With a Brownells Front Cut Slide for the Glock® 43 installed, you'll find your pocket Glock® becomes easier to operate without any change in its reliability or size. The G43's greatest strength is that it lets you carry a pistol with 6 rounds of centerfire punch in an ultra-compact EDC package. The downside is the G43's such a small pistol (barely 6" OAL), you can have trouble getting a firm grasp on the slide to rack it. And if you're under stress or your hands are wet or a little sweaty. Yeah, even more difficult to jacked that first round into the chamber. Our Front Cut Slide gives you more grasping surface on your Glock® 43 by adding deep-cut serrations at the front of the slide. This is a big help when making a quick press check of the chamber. Both the front and rear serrations have crisp 90-degree edges that give you excellent purchase, and they're cut to the same depth as the factory grooves - so there's no compromise of the slide's overall strength. We also offer the Front Cut Slide for Glock® 43 in a "window" configuration with a .863" x .285" window cut in the top of the slide ahead of the ejection port, in place of the top serrations. This aids in barrel cooling, slightly reduces the weight of the slide for faster cycling, and...well, it just looks cool, too. Machined from heat-treated & hardened 17-4 stainless steel billet Hard, wear-resistant matte black Nitride finish Internal dimensions identical to factory slide Factory rear sight dovetail & front sight tenon cut Slide only - no internal parts (see Gun Tech Note below) The Front Cut Slide for Glock® 43 comes with a factory rear sight dovetail and slot for the front sight tenon. It will accept both factory "iron" (actually, plastic) sights and any aftermarket sights that fit the factory cuts. Upgrade the slide on your pocket Glock today for immediate improvement in its functionality and performance - and your shooting enjoyment. Brownells Gun Tech™ Note: The Front Cut Slide for Glock® 43 consists of the bare slide only. You will need to retain your pistol's existing barrel (or an aftermarket upgrade) and recoil guide / spring assembly, firing pin assembly, extractor, extractor depressor plunger & spring assembly, firing pin safety & spring, and your back plate. The G43 slide does not require a firing pin channel liner.



Attributes

- Name: [BROWNELLS IRON SIGHT SLIDE FOR GLOCK 43 STAINLESS NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000440
- Mfr. No.: NONE
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 43
- Sights: Dovetail
- Weapon type: Glock
- Delivery weight: 0.272kg
- Shipping height: 51mm
- Shipping width: 51mm

- Shipping length: 203mm
- UPC: 050806112698

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for SLIDE FOR GLOCK® G43 BROWNELLS IRON SIGHT SLIDE
- About Us

Safety Instruction Guide for SLIDE FOR GLOCK® G43 BROWNELLS IRON SIGHT SLIDE

Introduction

Thank you for choosing the SLIDE FOR GLOCK® G43 BROWNELLS IRON SIGHT SLIDE. This guide provides important safety information and instructions to ensure the safe use and installation of your product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock® 43 before using the Front Cut Slide.
- Always treat your firearm as if it is loaded, even if you believe it is not.
- Keep the firearm pointed in a safe direction at all times.
- Store your firearm and its components securely and out of reach of children and unauthorized users.
- Regularly inspect your firearm and the Front Cut Slide for any signs of wear or damage.
- Do not use the Front Cut Slide if it has been modified or damaged.
- Always wear appropriate eye protection when handling firearms.
- Keep your hands dry and free of oil or moisture to maintain a firm grip on the slide.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or modifying the slide.
- Be cautious when racking the slide, especially if your hands are wet or sweaty.
- Do not attempt to use the Front Cut Slide with incompatible parts or accessories.
- If you experience any difficulties with the installation or operation of the slide, consult a qualified gunsmith.
- Be aware of your surroundings and ensure that you are in a safe environment when handling your firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure that your Glock® 43 is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch tool and a suitable workspace.

2. Removing the Factory Slide

- Remove the slide from the frame by pulling the slide back slightly and pressing the slide lock lever down.
- Carefully lift the slide off the frame.

3. Installing the Front Cut Slide

- Align the Front Cut Slide with the frame of the Glock® 43.
- Slide the Front Cut Slide onto the frame until it is fully seated.
- Ensure that all components are properly aligned and that the slide moves freely.

4. Reinstalling Internal Parts

- Reinstall the factory barrel (or aftermarket upgrade), recoil guide/spring assembly, firing pin assembly, extractor, extractor depressor plunger & spring assembly, firing pin safety &

- spring, and back plate as needed.
- Ensure that all internal parts are securely in place.

5. Final Checks

- Conduct a function check to ensure that the slide operates smoothly.
- Verify that the slide locks back and releases properly.
- Ensure that the sights are properly aligned before use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If you need to dispose of any part of the product, including the Front Cut Slide, check with local authorities for proper disposal methods.
- Do not dispose of the product in general waste if it contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the SLIDE FOR GLOCK® G43 BROWNELLS IRON SIGHT SLIDE, please contact the manufacturer or a qualified gunsmith for assistance.

By following these guidelines, you can ensure the safe use of your SLIDE FOR GLOCK® G43 BROWNELLS IRON SIGHT SLIDE and enjoy enhanced functionality and performance of your firearm. Stay safe and responsible.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk