

SLIDE FOR GLOCK® G43 - BROWNELLS BRN IRON SIGHT SLIDE FOR GLOCK 43, W/WINDOW, BLACK NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Maximize the Performance of Your Pocket Glock? With an Upgraded "Top Half"

With a Brownells Front Cut Slide for the Glock® 43 installed, you'll find your pocket Glock® becomes easier to operate without any change in its reliability or size. The G43's greatest strength is that it lets you carry a pistol with 6 rounds of centerfire punch in an ultra-compact EDC package. The downside is the G43's such a small pistol (barely 6" OAL), you can have trouble getting a firm grasp on the slide to rack it. And if you're under stress or your hands are wet or a little sweaty. Yeah, even more difficult to jacked that first round into the chamber. Our Front Cut Slide gives you more grasping surface on your Glock® 43 by adding deep-cut serrations at the front of the slide. This is a big help when making a quick press check of the chamber. Both the front and rear serrations have crisp 90-degree edges that give you excellent purchase, and they're cut to the same depth as the factory grooves - so there's no compromise of the slide's overall strength. We also offer the Front Cut Slide for Glock® 43 in a "window" configuration with a .863" x .285" window cut in the top of the slide ahead of the ejection port, in place of the top serrations. This aids in barrel cooling, slightly reduces the weight of the slide for faster cycling, and...well, it just looks cool, too. Machined from heat-treated & hardened 17-4 stainless steel billet Hard, wear-resistant matte black Nitride finish Internal dimensions identical to factory slide Factory rear sight dovetail & front sight tenon cut Slide only - no internal parts (see Gun Tech Note below) The Front Cut Slide for Glock® 43 comes with a factory rear sight dovetail and slot for the front sight tenon. It will accept both factory "iron" (actually, plastic) sights and any aftermarket sights that fit the factory cuts. Upgrade the slide on your pocket Glock today for immediate improvement in its functionality and performance - and your shooting enjoyment. Brownells Gun Tech™ Note: The Front Cut Slide for Glock® 43 consists of the bare slide only. You will need to retain your pistol's existing barrel (or an aftermarket upgrade) and recoil guide / spring assembly, firing pin assembly, extractor, extractor depressor plunger & spring assembly, firing pin safety & spring, and your back plate. The G43 slide does not require a firing pin channel liner.



Attributes

- Name: [BROWNELLS BRN IRON SIGHT SLIDE FOR GLOCK 43, W/WINDOW, BLACK NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000441
- Mfr. No.: NONE
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 43
- Sights: Dovetail
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.272kg
- Shipping height: 51mm

- Shipping width: 51mm
- Shipping length: 203mm
- UPC: 050806112933

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Consumer Safety Instruction Guide for SLIDE FOR GLOCK® G43
- About Us

Consumer Safety Instruction Guide for SLIDE FOR GLOCK® G43

Introduction

Thank you for choosing the SLIDE FOR GLOCK® G43 from Brownells. This guide provides essential safety instructions to ensure the safe use of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure that the firearm is unloaded before installing or modifying any components.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for signs of wear or damage.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recalls or safety alerts regarding your product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that your Glock® 43 is compatible with the Front Cut Slide before installation.
- Do not attempt to use the slide without proper installation.
- Ensure that the recoil guide/spring assembly and firing pin assembly are properly installed and functioning.
- Avoid using the slide in wet or slippery conditions without proper grip.
- Be cautious when making press checks of the chamber, especially under stress.
- Always wear appropriate eye protection when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation.

2. Removing the Existing Slide:

- Remove the slide from the frame of the Glock® 43 according to the manufacturer's instructions.
- Retain all internal parts, including the barrel, recoil guide/spring assembly, firing pin assembly, extractor, and back plate.

3. Installing the Front Cut Slide:

- Align the Front Cut Slide with the frame of the Glock® 43.
- Ensure that the factory rear sight dovetail and front sight tenon cut are correctly positioned.
- Gently slide the new slide onto the frame until it is fully seated.

4. Reassembly:

- Reinstall the retained internal parts into the new slide.
- Ensure all components are securely in place and functioning correctly.

5. **Testing:**

- Conduct a function check to ensure the firearm operates correctly with the new slide.
- Test the grip and functionality of the slide, especially the serrations for racking.

6. **Usage:**

- Use the enhanced grasping surface provided by the deepcut serrations for improved handling.
- Always perform a press check before use to ensure the firearm is ready to fire.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste regulations.
- If the product is damaged beyond repair, contact local authorities for safe disposal of firearm components.

Contact Information for Further Support

For any questions or concerns regarding the SLIDE FOR GLOCK® G43, please refer to your local dealer or the manufacturer's website for additional support and information.

Thank you for prioritizing safety and compliance while using your product. Enjoy your enhanced shooting experience with the SLIDE FOR GLOCK® G43!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk