

BLANK SLIDES FOR GEN 1-4 GLOCK® 26 STAINLESS - BROWNELLS BRN BLANK SLIDE FOR GEN 1-4 GLOCK 26, STAINLESS STEEL

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The Boring Work is Done, So You Can Concentrate on the Real Customization!

The Brownells Blank Slide for the Glock® 26 is what the custom pistolsmith needs to build a unique, completely customized slide for any G26 platform pistol. Our slide will fit any Gen1 through Gen4 factory G26 frame, as well as Polymer80's PF940SC subcompact frame. We developed our blank slide for the Glock® 26 specifically for both professional and DIY hobbyist pistol builders who want to do a thorough custom job without a lot of extra grunt work. The inside is fully machined and finished - and ready for your choice of barrel and other internal components. The outside is completely smooth, so you can machine in the exact serration pattern and other features that suit your requirements. Go practical or go decorative. Either way, it's up to you. The good news is you do not have to spend time machining sight cuts because the factory rear dovetail and front sight tenon hole are already there. The chamfering on the slide edges has also been done. Fits factory Glock 26® frame, Gen1 thru Gen4 & Polymer80 PF940SC subcompact frame. Machined stainless steel, unfinished Internals finished to final factory dimensions. Uses a factory recoil spring assemble - #100-002-719, sold separately. Barrel hole = .583" (nominal) Breechface/hood cut = .400" (nom.) Recoil shoulder to breech face = 1.220" (nom.) Our Brownells Blank Slide for Glock® 26 comes in unfinished, "in-the-white" stainless steel. When you're done machining the exterior, you can apply the type of finish - and color scheme - you want. Make it traditional black, tactical camo, or really rad and colorful - it's all up to you. And isn't that what building a custom pistol is about? Choice! Channel liner required for these slides. Channel liners are a press fit and require a tool to install.



Attributes

- Name: [BROWNELLS BRN BLANK SLIDE FOR GEN 1-4 GLOCK 26, STAINLESS STEEL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000481
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Unfinished
- Model: 26
- Weapon type: Glock
- Delivery weight: 0.318kg
- Shipping height: 64mm
- Shipping width: 51mm
- Shipping length: 229mm
- UPC: 050806112780

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- Brownells Blank Slide for Glock® 26 Safety Instruction Guide
- About Us

Brownells Blank Slide for Glock® 26 Safety Instruction Guide

Introduction

Thank you for choosing the Brownells Blank Slide for the Glock® 26. This guide provides essential safety instructions and usage information to ensure that you can safely and effectively utilize your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that all safety precautions are followed to prevent injury or damage.
- This product is designed for use by individuals with a basic understanding of firearms and gunsmithing.
- Always treat your firearm with respect and handle it safely at all times.
- Store this product out of reach of children and unauthorized users.
- Regularly inspect the product for signs of wear or damage before use.
- Follow all local laws and regulations regarding firearms and firearm accessories.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to firearm malfunction.
 - Failure to follow safety guidelines may result in personal injury or property damage.
- **Avoiding Hazards:**
 - Always ensure that the firearm is unloaded before installing or handling the slide.
 - Wear appropriate safety gear, including eye protection, during installation and machining.
 - Do not attempt to modify the slide beyond its intended use.
- **Age Restrictions:**
 - This product is intended for use by adults only. Minors should not handle firearms or firearm accessories without adult supervision.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the Glock® 26 is completely unloaded.
- Gather necessary tools for installation, including a channel liner installation tool.

2. Installation Steps:

- Remove the existing slide from the Glock® 26 by following the manufacturer's instructions.
- Align the Brownells Blank Slide with the factory frame, ensuring proper fit.
- Install the channel liner as required. Use the appropriate tool to press fit the liner into place.
- Once the channel liner is installed, proceed to install the recoil spring assembly (sold separately).
- Ensure all components are properly fitted and secure before proceeding.

3. Usage:

- After installation, conduct a function check to ensure the firearm operates correctly.
- Test the slide with a compatible barrel and other internal components.
- Regularly maintain the slide and firearm to ensure safe operation.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the product is no longer in use, consider recycling or disposing of it responsibly.
- Do not discard any firearm components in regular household waste.

Contact Information for Further Support

For any inquiries or further assistance regarding the Brownells Blank Slide for Glock® 26, please refer to the contact information provided at the point of purchase or on the manufacturer's website.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your Brownells Blank Slide for Glock® 26. Always prioritize safety and responsibility when handling firearms and firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk