

RMS SLIDE FOR GLOCK® 48 - BROWNELL'S RMS SHIELD SIGHT CUT G48 SLIDE SS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Sets You Up To Install a Red Dot Sight on Your Glock 48

The Brownells RMS Cut Slide for Glock® 48 enables you to install a Shield Sights RMS red dot sight on your slim line Glock®. It offers all the benefits of our "Front Cut" slide for Glock® 48 including forward slide serrations that give you extra leverage in manipulating G48 slide against its stiff recoil spring. The cutout on top of the slide behind the ejection port accepts a Shield Sights RMS or other red dot that fits the RMS mounting footprint. We include two correct-length screws for securely anchoring the RMS to your Glock® 48's new slide. The RMS Cut Slide for Glock® 48 also comes with a factory rear sight dovetail and slot for the front sight tenon. They will accept both factory plastic sights and any aftermarket sights that fit the factory cuts, enabling you to co-witness "iron" sights with the red dot for backup. As a bonus you can convert your 43x to a 48 or turn your 43 into a long slide version with this slide and the appropriate barrel. Machined from heat-treated & hardened 17-4 stainless steel billet Hard, wear-resistant matte black Nitride finish Internal dimensions identical to factory slide. Includes Factory rear sight dovetail & front sight tenon cut. Slide only - no internal parts (see Gun Tech Note below) Mounting screws (2) included. Our RMS Cut Slide gives you more grasping surface on your Glock® 48 by adding deep-cut serrations up front. This is a big help when making a quick press check of the chamber. Both the front and rear serrations are cut to the same depth as the factory grooves - so there's no compromise of overall slide strength. Crisp 90-degree edges on the grooves give you excellent purchase for chambering a round on the first try.

Brownells Gun Tech™ Note: The Shield Sights RMS Cut Slide for Glock® 48 consists of the bare slide only. You will need to retain your pistol's existing barrel (or an aftermarket upgrade) and recoil guide / spring assembly, extractor, extractor depressor & spring assembly, and rear coverplate. The G48 slide does not require a firing pin channel liner



Attributes

- Name: [BROWNELL'S RMS SHIELD SIGHT CUT G48 SLIDE SS NITRIDE](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 078000589
- Mfr. No.: NONE
- Cartridge: 9 mm Luger
- Finish: Stainless Steel
- Model: 48
- Sights: RMS
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.316kg
- Shipping height: 76mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 050806113473

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- RMS Slide for Glock® 48 Safety Instruction Guide
- About Us

RMS Slide for Glock® 48 Safety Instruction Guide

Introduction

Thank you for purchasing the RMS Slide for Glock® 48. This guide provides essential safety instructions, usage guidelines, and support information to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure safe handling of your firearm and accessories at all times.
- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction.
- Store the firearm and accessories in a secure location, away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm ownership and modifications.
- Regularly inspect your firearm and accessories for wear and damage.

Specific Safety Precautions for Use

- Only use the RMS Slide with Glock® 48 models.
- Ensure that the firearm is unloaded before installation.
- Use only the provided mounting screws to secure the RMS to the slide. Do not use alternative screws.
- Check that all components are properly installed before use.
- Do not attempt to modify the slide or any component.
- Ensure that the recoil guide and spring assembly are in good condition before installation.
- Avoid using the slide with any ammunition that does not meet the specifications for your Glock® 48.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and the magazine is removed.
- Gather the necessary tools, including a screwdriver compatible with the provided screws.

2. Removing the Existing Slide

- Follow the manufacturer's instructions to disassemble your Glock® 48.
- Carefully remove the existing slide from the frame.

3. Installing the RMS Slide

- Align the RMS Slide with the frame of your Glock® 48.
- Ensure that the slide is positioned correctly and that the ejection port aligns with the frame.
- Use the provided screws to secure the RMS to the slide. Tighten the screws firmly but do not overtighten.

4. Reassembling the Firearm

- Reinstall the recoil guide and spring assembly, extractor, extractor depressor, and rear coverplate as per the manufacturer's instructions.
- Doublecheck that all components are correctly installed.

5. Final Safety Check

- Perform a visual inspection to ensure that all parts are securely in place.

- Conduct a press check to confirm that the chamber is clear.
- If using a red dot sight, ensure it is properly mounted and zeroed.

6. Usage

- When using the firearm, always follow standard safety protocols.
- Regularly check the stability of the RMS Slide and other components during use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the slide or any component becomes damaged beyond repair, dispose of it in a manner that prevents unauthorized use.
- Follow local regulations for the disposal of firearm accessories.

Contact Information for Further Support

For any inquiries regarding the RMS Slide for Glock® 48, please refer to the manufacturer's website or contact customer support directly. Ensure you have your purchase information ready for reference.

By adhering to these safety guidelines and instructions, you can help ensure a safe and enjoyable experience with your RMS Slide for Glock® 48. Thank you for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk