

DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3 - BROWNELL'S DPP SLIDE FOR GEN 3 GLOCK® 17 STAINLESS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Our Leupold Delta Point Pro Cut Slide for Glock® 17 Gen3 pistols features distinctive, wraparound front cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. (OK, we'll admit it: the serrations just look cool, too.) It also comes with a pre-cut slot for easy, secure mounting of a Leupold Delta Point Pro or compatible footprint red dot sight. All DPP Slides also have standard Glock® factory front and rear sight dovetails for "iron" backup sights. To get proper co-witnessing with the DPP, you will need to also install suppressor-height iron sights. You can also get your Brownells DPP Slide for Glock® 17 Gen3 with a "window" cutout on top that enhances airflow to keep the barrel cool - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) the window lets you show it off a bit! Each DPP Slide for Glock® starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll fit factory frames and accept factory or aftermarket barrels and Gen3 internal parts. Slides are heat-treated to Rc 41-44 on the Rockwell C scale for added surface hardness and wear resistance. Fits Gen3 Glock® 17 pistols & clones Machined from corrosion-resistant 17-4 stainless steel billet Leupold Delta Point Pro footprint Plus factory front/rear sight cuts Available with distinctive top Window cutout or traditional Solid top A Brownells DPP Slide is the ideal upgrade for your factory Glock® 17 Gen3 pistol. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



Attributes

- Name: [BROWNELL'S DPP SLIDE FOR GEN 3 GLOCK® 17 STAINLESS NITRIDE](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 078000703
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Stainless w/Nitride Finish
- Model: 17
- Sights: Delta Point Pro
- Style: Solid
- Weapon type: Glock
- Delivery weight: 0.295kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 191mm
- UPC: 050806113855

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3
- About Us

Safety Instruction Guide for DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3

Introduction

Thank you for choosing the DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3. This product is designed to enhance the performance of your Glock® 17 Gen3 pistol while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use, install, and maintain the slide properly.

General Safety Guidelines

- Ensure that you follow all safety guidelines when handling firearms and related accessories.
- Always treat every firearm as if it is loaded.
- Keep firearms pointed in a safe direction at all times.
- Store firearms and accessories securely, out of reach of children and unauthorized users.
- Regularly inspect your firearm and accessories for signs of wear or damage.
- Use the slide only with compatible Glock® 17 Gen3 pistols and parts.

Specific Safety Precautions for Use

- Do not attempt to install the slide on any firearm other than the Glock® 17 Gen3.
- Ensure that the firearm is unloaded before installation or maintenance.
- Use appropriate protective gear, such as safety glasses, when working on firearms.
- Be aware of your surroundings and ensure no one is in the vicinity when handling firearms.
- Do not use the slide if it shows any signs of damage or wear.
- Check that all components are securely attached before using the firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and all ammunition is removed.
- Gather necessary tools, including the recommended channel liner tool (#777100017).

2. Installation Steps

- Remove the existing slide from the Glock® 17 Gen3 by following the manufacturer's instructions.
- Install the channel liner into the new slide using the appropriate tool.
- Align the precut slot of the slide with the frame of the Glock® 17 Gen3.
- Securely attach the slide to the frame, ensuring it is fitted to factory specifications.
- Install suppressorheight iron sights if cowitnessing with the Delta Point Pro is desired.

3. Usage

- Once installed, perform a function check to ensure the slide operates smoothly.
- Regularly inspect the slide and firearm for proper function and any signs of wear.
- If using a red dot sight, ensure it is securely mounted and calibrated for accuracy.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Contact your local waste management authority for guidance on the disposal of metal components.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3, please refer to the contact information provided on the packaging or visit the manufacturer's website for further assistance.

Conclusion

Following these safety guidelines will help ensure a safe and enjoyable experience with your DELTA POINT CUT SLIDE FOR GLOCK® 17 GEN 3. Always prioritize safety and be aware of your surroundings when handling firearms. Thank you for choosing our product, and we wish you safe and successful shooting experiences.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk