

IRON SIGHT SLIDE FOR GLOCK® 17 GEN 3 - BROWNELLS GLK 17 G3 SLIDE & ORG FRONT/CLR U-NTCH REAR TRITIUM SIGHTS

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The Foundation for a Superb D.I.Y. Pistol - Ergonomically Enhanced for Excellent Control

Our Iron Sight Slide for Glock 17® Gen3 enables you to build a custom Glock®-style pistol - or rebuild an old one - with a slide that sports distinctive customized cocking serrations. The unique front serrations aid in manipulating the slide under stress, especially for quick chamber checks AND for clearing the occasional jam. Both the front and rear serrations are cut to the same depth as the Glock® factory slide serrations to ensure no loss in overall slide rigidity. The top edges and the front around the muzzle area are chamfered to reduce the risk of snagging on clothing and to make holstering the pistol easier. Like all Brownells slides, the Iron Sight model for Gen3 Glock® 17 is precision machined from solid 17-4 stainless steel billet to factory specifications inside so it is compatible with any factory or aftermarket Gen3 internal components. Outside, there's a Glock® factory rear sight dovetail and front sight tenon cut ready for any factory or aftermarket sights you choose. This is the perfect companion "top-half" for a custom pistol built on a Polymer80 80% frame. Accepts Gen3 Glock® 17 internal parts Sturdy machined 17-4 stainless steel Tough matte Black Nitride finish Factory cuts for iron sights Channel liner not included; please order separately (see note below) Window model available You can get your Brownells Iron Sight Slide for Gen3 Glock® 17 with a solid top and distinctive wraparound front cocking serrations - swipe your paw along the front of the slide and you can't avoid racking it. The Iron Sight slide is also available with a window cutout on top between the front side serrations. The window aids in heat dissipation to keep the barrel cool during extended fire, AND if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) it'll help your gun stand out from the matte black sameness on the firing line! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



Attributes

- Name: [BROWNELLS GLK 17 G3 SLIDE & ORG FRONT/CLR U-NTCH REAR TRITIUM SIGHTS](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000731
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17
- Sights: Perfect Dot Tritium
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.327kg

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Iron Sight Slide for Glock® 17 Gen 3](#)
- [About Us](#)

Safety Instruction Guide for Iron Sight Slide for Glock® 17 Gen 3

Introduction

Thank you for choosing the Iron Sight Slide for Glock® 17 Gen 3 from Brownells. This guide provides essential safety instructions and precautions to ensure safe and effective use of your product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the Iron Sight Slide is installed on a compatible Glock® 17 Gen 3 frame.
- Always handle firearms with care and follow standard firearm safety practices.
- Keep the Iron Sight Slide and any related components out of reach of children and unauthorized users.
- Regularly inspect the Iron Sight Slide for any signs of wear or damage.
- Do not attempt to modify or alter the Iron Sight Slide in any way.
- Always use appropriate eye and ear protection when handling or firing firearms.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attempting to install or remove the Iron Sight Slide.
- Verify that all internal components are compatible with the Iron Sight Slide to prevent malfunction.
- When manipulating the slide, use the front serrations for better control, especially under stress.
- Avoid placing fingers in front of the muzzle area when handling the firearm.
- If you experience a malfunction or jam, follow the manufacturer's recommended procedures for clearing the issue.
- Always store your firearm in a secure location when not in use.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is completely unloaded.
- Remove the existing slide from the Glock® 17 Gen 3 frame.
- Align the Iron Sight Slide with the frame and ensure that all internal components fit correctly.
- Securely attach the slide to the frame according to the manufacturer's specifications.
- Install the channel liner as required. A pressfit tool may be necessary for proper installation.

2. Usage:

- Familiarize yourself with the operation of the Iron Sight Slide before use.
- Practice using the front and rear serrations for slide manipulation.
- Ensure that your sights are properly aligned and adjusted for accuracy.
- Regularly clean and maintain the Iron Sight Slide to ensure optimal performance.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the Iron Sight Slide becomes damaged beyond repair, consult local authorities for proper disposal methods.
- Do not dispose of firearms or firearm components in regular household waste.

Contact Information for Further Support

For any inquiries related to the Iron Sight Slide for Glock® 17 Gen 3, please refer to the manufacturer's website or customer support resources for assistance.

Please ensure that you follow all safety guidelines and instructions provided in this document to ensure safe and effective use of your Iron Sight Slide. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk