

TALOS BTR 4-14X44MM FFP ILLUMINATED RIFLE SCOPE - TALOS BTR 4-14X44MM FFP ILLUMINATED APLR2 IR MIL BLACK

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Provides Low-Light Targeting Capability

The Athlon Optics Talos BTR 4-14x44mm riflescope is designed specifically for hunters looking to gain more capabilities during the low-light hours when animals are moving, enabling them to fill their tags quicker than ever. The Talos BTR 4-14x44mm riflescope is purpose-built to ensure visibility and targeting ability at dawn and dusk, thanks to the company's multi-coated optics designed to enhance brightness and produce a clear sight picture. Tube diameter: 30mm First focal plane APLR2 MIL reticle Weight: 23.6 ounces Adjustment value: 0.1 MRAD The Talos BTR 4-14x44mm riflescope bu Athlon Optics also features an illuminated reticle that enhances the ability of hunters and shooters to get on target in low light without losing sight of the reticle hairs. The reticle is powered by a single CR2032 battery.



Attributes

- Name: [TALOS BTR 4-14X44MM FFP ILLUMINATED APLR2 IR MIL BLACK](#)
- Manufacturer: [ATHLON OPTICS](#)
- Product no.: 100026807
- Mfr. No.: 215028
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.15"
- Finish: Matte Black
- Focal Plane: First
- Illumination: Yes
- Length: 12.9"
- Max Magnification: 14x
- Min. Magnification: 4x
- Model Number: Talos BTR
- Objective Size: 44mm
- Reticle: APLR2 Mil
- Tube Size: 30mm
- Weight: 23.6 oz
- Delivery weight: 1.297kg
- Shipping height: 89mm
- Shipping width: 89mm
- Shipping length: 406mm
- UPC: 813869020719

Item details

This product contains a battery.
US export classification: 0A504.a

Table of Contents

- Startpage
- Safety Instruction Guide for TALOS BTR 414X44MM FFP ILLUMINATED RIFLE SCOPE
- About Us

Safety Instruction Guide for TALOS BTR 414X44MM FFP ILLUMINATED RIFLE SCOPE

Introduction

Thank you for choosing the TALOS BTR 414X44MM FFP ILLUMINATED RIFLE SCOPE. This guide provides essential safety instructions and usage guidelines to ensure your safety and the optimal performance of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Product Safety: Always ensure the safe use of the riflescope as per the instructions provided in this guide.
- Enhanced Recalls: Stay informed about any potential recalls related to this product. Regularly check for updates.
- Online Shopping: If purchased online, verify that the seller complies with safety requirements.
- Special Consumer Focus: Extra precautions should be taken if the product is used by vulnerable groups.
- EU Contact Point: For safety inquiries, refer to the designated EU contact point associated with this product.
- Rapid Alerts: Stay updated on any safety alerts regarding this product through the Safety Gate system.

Specific Safety Precautions for Use

- Always handle the riflescope with care to avoid damage.
- Do not expose the riflescope to extreme temperatures or humidity.
- Ensure that the riflescope is securely mounted before use.
- Avoid looking directly at the sun through the riflescope, as this may cause serious eye damage.
- Keep the riflescope out of reach of children and unauthorized users.
- Use only the recommended CR2032 battery for the illuminated reticle.

Instructions for Installation and Usage

Installation

1. Mounting the Riflescope:

- Select a suitable mounting base compatible with the riflescope.
- Ensure the base is securely attached to the rifle.
- Place the riflescope onto the mounting base and adjust it to your preferred eye relief.
- Tighten the mounting screws to secure the riflescope in place.

2. Battery Installation:

- Locate the battery compartment on the riflescope.
- Open the compartment and insert a new CR2032 battery, ensuring the correct polarity is observed.
- Close the battery compartment securely.

Usage

• Adjusting the Magnification:

- Rotate the magnification ring to set your desired level of magnification, ranging from 4x to 14x.

• Using the Illuminated Reticle:

- Press the power button to turn on the illuminated reticle.
- Adjust the brightness level as needed for optimal visibility in lowlight conditions.

- **Zeroing the Scope:**

- To zero the scope, follow these steps:
- Set up your rifle on a stable shooting platform.
- Fire a group of shots and observe where they land relative to your target.
- Adjust the windage and elevation turrets according to the adjustments needed to align your shots with the target.

Disposal Instructions

- Dispose of the riflescope and any electronic components in accordance with local regulations.
- Do not dispose of batteries in household waste. Follow local guidelines for battery disposal or recycling.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the designated EU contact point associated with this product.

Thank you for prioritizing safety while using the TALOS BTR 414X44MM FFP ILLUMINATED RIFLE SCOPE. Your adherence to these guidelines will enhance your experience and ensure safe usage.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at