

HS403R RED DOT SIGHT - HS403R 2 MOA RED DOT 20 MM MICRO SIGHT BLACK

Compact Micro Red Dot with Long Battery Life

The Holosun HS403R is a small compact micro red dot optic that features Holosun's new Rheo Stat Dial to adjust brightness settings. 2 MOA Dot Parallax free with unlimited eye relief Rheo Stat Dial controls and streamlined housing design Low mount and 1/3 Co-witness mount included Adaptable to Picatinny and Weaver rails CNC machining with T6061-T6 aluminum housing. Fits Aimpoint Micro style mounts/footprints. Employing LED technology, the HS403R can achieve "constant on" battery life of up to 5 years on medium setting.



Attributes

- Name: HS403R 2 MOA RED DOT 20 MM MICRO SIGHT BLACK
- Manufacturer: HOLOSUN
- Product no.: 100034008
- Mfr. No.: HS403R
- Battery Life: 5 yrs
- Finish: Black
- Power Supply: CR 2032
- Reticle: MRS
- Sight Type: Red Dot
- Delivery weight: 0.386kg
- Shipping height: 89mm
- Shipping width: 95mm
- Shipping length: 127mm
- UPC: 605930625295

Item details

US export classification: 0A504.c

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für das HS403R Red Dot Sight
- English: HS403R Red Dot Sight Safety Instruction Guide

Sicherheitshinweise für das HS403R Red Dot Sight

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des Holosun HS403R Red Dot Sights. Dieses kompakte MikroVisier wurde entwickelt, um Ihnen eine präzise Zielerfassung zu ermöglichen. Um die Sicherheit und den optimalen Gebrauch Ihres Produkts zu gewährleisten, lesen Sie bitte die folgenden Sicherheitshinweise sorgfältig durch.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt vor der Verwendung auf sichtbare Schäden überprüft wird.
- Bewahren Sie das Produkt außerhalb der Reichweite von Kindern auf.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Achten Sie darauf, dass alle Teile fest montiert sind, bevor Sie das Visier verwenden.
- Informieren Sie sich über lokale Gesetze und Vorschriften bezüglich der Verwendung von Zielvorrichtungen.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie das Visier nicht, wenn Sie unter dem Einfluss von Drogen oder Alkohol stehen.
- Überprüfen Sie regelmäßig die Batterie und ersetzen Sie sie bei Bedarf, um eine unterbrochene Nutzung zu vermeiden.
- Stellen Sie sicher, dass das Visier richtig kalibriert ist, bevor Sie es verwenden.
- Verwenden Sie das Produkt nicht in extremen Temperaturen oder unter extremen Bedingungen, die die Funktionalität beeinträchtigen könnten.
- Halten Sie das Visier sauber und frei von Schmutz oder Ablagerungen, um eine klare Sicht zu gewährleisten.

Anweisungen zur Installation und Nutzung

1. Montage des Visier

- Wählen Sie eine geeignete Montageposition auf Ihrer Waffe.
- Befestigen Sie das HS403R Red Dot Sight sicher an der Picatinny oder WeaverSchiene.
- Überprüfen Sie, ob das Visier fest sitzt und keine Bewegung aufweist.

2. Einschalten und Helligkeitsanpassung

- Drücken Sie den Rheo Stat Dial, um das Visier einzuschalten.
- Drehen Sie den Dial, um die Helligkeit des 2 MOA Punktes anzupassen.
- Achten Sie darauf, dass der Punkt gut sichtbar ist, ohne zu blenden.

3. Zielerfassung

- Halten Sie das Visier auf Ihr Ziel.
- Nutzen Sie den unbegrenzten Augenabstand für eine komfortable Zielerfassung.
- Vergewissern Sie sich, dass das Visier richtig kalibriert ist, um die Genauigkeit zu gewährleisten.

4. Batteriewechsel

- Wenn die Anzeige schwach wird, ersetzen Sie die CR 2032Batterie.
- Achten Sie darauf, die Batterie gemäß den Anweisungen zu entnehmen und zu ersetzen.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Elektronikabfälle.
- Entfernen Sie die Batterie, bevor Sie das Visier entsorgen.
- Informieren Sie sich über Recyclingmöglichkeiten in Ihrer Nähe.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Bedenken zu Ihrem HS403R Red Dot Sight wenden Sie sich bitte an den Hersteller oder den autorisierten Händler, bei dem Sie das Produkt erworben haben. Achten Sie darauf, alle relevanten Informationen, einschließlich Modellnummer und Kaufdatum, bereitzuhalten.

Schlussfolgerung

Die Sicherheit und Zufriedenheit des Benutzers stehen an erster Stelle. Durch die Befolgung dieser Sicherheitsrichtlinien können Sie die sichere und effektive Nutzung Ihres Holosun HS403R Red Dot Sight gewährleisten. Bleiben Sie informiert über mögliche Rückrufe oder Sicherheitswarnungen, um Ihre Sicherheit zu maximieren.

HS403R Red Dot Sight Safety Instruction Guide

Introduction

Thank you for choosing the Holosun HS403R Red Dot Sight. This guide provides essential safety instructions and usage information to ensure your safe and effective use of the product. Please read this guide carefully before using the sight.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the sight away from children and unauthorized users.
- Regularly check the sight for any signs of damage or wear.
- Always follow local laws and regulations regarding the use of optical sights.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about any recalls or safety alerts related to this product by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Eye Injuries:** Always ensure the sight is properly mounted and secured to prevent it from falling or dislodging during use.
- **Battery Safety:**
 - Use only the recommended CR 2032 battery.
 - Do not attempt to recharge nonrechargeable batteries.
 - Dispose of used batteries according to local regulations.
- **Environmental Considerations:**
 - Avoid exposing the sight to extreme temperatures or moisture.
 - Clean the lens with a soft, dry cloth to prevent scratches.
- **Proper Handling:**
 - Do not point the sight at any person or animal.
 - Always treat the sight as if it is loaded, even when not in use.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before attaching the sight.
- Use the included low mount or 1/3 co-witness mount to secure the sight to the firearm.
- Align the sight with the Picatinny or Weaver rail and tighten the mounting screws securely.
- Verify that the sight is properly aligned before use.

2. Using the Sight:

- Turn the Rheostat Dial to adjust the brightness of the red dot according to your environment.
- Ensure that the dot is clear and visible before aiming.
- Practice aiming and shooting in a safe and controlled environment to become familiar with the sight.

3. Maintenance:

- Regularly inspect the sight for loose screws or components.
- Replace the battery as needed to ensure optimal performance.

Disposal Instructions

- Dispose of the sight and its components in accordance with local regulations.
- Remove the battery before disposal and recycle it properly.
- Do not dispose of the sight in regular household waste.

Contact Information for Further Support

For any inquiries or further support regarding the HS403R Red Dot Sight, please refer to the manufacturer's contact information provided in the product packaging or on the official website.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the Holosun HS403R Red Dot Sight!