

M-LOK QD SLING SOCKET MOUNTS FOR AR-15 - SONS OF LIBERTY GUN WORKS M-LOK QD SLING SOCKET FOR AR-15 4140 STEEL

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

M-LOK QD SLING SOCKET MOUNTS FOR AR-15 The Sons of Liberty Gun Works Aluminum QD Socket is designed to give you a versatile attachment point for the QD sling of your choice. Manufactured from 4140 Steel, they are backed by a Lifetime Guarantee.



Attributes

- Name: [SONS OF LIBERTY GUN WORKS M-LOK QD SLING SOCKET FOR AR-15 4140 STEEL](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100038774
- Mfr. No.: 4140SOCKET
- Colour: Black
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 76mm
- UPC: 691821417124

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MLOK QD Sling Socket Mounts for AR15](#)
- [About Us](#)

Safety Instruction Guide for MLOK QD Sling Socket Mounts for AR15

Introduction

Thank you for choosing the MLOK QD Sling Socket Mounts for AR15 by Sons of Liberty Gun Works. This guide provides essential safety instructions and information to ensure the safe use of this product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe use of the MLOK QD Sling Socket Mounts by following these guidelines:
 - Always inspect the product for any signs of damage before use.
 - Use the product only for its intended purpose as specified in this guide.
 - Keep the product out of reach of children and vulnerable individuals.
 - Follow all local laws and regulations regarding the use of firearm accessories.
 - Report any unsafe products or accidents to the relevant authorities.
 - Check the EU's Safety Gate platform for recall updates on this product.

Specific Safety Precautions for Use

- To minimize risks while using the MLOK QD Sling Socket Mounts, observe the following precautions:
 - Do not exceed the recommended weight limit for the sling and accessories attached to the socket.
 - Ensure that the sling is securely attached to the socket before use.
 - Avoid using the product in extreme weather conditions that may affect its performance.
 - Do not modify the product in any way, as this may compromise its safety and effectiveness.
 - If you notice any wear or damage, discontinue use immediately and replace the product.

Instructions for Installation and Usage

- Follow these steps for safe installation and usage of the MLOK QD Sling Socket Mounts:

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Locate the MLOK slots on your AR15.
- Align the QD sling socket with the MLOK slot.
- Insert the socket into the slot and secure it by tightening the included screws using the appropriate tool.
- Ensure that the socket is firmly attached and does not move.

2. Usage:

- Attach your QD sling to the socket by inserting the QD swivel into the socket until you hear a click.
- Adjust the sling to your desired length for comfort and ease of use.
- Always check the attachment before using the firearm to ensure it is secure.

Disposal Instructions

- When the MLOK QD Sling Socket Mounts are no longer in use or have reached the end of their life:
 - Dispose of the product in accordance with local waste disposal regulations.

- Do not dispose of the product in regular household waste if it contains hazardous materials.
- Consider recycling the materials if applicable.

Contact Information for Further Support

- For any questions regarding the MLOK QD Sling Socket Mounts, please refer to the official website or contact the manufacturer directly for assistance.

By following these safety instructions, you can ensure a safer experience while using the MLOK QD Sling Socket Mounts for your AR15. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk