

# TIKKA T3X PREFIT PRECISION BARRELS - INTERNATIONAL BARRELS

## 223 REMINGTON 1-8" TWIST 22" SPIRAL FLUTED BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

### A Prefit Barrel Designed to Enhance Your Tikka T3X

Want a new caliber or a fresh barrel in your Tikka T3X? Don't worry, you won't have to make a special trip to the gunsmith to redo your rifle. Thanks to the unique system found in the International Barrels Pre-Fit Barrel system, barrel-swap jobs that used to be performed only by gunsmiths can now be done right in your workshop safely and easily! Each International Barrels Pre-Fit Tikka T3X precision barrel is constructed with a barrel-nut system that can be threaded onto your action right at home. Once the barrel is threaded into place, simply check its positioning with a set of headspace gauges and then tighten the barrel nut down to its proper torque settings. Then you're done! The easy attachment system of these International Barrels Pre-Fit Barrels isn't all you're getting. These gun barrels are button-rifled and are made to precision tolerances, double-checked at every step along the way. The barrels are made using the company's Medium contour, which features a straight taper from the breech to the muzzle. Each barrel is threaded with 5/8-24 TPI muzzle threads. The company warns that some stocks may need to be inlet to allow clearance for the barrel nut.



### Attributes

- Name: [INTERNATIONAL BARRELS 223 REMINGTON 1-8" TWIST 22" SPIRAL FLUTED BARREL](#)
- Manufacturer: [INTERNATIONAL BARRELS](#)
- Product no.: 100040314
- Mfr. No.: 10076
- Barrel Weight: -
- Cartridge: 223 Remington
- Contour: Medium
- Finish: Stainless Steel
- Length: 22"
- Model: CTR,T3,T3x,TAC A1
- Muzzle Threads: 5/8-24
- Twist: 1-8
- Weapon type: Tikka
- Delivery weight: 1.699kg
- Shipping height: 32mm
- Shipping width: 32mm
- Shipping length: 559mm
- UPC: 785614286643

### Item details

US export classification: 0A501.c

# Table of Contents

- Startpage
- TIKKA T3X PREFIT PRECISION BARRELS SAFETY INSTRUCTION GUIDE
- About Us

# TIKKA T3X PREFIT PRECISION BARRELS SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for choosing the TIKKA T3X Prefit Precision Barrel. This guide is designed to provide you with important safety information and instructions for the proper use and installation of your new barrel. Please read this guide carefully to ensure safe and effective use of your product.

## General Safety Guidelines

- Ensure that the barrel is compatible with your Tikka T3X rifle model before installation.
- Always handle firearms and firearm components with care, treating them as if they are loaded.
- Keep the barrel and all firearm components out of reach of children and unauthorized users.
- Inspect the barrel for any signs of damage or defects before installation and use.
- Do not use the barrel if it shows any signs of damage or if it has been altered in any way.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Follow all local laws and regulations regarding firearm ownership and use.

## Specific Safety Precautions for Use

- Ensure that the rifle is unloaded and the action is open before beginning any work on the barrel.
- Do not attempt to install the barrel if you are unsure of the process. Seek assistance from a qualified gunsmith if necessary.
- Be aware that some stocks may require inletting to allow clearance for the barrel nut.
- Always check the headspace after installation using appropriate gauges to ensure safe operation.
- Tighten the barrel nut to the specified torque settings to prevent any issues during use.
- Regularly inspect the barrel for signs of wear or damage during routine maintenance.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that your workspace is clean and free of obstructions.
- Gather all necessary tools, including headspace gauges and a torque wrench.

### 2. Remove the Existing Barrel

- Ensure the rifle is unloaded and the action is open.
- Follow the manufacturer's instructions to safely remove the existing barrel from the action.

### 3. Install the New Barrel

- Thread the International Barrels PreFit Tikka T3X barrel onto the action.
- Ensure that the barrel is properly aligned and seated.

### 4. Check Headspace

- Use headspace gauges to check the positioning of the barrel.
- Make any necessary adjustments to ensure proper headspace.

### 5. Tighten the Barrel Nut

- Use a torque wrench to tighten the barrel nut to the manufacturer's specified torque settings.

- Ensure that the barrel nut is secure but do not overtighten.

## 6. Final Inspection

- Inspect the installation to ensure everything is properly secured.
- Perform a final check for any signs of damage or misalignment.

## Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the barrel becomes damaged beyond repair, consult local regulations for proper disposal of firearm components.
- Do not dispose of the barrel in regular household waste. Follow local guidelines for hazardous materials if applicable.

## Contact Information for Further Support

For any questions or concerns regarding the installation or use of your TIKKA T3X Prefit Precision Barrel, please refer to the manufacturer's website or your local dealer for assistance. Always ensure that you are following the most current safety guidelines and regulations.

By following these guidelines and instructions, you can ensure the safe and effective use of your TIKKA T3X Prefit Precision Barrel. Thank you for your attention to safety and responsible firearm ownership.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)