

V4 DEFENDER OPTIC MOUNTING PLATE FOR GLOCK MOS - C&H PRECISION WEAPONS HOLOSUN 407/507/508 MOUNTING PLATE SQUARE FACE FOR GLOCK MOS

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

An Enhanced Adapter Plate for Your Optics Mounting System

V4 DEFENDER OPTIC MOUNTING PLATE FOR GLOCK MOS The weakest link in your red-dot-equipped handgun is the mounting plate between the optic and your pistol slide. If this critical component isn't designed correctly, then your entire system won't work as designed. The C&H Precision V4 Defender series optic mounting plates are designed to address the critical flaws encountered in most plates, and it will ensure that your gun performs as designed. Each C&H Precision V4 Defender Optic Mounting Plate designed for use on Glock® pistols improves two key elements of optics mounting: hardware and optic protection. The plates feature the company's patent-pending T-Nuts and Torx screws, which are made from stainless steel and are replaceable without having to toss the entire plate. The V4 Defender Optics Mounting Plate is available for the Glock® 17, 19, 34, 35, 40 and 41. Also included on these C&H V4 Defender Optics Mounting Plates is the company's unique Defender Window. This incorporates a proprietary polymer that's resistant to impact and provides an extra protective window at the front of your red-dot sight. Not only does this window protect your optic from the elements, it also provides a barrier that prevents you from smudging your lens while manipulating a handgun slide. Optic fits include: Holosun 407, Holosun 507, Holosun 508. TO ENSURE THE LONGEVITY OF THIS PRODUCT, IT'S IMPORTANT TO USE IT WITH CARE AND IN A RESPONSIBLE MANNER. The Defender was not made for the G40; however, many customers have purchased the Defender and made a small modification that allowed it to work extremely well with the G40. Defender plates partially wrap the top of the slide and do not fit large frame Glock pistols, I.E. G21 and all pistols of similar width.



Attributes

- Name: [C&H PRECISION WEAPONS HOLOSUN 407/507/508 MOUNTING PLATE SQUARE FACE FOR GLOCK MOS](#)
- Manufacturer: [C&H PRECISION WEAPONS](#)
- Product no.: 100043497
- Mfr. No.: GL-DEF-SQUARE
- Colour: Black
- Fits / Used For: Holosun 508, Holosun 407, Holosun 507
- Model: 41, 19, 34, 35, 40, 17
- Weapon type: Glock
- Weight: 0.3 lbs
- Delivery weight: 0.039kg
- Shipping height: 140mm
- Shipping width: 102mm
- Shipping length: 140mm

Item details

Made in USA

Table of Contents

- Startpage
- V4 Defender Optic Mounting Plate Safety Instruction Guide
- About Us

V4 Defender Optic Mounting Plate Safety Instruction Guide

Introduction

Thank you for choosing the V4 Defender Optic Mounting Plate for your Glock MOS. This guide provides essential safety instructions and guidelines for the proper use and care of your product. Please read this document carefully to ensure safe and effective operation.

General Safety Guidelines

- Ensure that the mounting plate is compatible with your specific Glock model (17, 19, 34, 35, 40, and 41).
- Always inspect the mounting plate for any signs of damage or wear before use.
- Store the mounting plate in a cool, dry place when not in use.
- Keep the mounting plate out of reach of children and unauthorized users.
- Report any unsafe products or accidents to relevant authorities.

Specific Safety Precautions for Use

- Use the mounting plate only with compatible optics (Holosun 407, 507, and 508).
- Avoid modifications to the mounting plate that are not recommended by the manufacturer.
- When installing or removing the optic, ensure that the firearm is unloaded and pointed in a safe direction.
- Handle the Torx screws and TNuts carefully to avoid injury.
- If you experience any issues with the mounting plate, cease use immediately and seek assistance.

Instructions for Installation and Usage

Installation

1. **Prepare the Firearm:** Ensure that your Glock is unloaded and pointed in a safe direction.
2. **Remove Existing Plates:** If applicable, remove any existing mounting plates from the slide.
3. **Align the Mounting Plate:** Position the V4 Defender Optic Mounting Plate over the mounting area on the slide.
4. **Insert TNuts:** Place the patentpending TNuts into the designated slots on the mounting plate.
5. **Secure with Torx Screws:** Use the provided Torx screws to secure the mounting plate firmly. Do not overtighten, as this may damage the plate or the slide.
6. **Attach the Optic:** Follow the optic manufacturer's instructions to attach your Holosun optic to the mounting plate.

Usage

- Regularly check the tightness of the screws to ensure the optic remains securely mounted.
- Clean the Defender Window regularly to maintain visibility and performance.
- Avoid using the firearm in extreme conditions that may affect the integrity of the mounting plate.

Disposal Instructions

- Dispose of the mounting plate in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the mounting plate in regular household waste.
- If the product is damaged beyond use, contact local waste management for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's website or customer service resources.

By following these safety instructions and guidelines, you can ensure the proper use and longevity of your V4 Defender Optic Mounting Plate. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk