

STAG 15 300 BLACKOUT 16IN UPPER RECEIVERS - STAG 15 .300 BLACKOUT 16 IN UPPER

A Full-Length Upper Chambered for the Hard-Hitting 300 Blackout Cartridge

If the 300 Blackout round was designed for use in an 8-inch barrel, imagine the kind of increased power you could get from a fired round by chambering it in a barrel twice as long? You're used to 16-inch carbines, but this Stag Arms Stag-15 Blackout upper receiver is outfitted with a big-bore, .30-caliber barrel that gives you a hard-hitting thumper of a platform in a size you know how to manage well. Each Stag Arms Stag-15 300 Blackout upper receiver features a QPQ-nitride-finished 16-inch barrel complete with a 1:7-inch twist rate. The muzzle end is crowned with a classic birdcage-style flash hider, and the entire package is finished off with an ergonomic, attractive Stag Slimline handguard complete with M-LOK attachment slots.



Attributes

- Name: STAG 15 .300 BLACKOUT 16 IN UPPER
- Manufacturer: STAG ARMS
- Product no.: 100701035
- Mfr. No.: STAG15102011
- Cartridge: 300 AAC Blackout
- Color: Black
- Contour: Medium
- Finish: Anodized
- Length: 16"
- Make: AR-15
- Muzzle: 5/8-24
- Style: Complete
- Twist: 1-7
- Delivery weight: 2.03kg
- Shipping height: 102mm
- Shipping width: 152mm
- Shipping length: 775mm
- UPC: 810052407562

Item details

Made in USA

US export classification: I(g)

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für STAG 15 .300 BLACKOUT 16IN Oberteil](#)
- [English: Safety Instruction Guide for STAG 15 .300 BLACKOUT 16 IN UPPER RECEIVER](#)

Sicherheitshinweise für STAG 15 .300 BLACKOUT 16IN Oberteil

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des STAG 15 .300 BLACKOUT 16IN Oberteils von STAG ARMS. Dieses Produkt ist für den Einsatz mit AR15 Plattformen konzipiert und bietet eine leistungsstarke Schussleistung. Um sicherzustellen, dass Sie das Beste aus Ihrem Oberteil herausholen und gleichzeitig sicher bleiben, befolgen Sie bitte die folgenden Sicherheitshinweise.

Allgemeine Sicherheitsrichtlinien

- Achten Sie immer darauf, dass Ihr Produkt den geltenden Sicherheitsstandards entspricht.
- Halten Sie sich an alle lokalen Gesetze und Vorschriften zum Besitz und Gebrauch von Feuerwaffen.
- Verwenden Sie nur zugelassene Munition, die für das Kaliber .300 AAC Blackout geeignet ist.
- Bewahren Sie das Produkt außerhalb der Reichweite von Kindern und unbefugten Personen auf.
- Überprüfen Sie regelmäßig den Zustand des Oberteils und der verwendeten Komponenten auf Abnutzung oder Beschädigungen.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Tragen Sie immer geeignete Schutzausrüstung, einschließlich Gehörschutz und Schutzbrille, während Sie schießen.
- Stellen Sie sicher, dass Sie in einem sicheren und genehmigten Bereich schießen.
- Überprüfen Sie vor jedem Schuss, dass sich keine Personen oder Tiere im Gefahrenbereich befinden.
- Verwenden Sie das Oberteil nicht, wenn es Anzeichen von Beschädigungen oder Fehlfunktionen aufweist.
- Seien Sie sich der Rückstoßkräfte bewusst und stellen Sie sicher, dass Sie das Gewehr sicher halten können.

Anweisungen für Installation und Nutzung

1. Installation des Oberteils:

- Entfernen Sie das alte Oberteil von Ihrer AR15 Plattform, indem Sie die entsprechenden Schrauben lösen.
- Setzen Sie das STAG 15 .300 BLACKOUT Oberteil auf den unteren Empfänger und sichern Sie es mit den mitgelieferten Schrauben.
- Überprüfen Sie, ob das Oberteil fest sitzt und keine Bewegungen aufweist.

2. Vorbereitung zum Schießen:

- Laden Sie die Waffe gemäß den Anweisungen des Herstellers.
- Stellen Sie sicher, dass der Sicherheitsmechanismus aktiviert ist, bevor Sie die Waffe auf den Stand bringen.
- Überprüfen Sie die Funktionalität des Mündungsfeuers und des Handguards vor dem Gebrauch.

3. Nach dem Schießen:

- Entladen Sie das Oberteil immer, bevor Sie es reinigen oder lagern.
- Reinigen Sie das Oberteil regelmäßig, um eine optimale Leistung zu gewährleisten.
- Lagern Sie das Oberteil an einem trockenen, sicheren Ort, um Korrosion und Beschädigungen zu vermeiden.

Entsorgungsanweisungen

- Entsorgen Sie alle nicht mehr benötigten Teile und Verpackungsmaterialien gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Stellen Sie sicher, dass alle Entsorgungen umweltfreundlich sind und keine schädlichen Stoffe in die Umwelt gelangen.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung bezüglich des STAG 15 .300 BLACKOUT 16IN Oberteils wenden Sie sich bitte an den Hersteller oder autorisierte Händler. Sie stehen Ihnen zur Verfügung, um alle Fragen zu beantworten und Unterstützung zu bieten.

Bitte beachten Sie, dass diese Sicherheitshinweise nicht alle möglichen Gefahren abdecken können. Es liegt in Ihrer Verantwortung, sicherzustellen, dass Sie alle Sicherheitsvorkehrungen treffen und sich über die besten Praktiken im Umgang mit Feuerwaffen informieren.

Safety Instruction Guide for STAG 15 .300 BLACKOUT 16 IN UPPER RECEIVER

Introduction

Thank you for choosing the STAG 15 .300 BLACKOUT 16 IN UPPER RECEIVER. This product is designed for use in various shooting applications. However, it is essential to follow safety guidelines to ensure safe and effective use. This guide provides important safety instructions and information regarding the proper installation, usage, and disposal of your upper receiver.

General Safety Guidelines

- Always treat all firearms as if they are loaded.
- Keep firearms pointed in a safe direction at all times.
- Ensure that you are familiar with the operation of your firearm before using it.
- Use appropriate ammunition that is specified for your upper receiver.
- Always wear eye and ear protection when shooting.
- Store firearms and ammunition securely, out of reach of children and unauthorized users.
- Regularly inspect your firearm for signs of wear or damage.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or removing the upper receiver.
- Do not modify the upper receiver or any components unless authorized by the manufacturer.
- Avoid using damaged or defective ammunition.
- Be aware of your surroundings, including other people and animals, when shooting.
- Do not shoot at hard surfaces or water to prevent ricochets.
- Keep your fingers off the trigger until you are ready to shoot.
- Follow all local laws and regulations regarding firearm use.

Instructions for Installation and Usage

Installation of the Upper Receiver

1. **Ensure Safety:** Make sure the firearm is unloaded and pointed in a safe direction.
2. **Remove Existing Upper Receiver:** If applicable, detach the existing upper receiver from the lower receiver by following the manufacturer's instructions.
3. **Attach the STAG 15 Upper Receiver:**
 - Align the upper receiver with the lower receiver.
 - Ensure the takedown pins are properly seated and secure.
4. **Check Functionality:** After installation, perform a function check to ensure that the upper receiver operates correctly.

Usage

- Load ammunition into the magazine as per the manufacturer's instructions.
- Insert the magazine into the lower receiver.
- Charge the firearm by pulling back on the charging handle and releasing it.
- Aim at your target, ensuring a clear line of sight.
- When ready, place your finger on the trigger and squeeze gently to fire.

Disposal Instructions

- Dispose of the upper receiver in accordance with local regulations regarding firearms and firearm components.
- If the product is no longer usable, contact local authorities for proper disposal methods.
- Do not dispose of firearms or components in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the STAG 15 .300 BLACKOUT 16 IN UPPER RECEIVER, please refer to the manufacturer's official website or customer service resources for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safer experience while using the STAG 15 .300 BLACKOUT 16 IN UPPER RECEIVER. Always prioritize safety and responsible handling of firearms.