

RUGER PRECISION MAGNUM HD PICATINNY SCOPE MOUNT - EGW

RUGER PRECISION MAGNUM 1-PIECE PICATINNY BASE 40 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. This mount is a Picatinny-style base and compatible with Picatinny or Weaver scope rings. EGW machines these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Recommend: 20 MOA - if shooting 500-1000 yards 40 MOA - if shooting 1500+ yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA. This mount fits: Ruger Precision Rifle (RPR) Magnum This mount will not work on: Ruger Precision Rimfire Ruger Precision Non Magnum



Attributes

- Name: [EGW RUGER PRECISION MAGNUM 1-PIECE PICATINNY BASE 40 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000753
- Mfr. No.: 80454
- Colour: Black
- Elevation: 40 MOA
- Material: Aluminum
- Model: Precision Rifle
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Ruger
- Delivery weight: 0.193kg
- Shipping height: 25mm
- Shipping width: 121mm
- Shipping length: 273mm
- UPC: 841370111862

Item details

Made in USA

Table of Contents

- Startpage
- RUGER PRECISION MAGNUM HD PICATINNY SCOPE MOUNT Safety Instruction Guide
- About Us

RUGER PRECISION MAGNUM HD PICATINNY SCOPE MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the RUGER PRECISION MAGNUM HD PICATINNY SCOPE MOUNT. This guide provides essential safety instructions to ensure the safe use, installation, and maintenance of your scope mount. Please read this guide carefully to understand the safety precautions and proper usage of the product.

General Safety Guidelines

- Product Safety: This product is designed for safe use when installed and used according to the instructions provided. Ensure you follow all safety guidelines to avoid potential hazards.
- Enhanced Recalls: In the event of a safety issue, you may receive standardized recall notices. Please stay informed about any recalls related to this product.
- Online Shopping: If you purchased this product online, rest assured that it meets the same safety requirements as those sold in physical stores.
- Special Consumer Focus: This product is not intended for use by children. Keep it out of reach to prevent accidents.
- EU Contact Point: For safety inquiries, please refer to the product packaging for the appropriate contact information.
- Rapid Alerts: Stay updated on product safety by checking the EU's Safety Gate platform for any alerts regarding unsafe products.

Specific Safety Precautions for Use

- Always confirm that the hole spacing in your receiver matches the dimensions provided by the manufacturer before installation.
- Ensure that the mount is securely attached to the rifle to prevent it from coming loose during use.
- Use only compatible Picatinny or Weaver scope rings with this mount to ensure proper fit and safety.
- When using the mount, ensure that it is free from any obstructions that could interfere with your line of sight.
- Always check the torque settings before use. It is recommended to use 20 inch lbs of torque for installation.
- Use a drop of blue Loctite on screws to prevent loosening during use. (Loctite is sold separately.)
- Inspect the mount regularly for signs of wear or damage. If any issues are found, discontinue use and replace the mount.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the necessary tools for installation, including a torque wrench and appropriate screws.
- Make sure the rifle is unloaded and in a safe condition before beginning installation.

2. Installation Steps:

- Measure the hole spacing in your receiver to confirm compatibility with the mount.
- Align the mount with the holes on the receiver.
- Insert the screws through the mount into the receiver holes.
- Tighten the screws to a torque setting of 20 inch lbs.
- Apply a drop of blue Loctite to the screws to ensure they remain secure.

3. Usage:

- Once installed, check that the mount is securely fastened.
- Mount your scope using compatible Picatinny or Weaver rings.
- Zero your rifle according to the recommended guidelines:
 - For a 20 MOA mount, zero at 200 yards.
 - For a 40 MOA mount, consider the range you will be shooting (500-1000 yards or 1500+ yards).

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in regular household waste. Check with local waste management authorities for proper disposal methods.
- If the product is damaged or no longer usable, ensure it is recycled or disposed of in a manner that minimizes environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the RUGER PRECISION MAGNUM HD PICATINNY SCOPE MOUNT, please refer to the product packaging for the appropriate contact information.

Thank you for your attention to these safety guidelines. Proper use and maintenance of your scope mount will enhance your shooting experience and ensure safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk