

RUGER M77 HAWKEYE FACTORY DRILLED SA HD PICATINNY SCOPE MOUNT - EGW RUGER M77 HAWKEYE SA 1-PIECE PICATINNY BASE 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. EGW machines these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). Recommend: 0 MOA - if shooting 0-500 yards 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA. This mount fits: Ruger M77 Short Action Hunter Ruger M77 Short Action Long Range Hunter Ruger M77 Short Action Long Range Target



Attributes

- Name: [EGW RUGER M77 HAWKEYE SA 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000755
- Mfr. No.: 80462
- Action Type: Short
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: M77 Hawkeye Compact
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Ruger
- Delivery weight: 0.086kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 841370117406

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RUGER M77 HAWKEYE SCOPE MOUNT SAFETY INSTRUCTIONS](#)
- [About Us](#)

RUGER M77 HAWKEYE SCOPE MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for purchasing the RUGER M77 Hawkeye Factory Drilled SA HD Picatinny Scope Mount. This guide provides important safety information and instructions to ensure the proper use and installation of your scope mount. Please read this manual carefully to ensure safe handling and optimal performance.

General Safety Guidelines

- Always handle firearms and accessories with care and respect.
- Ensure the firearm is unloaded before installing or removing the scope mount.
- Use the scope mount only with compatible firearms as specified in this guide.
- Check the mount regularly for signs of wear or damage.
- Store the scope mount in a safe, dry place when not in use.
- Follow all local laws and regulations regarding the use of firearms and accessories.

Specific Safety Precautions for Use

- Confirm the hole spacing in your receiver matches the published dimensions before installation.
- Ensure the Picatinny cross slots are free from debris before attaching scope rings and accessories.
- Be aware that the mount may not obstruct the use of factory iron sights, but verify this before relying on them.
- Use only the recommended torque settings (20 inch lbs) when securing the mount.
- Apply a drip of blue Loctite to the screws to prevent loosening (Loctite is sold separately).
- For zeroing your rifle, use a 20 MOA mount and zero at 200 yards for optimal performance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and the appropriate size wrench for the mounting screws.
- Ensure you have a clean, flat workspace.

2. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Measure the hole spacing in your receiver to confirm compatibility with the mount.
- Align the scope mount over the receiver, ensuring the Picatinny cross slots are positioned correctly.
- Insert the screws into the mounting holes and handtighten them to hold the mount in place.
- Using a torque wrench, tighten the screws to the recommended torque of 20 inch lbs.
- Apply a drip of blue Loctite to the screws to secure them in place.

3. Usage:

- After installation, attach your scope and accessories to the Picatinny rail.
- Verify that the scope is securely mounted and aligned before use.
- Regularly check the mount and screws for tightness and integrity.

Disposal Instructions

- Dispose of the scope mount according to local regulations for metal and electronic waste.
- Do not dispose of the mount in regular household waste.
- If the mount is damaged or no longer needed, consider recycling it to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the RUGER M77 Hawkeye Scope Mount, please consult your local dealer or the official manufacturer's website for assistance and support.

Important Note

This product is designed for use with the following firearms: * Ruger M77 Short Action Hunter * Ruger M77 Short Action Long Range Hunter * Ruger M77 Short Action Long Range Target

Always ensure that you are using the mount with compatible models to avoid any safety risks.

By following these safety instructions, you can ensure a safe and effective experience with your RUGER M77 Hawkeye Scope Mount. Thank you for choosing our product, and we wish you the best in your shooting endeavors.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk