

MIKE 15 GEN 2 5.56 UPPER RECEIVERS - GEN 2 COMPLETE UPPER 9" PISTOL LENGTH GAS W/BLAST DIVERTER

Foxtrot Mike is well known for its innovative 9MM PCC, as it has been a go to for competitive PCC shooters and consumers alike, for more than 6 years. The Foxtrot Mike Products AR-15 Gen 2 Upper Receiver is a premium quality upper receiver designed with several innovative and patent-pending features that make it one of the most innovative AR-15 uppers on the market. The integrated, proprietary recoil system allows for the upper to function without the need for a lower with a buffer tube, making it a great option for AR style firearms, that incorporate a folding or collapsible stock. The Foxtrot Mike Products Mike-15 Gen 2 Upper Receiver is available in 5.56/223 Wylde and features a forward charging handle that is easy to operate and offers improved ergonomics compared to a traditional charging handle. It is designed to provide superior performance and functionality to AR-15 enthusiasts. The reduced reciprocating mass, lighter weight, and higher pic rail on the gen 2 Mike 15 Upper receivers (.250" taller than Mil spec), allow shooters to experience an AR style rifle with less recoil, and quicker follow up shots due to flat shooting recoil impulse. The integrated recoil system is simple and utilizes Direct Impingement gas system. The proprietary bolt carrier is light weight and shorter than a standard AR15 bolt carrier. The carrier key (gas key), has an integrated recoil lug, which has a mating pocket in the proprietary bolt carrier. This ensures no recoil load during cycle is distributed to the gas key screws. The recoil springs have a "nested" inner spring (6 pound), and outer spring (12 pound), both wound in opposite directions, to ensure they move freely during cycling of the firearm. Inside the nested recoil Springs is the recoil rod. The lightweight proprietary Gen 2 Bolt Carrier Group ride along the Recoil Rod as the gun cycles. The Lightweight M-Lok compatible handguard, has an interlocking tab with the upper receiver, ensuring proper alignment with the bore. Two Torx bit screws hold the handguard in place for simple maintenance without risk of stripping screws. An extra long, lightweight barrel nut improves torsional support to longer handguards during hard use. 4 position, non reciprocating charging handle, can be mounted on either side of the handguard, to accommodate left and right handed shooters. The charging handle is located in the best possible location for ergonomics, as it is located near your hand on the handguard. This allows shooters to clear malfunctions, check the chamber or make ready, all while looking downrange at your target. The "trolley" is the steel carriage the 4 position charging handle attaches too. The Trolley resides inside the hand guard, it is a round tube machined from steel, with a 4" deep .160" hole down the center of it. The recoil rod goes into the trolley when the charging handle is pulled rearward. The 4 position Charging Handle has redundant attachment methods, should one fail. The Charging Handle is held in place by (2) 10-32 set screws, which are installed from the front of the handguard using a 3/32" allen wrench. The trolley also has a threaded end which also compresses against the 4 position charging handle from the rear of the charging handle. The Mike-15 gen 2 Upper Receivers allow consumers to use their existing AR style Mil Spec Lower Receiver and combine it with the included Picatinny Rail Adapter and they can convert there vanilla M4 to a modern Buffer-less firearm, capable of using a collapsible or folding stock, and being able to be fired from the folded position should the need arise. Its unique features and accessories make it an excellent choice for those looking to build a custom AR-15 pistol or short-barreled rifle. Sleek, Modern light weight design combined with premium materials, to produce an accurate, simple and reliable product at an amazing price. Premium 41V50 Barrel, vacuum stress relieved, button rifled 1-8 twist rate, Burnished .223 Wylde Chamber, coated in Melonite (QPQ). 9" Pistol length gas, 12.5" Mid Length gas, 13.9" Mid Length gas, 16" Mid Length gas and 16" Intermediate Length gas available. Proprietary Bolt Carrier machined from pre-hard 4342, machined then post vacuum heat treated to increase hardness and maintain excellent surface finish of gas ring bore of Proprietary Bolt Carrier. Integrated recoil Lug in the carrier and gas key, greatly improving shear strength of Gas key screws. Proprietary double pinned gas block with interlocking feature, ensures proper alignment of gas block. The Gas Block has its gas port drilled from the top, so we can confirm alignment of gas port in barrel, port in the gas block and



gas tube are all aligned prior to assembly. Monolithic Style lightweight sleek modern buffer-less Ar style Upper Receiver, simple elegant direct impingement operating system allowing costumers to use the included picatinny rail adapter to transform their vanilla M4 into a Modern Buffer-less AR. Taper Lock Barrel nut, and extra long lightweight Barrel nut, allow for excellent handguard rigidity and accuracy in a lightweight package. Proprietary Firing Pin Spring, using S7 Tool Steel Firing Pin, and S7 Tool Steel Extractor Pin. An S7 Tool Steel Round Cam Pin and S7 AR-15 Extractor are also utilized. All Mike-15 Gen 2 Upper Receivers come with an easy to install Picatinny Rail Adapter included. This allows consumers to convert their vanilla M4 into a modern, lightweight, flat shooting buffer-less firearm, by using their own Mile Spec AR Lower Receiver and the included Picatinny Rail Adapter. Foxtrot Mike machines 6 flats (standard box wrench shape) on the chamber end of the barrel. We slide the 6 sided flats into a plate with a mating shape, so we can apply 150 pounds of torque to the barrel extension, without having to clamp down onto a round profile with a 10 ton press. This guarantees all the torque is applied to the barrel extension, guaranteeing proper torque values on every barrel.

Attributes

- Name: GEN 2 COMPLETE UPPER 9" PISTOL LENGTH GAS W/BLAST DIVERTER
- Manufacturer: FOXTROT MIKE PRODUCTS
- Product no.: 430104366
- Mfr. No.:
- Cartridge: 223 Wylde
- Color: Black
- Contour: Lightweight
- Finish: Anodized
- Length: 9"
- Make: AR-15
- Muzzle: 1/2-28
- Style: Complete
- Twist: 1-8
- Delivery weight: 1.588kg
- Shipping height: 203mm
- Shipping width: 102mm
- Shipping length: 660mm
- UPC: 850036821618

Item details

Made in USA

US export classification: I(g)

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den MIKE 15 GEN 2 5.56 Upper Receiver](#)
- [English: Safety Instruction Guide for MIKE 15 GEN 2 5.56 Upper Receivers](#)
- [Svenska: Säkerhetsinstruktioner för MIKE 15 GEN 2 5.56 UPPER RECEIVERS](#)

Sicherheitshinweise für den MIKE 15 GEN 2 5.56

Upper Receiver

Einleitung

Vielen Dank, dass du dich für den MIKE 15 GEN 2 5.56 Upper Receiver von Foxtrot Mike Products entschieden hast. Dieser Upper Receiver ist für den Einsatz mit AR15-Plattformen konzipiert und bietet innovative Funktionen, die die Leistung und Benutzerfreundlichkeit verbessern. Bitte lies die folgenden Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass du das Produkt sicher und effektiv verwendest.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du alle Anweisungen in diesem Handbuch befolgst, um die Sicherheit zu gewährleisten.
- Halte das Produkt außerhalb der Reichweite von Kindern und anderen unbefugten Personen.
- Verwende das Produkt nur für den vorgesehenen Zweck und in Übereinstimmung mit den Anweisungen.
- Überprüfe das Produkt regelmäßig auf Verschleiß oder Beschädigungen. Bei Schäden verwende das Produkt nicht.
- Melde unsichere Produkte oder Vorfälle an die zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Benutzung

- Verwende nur kompatible Teile und Zubehör mit dem MIKE 15 GEN 2 Upper Receiver.
- Achte darauf, dass der Upper Receiver ordnungsgemäß mit dem Lower Receiver verbunden ist, bevor du das Produkt verwendest.
- Überprüfe die Funktionalität des Rückstoßsystems, bevor du das Produkt in Betrieb nimmst.
- Verwende beim Schießen geeignete Schutzausrüstung, einschließlich Gehörschutz und Schutzbrille.
- Halte während des Gebrauchs immer eine sichere Handhabung des Produkts ein.

Anweisungen für Installation und Benutzung

Installation

1. **Vorbereitung:** Stelle sicher, dass der Lower Receiver entladen und sicher ist.
2. **Montage:**
 - Positioniere den MIKE 15 GEN 2 Upper Receiver auf dem Lower Receiver.
 - Überprüfe, ob die Ausrichtung korrekt ist.
 - Sichere den Upper Receiver mit den vorgesehenen Schrauben und Werkzeugen.
3. **Überprüfung:**
 - Stelle sicher, dass der Ladehebel und das Rückstoßsystem ordnungsgemäß funktionieren.
 - Führe einen Funktionstest durch, um sicherzustellen, dass alle Teile korrekt montiert sind.

Benutzung

- Lade das Gewehr gemäß den Anweisungen des Herstellers.
- Überprüfe vor jedem Schuss die Kammer auf mögliche Störungen.
- Achte darauf, dass du das Gewehr in einem sicheren Bereich verwendest, der für das Schießen geeignet ist.
- Halte immer den Finger vom Abzug, bis du bereit bist zu schießen.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für Elektroschrott und gefährliche Materialien.
- Entferne alle Batterien und Zubehörteile, bevor du das Produkt entsorgst.
- Informiere dich über die richtigen Entsorgungsmethoden in deiner Region.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Stelle sicher, dass du alle relevanten Informationen über das Produkt bereithältst, wenn du Unterstützung benötigst.

Bitte beachte, dass diese Sicherheitsanweisungen dazu dienen, dir zu helfen, das Produkt sicher zu verwenden und potenzielle Risiken zu minimieren. Deine Sicherheit und die Sicherheit anderer sind von größter Bedeutung.

Safety Instruction Guide for MIKE 15 GEN 2 5.56 Upper Receivers

Introduction

Thank you for choosing the MIKE 15 GEN 2 5.56 Upper Receiver. This guide is designed to provide you with essential safety information and instructions for the proper use of this product. Please read this guide carefully to ensure safe operation and maintenance.

General Safety Guidelines

- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Ensure that the safety mechanism is engaged when not in use.
- Store the firearm in a secure location, away from children and unauthorized users.
- Regularly inspect the firearm for any signs of wear or damage before use.
- Use only compatible ammunition as specified in the product details.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- Do not attempt to modify the upper receiver or any of its components.
- Always wear appropriate eye and ear protection when shooting.
- Ensure that the area is clear of obstructions and that you have a proper backstop when firing.
- Be aware of your surroundings and ensure that no one is in your line of fire.
- If you experience a malfunction, follow the manufacturer's instructions for clearing it safely.
- Avoid using the firearm under the influence of drugs or alcohol.

Instructions for Installation and Usage

1. Installation of the Upper Receiver:

- Ensure that your existing AR15 lower receiver is compatible with the MIKE 15 GEN 2 upper receiver.
- Align the upper receiver with the lower receiver, ensuring that the takedown pins are properly positioned.
- Secure the upper receiver to the lower receiver by pushing the takedown pins into place until they click.

2. Charging Handle Operation:

- The charging handle can be mounted on either side of the handguard. Choose the side that is most comfortable for you.
- To charge the firearm, pull the charging handle rearward until it engages the bolt carrier group.
- Release the charging handle to allow the bolt to return to its forward position.

3. Loading and Firing:

- Ensure the safety is in the "Safe" position before loading.
- Insert a magazine filled with compatible ammunition into the magazine well.
- Pull the charging handle back and release it to chamber a round.
- Move the safety to the "Fire" position before shooting.

4. Clearing Malfunctions:

- If a malfunction occurs, immediately place the safety on "Safe."
- Remove the magazine and clear the chamber by pulling the charging handle back.
- Inspect the firearm for any obstructions or damage before attempting to fire again.

5. Cleaning and Maintenance:

- Regularly clean the upper receiver and components to ensure optimal performance.
- Use a cleaning kit designed for AR15 platforms to maintain the firearm.
- Inspect the recoil system and bolt carrier group for wear and replace any damaged parts as necessary.

Disposal Instructions

- Dispose of the upper receiver and any components in accordance with local regulations.
- Do not dispose of firearms or firearm components in regular household waste.
- Contact local authorities or licensed disposal services for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MIKE 15 GEN 2 5.56 Upper Receiver, please refer to the manufacturer's website or contact their customer support for assistance. Always ensure you have the latest information regarding product recalls or safety notices by checking the EU's Safety Gate platform.

By following these guidelines, you can help ensure a safe and enjoyable experience with your MIKE 15 GEN 2 5.56 Upper Receiver. Thank you for your attention to safety and responsible firearm ownership.

Säkerhetsinstruktioner för MIKE 15 GEN 2 5.56 UPPER RECEIVERS

Introduktion

Tack för att du valt MIKE 15 GEN 2 5.56 Upper Receiver från Foxtrot Mike Products. Denna produkt är designad för att ge överlägsen prestanda och funktionalitet. För att säkerställa säker användning och för att maximera din upplevelse, vänligen läs och följ dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Använd alltid produkten i enlighet med tillverkarens anvisningar.
- Kontrollera alltid att produkten är i gott skick innan användning.
- Förvara produkten utom räckhåll för barn och andra sårbara grupper.
- Rapportera alla skador eller defekter till en auktoriserad återförsäljare.
- Håll dig informerad om eventuella återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsutrustning, inklusive skyddsglasögon och hörselskydd, när du använder produkten.
- Kontrollera att alla delar är korrekt monterade och säkrade innan användning.
- Undvik att rikta vapnet mot dig själv eller andra när det inte är i bruk.
- Lär dig och följ lokala lagar och förordningar angående användning av AR15vapen.
- Utför regelbundna inspektioner av produkten för att identifiera eventuella skador eller slitage.

Instruktioner för installation och användning

Installation

1. **Förberedelse:** Se till att du har alla nödvändiga verktyg och att arbetsområdet är rent och fritt från hinder.
2. **Montering av Upper Receiver:**
 - Fäst den övre mottagaren på den nedre mottagaren enligt tillverkarens anvisningar.
 - Kontrollera att alla skruvar och fästen är ordentligt åtdragna.
3. **Installera Handguard:**
 - Montera handskyddet med de medföljande Torxbitskruvarna.
 - Se till att handskyddet är korrekt justerat med den övre mottagaren.
4. **Kontrollera Laddhandtaget:**
 - Fäst laddhandtaget på önskad sida av handskyddet.
 - Kontrollera att laddhandtaget fungerar smidigt och utan motstånd.

Användning

1. **Laddning av vapnet:** Följ alltid säkerhetsprocedurer för att ladda vapnet.
2. **Skottlossning:**
 - Rikta alltid vapnet bort från dig och andra.
 - Kontrollera omgivningen innan du avfyrar ett skott.
3. **Underhåll:**
 - Rengör och inspektera produkten regelbundet för att säkerställa säker och effektiv drift.
 - Följ tillverkarens rekommendationer för smörjning och underhåll.

Avfallshantering

- Kasta inte produkten i vanligt avfall. Följ lokala riktlinjer för avfallshantering av vapen och tillbehör.
- Återvinn materialet om möjligt, i enlighet med lokala återvinningsprogram.

Kontaktinformation för vidare support

För frågor eller ytterligare support, vänligen kontakta en auktoriserad återförsäljare eller besök tillverkarens webbplats för mer information. Se till att ha produktens serienummer tillgängligt för snabbare hjälp.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en trygg och effektiv användning av MIKE 15 GEN 2 5.56 Upper Receiver. Tack för att du prioriterar säkerhet och ansvar när du använder denna produkt.