

MIKE 15 GEN 2 5.56 UPPER RECEIVERS - GEN 2 COMPLETE UPPER 13.9" INTERMEDIATE GAS W/A2 FLASH HIDER

Foxtrot Mike is well known for its innovative 9MM PCC, as it has been a go to for competitive PCC shooters and consumers alike, for more than 6 years. The Foxtrot Mike Products AR-15 Gen 2 Upper Receiver is a premium quality upper receiver designed with several innovative and patent-pending features that make it one of the most innovative AR-15 uppers on the market. The integrated, proprietary recoil system allows for the upper to function without the need for a lower with a buffer tube, making it a great option for AR style firearms, that incorporate a folding or collapsible stock. The Foxtrot Mike Products Mike-15 Gen 2 Upper Receiver is available in 5.56/223 Wylde and features a forward charging handle that is easy to operate and offers improved ergonomics compared to a traditional charging handle. It is designed to provide superior performance and functionality to AR-15 enthusiasts. The reduced reciprocating mass, lighter weight, and higher pic rail on the gen 2 Mike 15 Upper receivers (.250" taller than Mil spec), allow shooters to experience an AR style rifle with less recoil, and quicker follow up shots due to flat shooting recoil impulse. The integrated recoil system is simple and utilizes Direct Impingement gas system. The proprietary bolt carrier is light weight and shorter than a standard AR15 bolt carrier. The carrier key (gas key), has an integrated recoil lug, which has a mating pocket in the proprietary bolt carrier. This ensures no recoil load during cycle is distributed to the gas key screws. The recoil springs have a "nested" inner spring (6 pound), and outer spring (12 pound), both wound in opposite directions, to ensure they move freely during cycling of the firearm. Inside the nested recoil Springs is the recoil rod. The lightweight proprietary Gen 2 Bolt Carrier Group ride along the Recoil Rod as the gun cycles. The Lightweight M-Lok compatible handguard, has an interlocking tab with the upper receiver, ensuring proper alignment with the bore. Two Torx bit screws hold the handguard in place for simple maintenance without risk of stripping screws. An extra long, lightweight barrel nut improves torsional support to longer handguards during hard use. 4 position, non reciprocating charging handle, can be mounted on either side of the handguard, to accommodate left and right handed shooters. The charging handle is located in the best possible location for ergonomics, as it is located near your hand on the handguard. This allows shooters to clear malfunctions, check the chamber or make ready, all while looking downrange at your target. The "trolley" is the steel carriage the 4 position charging handle attaches too. The Trolley resides inside the hand guard, it is a round tube machined from steel, with a 4" deep .160" hole down the center of it. The recoil rod goes into the trolley when the charging handle is pulled rearward. The 4 position Charging Handle has redundant attachment methods, should one fail. The Charging Handle is held in place by (2) 10-32 set screws, which are installed from the front of the handguard using a 3/32" allen wrench. The trolley also has a threaded end which also compresses against the 4 position charging handle from the rear of the charging handle. The Mike-15 gen 2 Upper Receivers allow consumers to use their existing AR style Mil Spec Lower Receiver and combine it with the included Picatinny Rail Adapter and they can convert there vanilla M4 to a modern Buffer-less firearm, capable of using a collapsible or folding stock, and being able to be fired from the folded position should the need arise. Its unique features and accessories make it an excellent choice for those looking to build a custom AR-15 pistol or short-barreled rifle. Sleek, Modern light weight design combined with premium materials, to produce an accurate, simple and reliable product at an amazing price. Premium 41V50 Barrel, vacuum stress relieved, button rifled 1-8 twist rate, Burnished .223 Wylde Chamber, coated in Melonite (QPQ). 9" Pistol length gas, 12.5" Mid Length gas, 13.9" Mid Length gas, 16" Mid Length gas and 16" Intermediate Length gas available. Proprietary Bolt Carrier machined from pre-hard 4342, machined then post vacuum heat treated to increase hardness and maintain excellent surface finish of gas ring bore of Proprietary Bolt Carrier. Integrated recoil Lug in the carrier and gas key, greatly improving shear strength of Gas key screws. Proprietary double pinned gas block with interlocking feature, ensures proper alignment of gas block. The Gas Block has its gas port drilled from the top, so we can confirm alignment of gas port in barrel, port in the gas block and



gas tube are all aligned prior to assembly. Monolithic Style lightweight sleek modern buffer-less Ar style Upper Receiver, simple elegant direct impingement operating system allowing costumers to use the included picatinny rail adapter to transform their vanilla M4 into a Modern Buffer-less AR. Taper Lock Barrel nut, and extra long lightweight Barrel nut, allow for excellent handguard rigidity and accuracy in a lightweight package. Proprietary Firing Pin Spring, using S7 Tool Steel Firing Pin, and S7 Tool Steel Extractor Pin. An S7 Tool Steel Round Cam Pin and S7 AR-15 Extractor are also utilized. All Mike-15 Gen 2 Upper Receivers come with an easy to install Picatinny Rail Adapter included. This allows consumers to convert their vanilla M4 into a modern, lightweight, flat shooting buffer-less firearm, by using their own Mile Spec AR Lower Receiver and the included Picatinny Rail Adapter. Foxtrot Mike machines 6 flats (standard box wrench shape) on the chamber end of the barrel. We slide the 6 sided flats into a plate with a mating shape, so we can apply 150 pounds of torque to the barrel extension, without having to clamp down onto a round profile with a 10 ton press. This guarantees all the torque is applied to the barrel extension, guaranteeing proper torque values on every barrel.

Attributes

- Name: GEN 2 COMPLETE UPPER 13.9" INTERMEDIATE GAS W/A2 FLASH HIDER
- Manufacturer: FOXTROT MIKE PRODUCTS
- Product no.: 430104368
- Mfr. No.: MIKE15-13.9U
- Cartridge: 223 Wylde
- Color: Black
- Contour: Lightweight
- Finish: Anodized
- Length: 13.9"
- Make: AR-15
- Muzzle: 1/2-28
- Style: Complete
- Twist: 1-8
- Delivery weight: 1.86kg
- Shipping height: 83mm
- Shipping width: 83mm
- Shipping length: 641mm
- UPC: 850036821601

Item details

Made in USA

US export classification: I(g)

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den MIKE 15 GEN 2 5.56 UPPER RECEIVER](#)
- [English: Consumer Safety Instruction Guide for MIKE 15 GEN 2 5.56 UPPER RECEIVER](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per MIKE 15 GEN 2 5.56 UPPER RECEIVERS FOXTROT MIKE PRODUCTS](#)
- [Svenska: Säkerhetsinstruktioner för MIKE 15 GEN 2 5.56 UPPER RECEIVERS](#)

Sicherheitshinweise für den MIKE 15 GEN 2 5.56 UPPER RECEIVER

Einführung

Herzlichen Glückwunsch zum Kauf Ihres MIKE 15 GEN 2 5.56 Upper Receiver von Foxtrot Mike Products. Dieses Produkt wurde entwickelt, um Ihnen eine hervorragende Leistung und Funktionalität zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie alle Aspekte des sicheren Gebrauchs und der ordnungsgemäßen Handhabung verstehen.

Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass alle Sicherheitsvorschriften und gesetzlichen Bestimmungen in Ihrem Land eingehalten werden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie vor jedem Gebrauch, ob das Produkt in einwandfreiem Zustand ist.
- Melden Sie unsichere Produkte oder Vorfälle umgehend den zuständigen Behörden.
- Informieren Sie sich regelmäßig über Rückrufaktionen auf der EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Tragen Sie beim Umgang mit dem Upper Receiver immer geeignete Schutzausrüstung, einschließlich Schutzbrille und Gehörschutz.
- Stellen Sie sicher, dass der Upper Receiver nur mit kompatiblen Lower Receivern verwendet wird.
- Vermeiden Sie es, den Upper Receiver zu verwenden, wenn er beschädigt oder defekt ist.
- Achten Sie darauf, dass keine Fremdkörper in den Lauf gelangen.
- Halten Sie den Upper Receiver während des Gebrauchs immer in einem sicheren Bereich, um Unfälle zu vermeiden.

Anweisungen für Installation und Nutzung

1. Installation des Upper Receivers:

- Stellen Sie sicher, dass der Lower Receiver vollständig entladen ist.
- Entfernen Sie den vorhandenen Upper Receiver, falls vorhanden.
- Richten Sie den MIKE 15 GEN 2 Upper Receiver auf dem Lower Receiver aus und drücken Sie ihn vorsichtig an.
- Sichern Sie den Upper Receiver mit den vorgesehenen Schrauben oder Befestigungen.
- Überprüfen Sie vor der ersten Nutzung, ob alles fest sitzt und korrekt montiert ist.

2. Benutzung des Upper Receivers:

- Laden Sie die Waffe gemäß den entsprechenden Anweisungen.
- Stellen Sie sicher, dass der Ladehebel leicht zu bedienen ist und sich in der richtigen Position befindet.
- Überprüfen Sie regelmäßig den Zustand des Rückstoßsystems und der Rückstoßfedern.
- Achten Sie darauf, dass die Waffe immer in eine sichere Richtung zeigt, wenn sie geladen oder entladen wird.
- Verwenden Sie nur die empfohlenen Munitionstypen, um die Sicherheit und Funktionalität zu gewährleisten.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Stellen Sie sicher, dass alle Teile des Upper Receivers ordnungsgemäß recycelt oder entsorgt werden, um Umweltschäden zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Sie stehen Ihnen für alle Sicherheitsanfragen zur Verfügung.

Bitte beachten Sie, dass die Einhaltung dieser Sicherheitsrichtlinien entscheidend für die sichere Nutzung Ihres MIKE 15 GEN 2 5.56 Upper Receiver ist. Achten Sie stets darauf, verantwortungsvoll mit Ihrem Produkt umzugehen.

Consumer Safety Instruction Guide for MIKE 15 GEN 2

5.56 UPPER RECEIVER

Introduction

Thank you for choosing the MIKE 15 GEN 2 5.56 Upper Receiver. This guide provides essential safety instructions and guidelines to ensure the proper and safe use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the muzzle pointed in a safe direction at all times.
- Store the firearm in a secure location, out of reach of children and unauthorized users.
- Wear appropriate eye and ear protection when using the firearm.
- Do not modify the upper receiver or any of its components without proper knowledge and expertise.
- Regularly inspect the upper receiver for any signs of damage or wear before use.
- Ensure that the ammunition used is compatible with the MIKE 15 GEN 2 Upper Receiver (5.56/223 Wylde).
- Follow all local laws and regulations regarding firearms and their use.

Specific Safety Precautions for Use

- **Recoil Management:** This upper receiver features an integrated recoil system. Ensure you understand how it functions to minimize recoil and improve shooting accuracy.
- **Charging Handle Operation:** The charging handle is located for optimal ergonomics. Practice using it to clear malfunctions and check the chamber while maintaining a safe shooting stance.
- **Installation Precautions:** When installing the upper receiver, ensure all components are properly aligned and secured to prevent malfunctions.
- **Handling Ammunition:** Always check the ammunition for defects before use. Do not use damaged or improperly stored ammunition.
- **Firing Position:** When using a folding or collapsible stock, ensure the firearm is stable and secure before firing, especially in the folded position.

Instructions for Installation and Usage

1. Installation of the Upper Receiver:

- Ensure the lower receiver is compatible with the MIKE 15 GEN 2 Upper Receiver.
- Align the upper receiver with the lower receiver and secure it using the appropriate pins.
- Confirm that the charging handle is correctly installed and functions smoothly.

2. Loading Ammunition:

- Open the bolt and visually inspect the chamber to ensure it is clear.
- Load the magazine with the appropriate ammunition (5.56/223 Wylde).
- Insert the magazine into the magazine well until it clicks into place.

3. Operating the Charging Handle:

- Pull the charging handle rearward to chamber a round.
- Ensure the charging handle is fully engaged before firing.

4. Firing the Upper Receiver:

- Assume a stable shooting position.
- Ensure your finger is off the trigger until you are ready to fire.
- Aim at your target and gently squeeze the trigger to fire.

5. PostUse Procedures:

- After use, clean the upper receiver and inspect it for any signs of wear or damage.
- Store the upper receiver in a secure location.

Disposal Instructions

- Dispose of the upper receiver and any associated components in accordance with local regulations.
- Do not dispose of the upper receiver in regular household waste.
- Contact local authorities or a licensed firearms dealer for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MIKE 15 GEN 2 5.56 Upper Receiver, please refer to the manufacturer's contact information provided with your product.

By following these safety instructions and guidelines, you can ensure the safe and effective use of your MIKE 15 GEN 2 5.56 Upper Receiver. Always prioritize safety and responsible firearm handling.

Guida alle Istruzioni di Sicurezza per MIKE 15 GEN 2

5.56 UPPER RECEIVERS FOXTROT MIKE PRODUCTS

Introduzione

Grazie per aver scelto il ricevitore superiore MIKE 15 GEN 2 5.56 di Foxtrot Mike Products. Questo prodotto è progettato per fornire prestazioni elevate e funzionalità agli appassionati di AR15. Tuttavia, è fondamentale seguire le linee guida di sicurezza per garantire un uso sicuro e responsabile del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il prodotto in conformità con le leggi locali e nazionali.
- Non utilizzare il ricevitore superiore in modo irresponsabile o per scopi non previsti.
- Conserva il prodotto in un luogo sicuro, lontano dalla portata di bambini e gruppi vulnerabili.
- Controlla regolarmente il ricevitore superiore per eventuali segni di usura o danni.
- Segnala eventuali incidenti o prodotti non sicuri alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- **Uso corretto:** Utilizza il ricevitore superiore solo con componenti compatibili e seguendo le specifiche del produttore.
- **Controllo della sicurezza:** Prima di ogni utilizzo, verifica che il ricevitore superiore sia in condizioni ottimali e che non ci siano ostruzioni.
- **Maneggio sicuro:** Tratta sempre il ricevitore superiore come se fosse carico, anche se sei sicuro che non lo sia.
- **Equipaggiamento di protezione:** Indossa occhiali di protezione e protezioni per le orecchie durante l'uso.
- **Ambiente di utilizzo:** Utilizza il ricevitore superiore in un'area ben ventilata e sicura, lontano da persone non autorizzate.

Istruzioni per l'Installazione e l'Uso

1. Installazione:

- Assicurati che il ricevitore inferiore sia compatibile con il ricevitore superiore MIKE 15 GEN 2.
- Segui le istruzioni del produttore per l'installazione del ricevitore superiore sul ricevitore inferiore.
- Controlla che tutte le viti e i componenti siano serrati correttamente.

2. Uso:

- Prima di utilizzare il ricevitore superiore, controlla che sia pulito e privo di detriti.
- Carica il fucile seguendo le procedure di sicurezza standard.
- Esegui un colpo di prova in un ambiente sicuro per verificare il corretto funzionamento.

3. Manutenzione:

- Pulisci regolarmente il ricevitore superiore secondo le indicazioni del produttore.
- Sostituisci eventuali componenti usurati o danneggiati immediatamente per garantire la sicurezza.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento di armi e componenti associati.
- Non gettare il ricevitore superiore o i suoi componenti nelle normali discariche.
- Contatta un centro di smaltimento autorizzato per le armi per informazioni su come smaltire il prodotto in modo sicuro.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni sulla sicurezza del prodotto, segnalazioni di incidenti o domande relative al ricevitore superiore MIKE 15 GEN 2, ti invitiamo a contattare il tuo rivenditore o il servizio clienti del produttore.

Nota Importante

Questa guida è fornita per garantire un utilizzo sicuro e responsabile del ricevitore superiore MIKE 15 GEN 2. È responsabilità dell'utente seguire tutte le linee guida di sicurezza e le normative vigenti.

Säkerhetsinstruktioner för MIKE 15 GEN 2 5.56 UPPER RECEIVERS

Introduktion

Tack för att du valt MIKE 15 GEN 2 5.56 UPPER RECEIVERS från Foxtrot Mike Products. Denna produkt är designad för att ge överlägsen prestanda och funktionalitet. För att säkerställa en säker användning av produkten är det viktigt att följa dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Läs noggrant igenom alla instruktioner innan du använder produkten.
- Använd alltid produkten i enlighet med dess avsedda syfte.
- Håll produkten utom räckhåll för barn och andra sårbara grupper.
- Kontrollera produkten regelbundet för tecken på slitage eller skador.
- Rapportera eventuella skador eller problem till en auktoriserad serviceställe.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsutrustning, inklusive skyddsglasögon och öronskydd, när du använder produkten.
- Kontrollera att produkten är korrekt installerad innan användning.
- Använd endast ammunition som rekommenderas för denna typ av uppsättning.
- Undvik att rikta vapnet mot dig själv eller andra vid all hantering.
- Utför alltid säkerhetskontroller innan du laddar och avfyrar.
- Var medveten om omgivningen och säkerställ att det finns ett säkert skjutområde.

Instruktioner för installation och användning

Installation

1. **Kontrollera innehållet:** Se till att alla delar är inkluderade i paketet innan installation.
2. **Fäst handskyddet:** Använd de medföljande Torxbitskruvarna för att fästa handskyddet på den övre mottagaren.
3. **Montera laddhandtaget:** Installera det 4positioners laddhandtaget på önskad sida av handskyddet.
4. **Anslut gas systemet:** Se till att det integrerade rekylsystemet är korrekt anslutet till gasblocket.
5. **Säkerställ korrekt justering:** Kontrollera att alla delar är korrekt justerade innan du använder produkten.

Användning

- Ladda alltid vapnet på ett säkert och kontrollerat sätt.
- Utför en visuell inspektion av kammaren innan du avfyrar.
- Använd produkten endast i enlighet med de specifikationer som anges i manualen.
- Vid problem, stoppa användningen omedelbart och kontrollera för eventuella fel.

Avfallshantering

- Avfall och oanvända delar ska hanteras i enlighet med lokala miljöbestämmelser.
- Återvinning av metallkomponenter rekommenderas där det är möjligt.
- Kontakta lokala myndigheter för information om korrekt avfallshantering.

Kontaktinformation för ytterligare support

För ytterligare support, frågor eller rapportering av osäkra produkter, vänligen kontakta den angivna kontaktpunkten i EU. Det är viktigt att ha tillgång till rätt information för att säkerställa säker användning och hantering av produkten.

Sammanfattning

Genom att följa dessa säkerhetsinstruktioner kan du bidra till att säkerställa en trygg och säker användning av MIKE 15 GEN 2 5.56 UPPER RECEIVERS. Tänk på att säkerhet alltid är en prioritet. Tack för att du valt Foxtrot Mike Products.