

# BLAST SHIELD FOR STRIKE MODULAR CHASSIS (SMC) ALPHA OR BRAVO - STRIKE INDUSTRIES BLAST SHIELD FOR STRIKE MODULAR CHASSIS (SMC) ALPHA OR BRAVO

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The Blast Shield for Strike Modular Chassis (SMC) - ALPHA (Hyper) was designed to protect your thumb from muzzle blast and heat with even longer Picatinny rail length over the Standard Version. The SMC Blast Shield redirects muzzle blast forward and upward away from the shooters face. For attaching even more variety of accessories, this Blast Shield adds more Picatinny rail length to allow the use of the SMC Spare Magazine Holder and a full size weapon light. Machined from 6061-T6 aluminum gives this metal good thermal conductivity and dissipates heat quicker than steel. Not only for the Strike Modular Chassis, this Blast Shield can fit most pistol frames with a max width of 21.20mm(0.84"). Lightweight and high-strength, the Blast Shield for Strike Modular Chassis (SMC) - ALPHA (Hyper) protects the shooter and adds even more room for accessories to customize your specific setup. FEATURES Hyper Picatinny rail length for attaching MORE accessories Redirects muzzle blast forward and upward Quickly dissipates heat due to aluminum's good thermal conductivity For 1913 Picatinny rails Lightweight and high-strength Machined from 6061-T6 aluminum COMPATIBILITY: Strike Modular Chassis (SMC) - ALPHA Strike Modular Chassis (SMC) - BRAVO Some pistol frames (max width of 21.20mm(0.84")) with 1913 Picatinny rail. SPECS Length: 105.06mm(4.14") Width: 35.2mm(1.39") Height: 47.23mm(1.86") Weight: 3.20 oz PACKAGE CONTENTS x1 Blast Shield for Strike Modular Chassis (SMC) - ALPHA (Hyper) x1 Set screw (M5x30mm) x1 Nut (M5) x1 Torx tool [T27]



## Attributes

- Name: [STRIKE INDUSTRIES BLAST SHIELD FOR STRIKE MODULAR CHASSIS \(SMC\) ALPHA OR BRAVO](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430108819
- Mfr. No.: SI-SMC-BS-H
- Caliber: 9 mm Luger,40 S&W,357 SIG
- Finish: Black
- Material: Aluminum
- Model: P320
- Weapon type: Sig Sauer
- Delivery weight: 0.139kg
- Shipping height: 47mm
- Shipping width: 35mm
- Shipping length: 105mm
- UPC: 793811766295

## Item details

US export classification: 0A501.y.1

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the Blast Shield for Strike Modular Chassis \(SMC\) ALPHA \(Hyper\)](#)
- [About Us](#)

# Safety Instruction Guide for the Blast Shield for Strike Modular Chassis (SMC) ALPHA (Hyper)

## Introduction

Thank you for purchasing the Blast Shield for Strike Modular Chassis (SMC) ALPHA (Hyper) by Strike Industries. This product is designed to enhance your shooting experience by protecting you from muzzle blast and heat. This safety instruction guide provides essential information to ensure safe usage, installation, and maintenance of the Blast Shield.

## General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines for use.
- Ensure that the Blast Shield is compatible with your specific firearm and accessories.
- Inspect the Blast Shield regularly for signs of wear or damage before each use.
- Use the product only for its intended purpose as specified in this guide.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or product defects to the appropriate authorities.
- Stay informed about recall notices or safety warnings related to this product.

## Specific Safety Precautions for Use

- **Muzzle Blast Protection:** The Blast Shield is designed to redirect muzzle blast away from the shooter. Always ensure it is properly installed to maximize safety.
- **Heat Dissipation:** The aluminum construction allows for better heat dissipation. Avoid touching the Blast Shield immediately after use as it may be hot.
- **Compatibility:** This product is compatible with Strike Modular Chassis (SMC) ALPHA and BRAVO, as well as some pistol frames with a maximum width of 21.20mm (0.84"). Ensure compatibility before installation.
- **Weight Considerations:** The Blast Shield weighs 3.20 oz. Ensure that your setup can accommodate this additional weight without compromising stability.
- **Accessory Attachment:** The extended Picatinny rail allows for attaching various accessories. Ensure that all attachments are securely fastened and do not obstruct the operation of your firearm.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Place the Blast Shield onto the Picatinny rail of your Strike Modular Chassis.
- Align the set screw (M5x30mm) with the rail slot and tighten securely using the Torx tool [T27].
- Attach any additional accessories as needed, ensuring they are securely fastened.

### 2. Usage:

- Always wear appropriate eye and ear protection when using firearms.
- Maintain a proper shooting stance to ensure stability and control.
- Regularly check the installation of the Blast Shield and any attached accessories before use.
- After shooting, allow the Blast Shield to cool before handling.

## **Disposal Instructions**

- Dispose of the Blast Shield in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum material if possible.

## **Contact Information for Further Support**

For any inquiries regarding the safety or usage of the Blast Shield for Strike Modular Chassis (SMC) ALPHA (Hyper), please refer to the manufacturer's official website or contact customer support for assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Blast Shield for Strike Modular Chassis (SMC) ALPHA (Hyper). Always prioritize safety and remain informed about best practices in firearm handling and maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)