

BRN-180S UPPER RECEIVERS WITH PIN & WELD FLASH HIDER - BRN-180S GEN 2 14.5" UPPER RECEIVER PINNED/WELDED .223WYLDE

LIMITED PRODUCTION RUN! Get the Shortest-Possible BRN-180® Without Having To Register It As an SBR This special, limited-production model of our popular BRN-180S® complete upper receiver comes with a premium Primary Weapons Systems FRC Rearden flash hider permanently pinned and welded onto the barrel to meet the National Firearms Act's (NFA) requirement for a minimum 16" barrel length. This gives you the shortest-possible barrel without having to apply to the ATF (and pay \$200) to register your rifle as an SBR. You actually get TWO benefits because this PWS flash hider also serves as a quick-attach mount for sound suppressors that use the Rearden, Atlas, and Plan B mounting interfaces. Designed in conjunction with Primary Weapons and Foxtrot Mike, the Brownells BRN-180S® Complete Upper Receiver is part of our extensive BRN-180® line of AR-15 compatible gas piston uppers, which was inspired by the highly advanced Armalite® AR-18 / AR-180 rifles of the 1960s. The BRN-180S® shares a large chunk of its components with the standard BRN-180® upper, but it includes key features to improve reliability and usability with a shorter barrel. The BRN-180S's adjustable gas block can be switched between two settings, simply by flipping a small lever: "S" is for use with a sound suppressor, "U" for normal, unsuppressed fire. The lever is easy to access through a convenient cutout in the handguard. With an entirely self-contained recoil system, the BRN-180S® can be mounted to a standard "mil-spec" AR-15 lower receiver without a buffer tube. This enables easy compatibility with folding stocks and adapters for stocks that mount to M1913 Picatinny rails. The recoil guide rods and buffer easily are easily removed when the upper receiver is separated from the lower. The bolt and carrier slide out when you remove the charging handle at the rear. A large ejection port gives you easy access for cleaning. We also offer dedicated BRN-180 Lower Receivers that come with an integral Picatinny stock attachment rail. The lightweight-profile barrel is almost entirely encased by the slim M-LOK® handguard, making for an extremely lightweight package, even with the piston-driven operating system. The full-length Picatinny top rail sits extremely low compared to other piston-operated AR-15s, giving you the benefit of broad compatibility with common AR-15 height optic mounts and sights. This barrel features a .223 Wylde chamber that is optimized to deliver excellent performance from the broadest spectrum of .223 Remington and 5.56x45mm NATO ammunition. The free-floating M-LOK® handguard can be removed simply by taking out one large screw located on the underside of the receiver. This screw engages the rear of the barrel, pulling the handguard tight up against the receiver, making the handguard an extremely strong, stable optic and accessory mounting platform that won't whip, wobble, or rotate. At the same time, this handguard is very easy to remove for quick access to the BRN-180® gas system. These BRN-180S® pinned-and-welded uppers feature: Ultra-reliable piston operating system Choice of 13.9" or 14.5" Nitride finished barrel Pinned-and-welded Primary Weapons Systems flash hider Compatibility with current mil-spec AR-15 lowers Machined 7075 T6 aluminum receiver & handguard with hardcoat anodized finish Versatile .223 Wylde chamber optimized for both .223 Rem & 5.56 NATO ammo Button rifled bore 1-8" rifling stabilizes a broad variety of bullet weights ½"-28 threaded muzzle Molded polymer ejection port cover All NFA rules apply CAUTION: User removal of the trunnion, barrel, and trunnion screws is not recommended. Removal of the trunnion screws will void our Forever Guarantee. NOTE: All BRN-180® Upper Receiver Assemblies are test fired before final packaging. Your upper may display signs of firing, such as light carbon fouling inside.



Attributes

- Name: BRN-180S GEN 2 14.5" UPPER RECEIVER PINNED/WELDED .223WYLDE
- Manufacturer: BROWNELLS
- Product no.: 430110019
- Mfr. No.: B1814UA01-2F
- Cartridge: 223 Wylde
- Color: Black
- Contour: Lightweight
- Finish: Black
- Length: 14.5"
- Make: Brownells
- Model: BRN-180S
- Muzzle: 1/2-28
- Style: Complete
- Twist: 1-8
- Delivery weight: 2.286kg
- Shipping height: 102mm
- Shipping width: 102mm
- Shipping length: 699mm
- UPC: 050806001275

Item details

Made in USA

US export classification: 0A501.e

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den BRN180S UPPER RECEIVER](#)
- [English: BRN180S Upper Receiver Safety Instruction Guide](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il BRN180S UPPER RECEIVER](#)

Sicherheitshinweise für den BRN180S UPPER RECEIVER

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des BRN180S UPPER RECEIVER mit PIN & WELD FLASH HIDER von Brownells. Dieses Produkt wurde entwickelt, um Ihnen eine zuverlässige und leistungsstarke Option für Ihr AR15 zu bieten. Um die sichere Nutzung zu gewährleisten, lesen Sie bitte diese Sicherheitshinweise sorgfältig durch.

Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass alle Sicherheitsanweisungen befolgt werden, um Verletzungen oder Schäden zu vermeiden.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen Personen, die nicht mit dem sicheren Umgang von Feuerwaffen vertraut sind.
- Verwenden Sie das Produkt nur in Übereinstimmung mit den geltenden Gesetzen und Vorschriften Ihres Landes oder Ihrer Region.
- Überprüfen Sie regelmäßig auf Rückrufe oder Sicherheitswarnungen über offizielle Kanäle.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie nur die empfohlenen Munitionstypen (.223 Remington und 5.56x45mm NATO) mit der .223 Wylde Kammer.
- Stellen Sie sicher, dass der Gasblock in der richtigen Position (S für Schalldämpfer, U für normales Feuer) eingestellt ist, bevor Sie das Produkt verwenden.
- Überprüfen Sie vor jeder Benutzung den Zustand des Upper Receivers, insbesondere auf Risse oder andere Schäden.
- Verwenden Sie immer Schutzbrillen und Ohrenschützer beim Schießen.

Anweisungen zur Installation und Nutzung

- **Installation:**
 1. Entfernen Sie den oberen Receiver vorsichtig vom unteren Empfänger.
 2. Montieren Sie den BRN180S Upper Receiver auf einen Standard "milspec" AR15 unteren Empfänger ohne Buffer Tube.
 3. Stellen Sie sicher, dass alle Teile ordnungsgemäß und fest verbunden sind.
- **Benutzung:**
 1. Laden Sie das Gewehr gemäß den Anweisungen des Herstellers.
 2. Überprüfen Sie die Funktion des Ladehebels und des Verschlusses, bevor Sie das Gewehr abfeuern.
 3. Achten Sie darauf, dass der Auswurfport nicht blockiert ist, um eine ordnungsgemäße Funktion zu gewährleisten.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Entfernen Sie alle nicht mehr benötigten Teile und Munition sicher und verantwortungsbewusst.
- Stellen Sie sicher, dass das Produkt nicht in die Hände von Unbefugten gelangt, insbesondere von Kindern.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wenden Sie sich bitte an den Hersteller oder Ihren Händler.

Bitte beachten Sie, dass die Nichteinhaltung dieser Sicherheitsrichtlinien zu schwerwiegenden Verletzungen oder zum Verlust von Leben führen kann. Nutzen Sie das Produkt verantwortungsbewusst und sicher.

BRN180S Upper Receiver Safety Instruction Guide

Introduction

Thank you for choosing the BRN180S Upper Receiver with Pin & Weld Flash Hider. This guide provides essential safety instructions and guidelines to ensure the safe use of your product. It is important to read and understand these instructions before using the upper receiver.

General Safety Guidelines

- Ensure that all firearms are handled with care and respect, following the basic rules of firearm safety.
- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your target and what is beyond it.
- Store the upper receiver and any associated firearms in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the upper receiver for any signs of wear or damage. Do not use if damaged.
- Be aware of local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- **Age Restrictions:** This product is intended for use by individuals aged 18 years and older. Ensure that younger individuals are supervised by a responsible adult when handling firearms.
- **Firearm Compatibility:** Ensure that the BRN180S Upper Receiver is compatible with your lower receiver. Only use with milspec AR15 lower receivers.
- **Installation Precautions:** Follow the installation instructions carefully to avoid improper assembly, which could lead to malfunction or injury.
- **Gas Block Adjustment:** When adjusting the gas block, ensure the firearm is unloaded and pointed in a safe direction. Use the lever to switch between settings only when necessary.
- **Cleaning and Maintenance:** Always ensure the firearm is unloaded before cleaning or performing maintenance. Use appropriate cleaning supplies and techniques to maintain the upper receiver.
- **Use of Flash Hider:** The Primary Weapons Systems flash hider is designed for use with sound suppressors. Ensure compatibility with your suppressor before use.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing upper receiver from your lower receiver.
- Align the BRN180S Upper Receiver with the lower receiver.
- Push down gently until the upper receiver is securely attached.
- Ensure that the charging handle is properly installed and functioning.
- Inspect the assembly to confirm that everything is secure before use.

2. Usage:

- Load the firearm only when you are ready to shoot.
- Always check the chamber to ensure it is clear before loading.
- Use appropriate ammunition (.223 Wylde) for optimal performance.
- Adjust the gas block as needed for your shooting conditions.
- After use, ensure the firearm is unloaded before storing or cleaning.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- When disposing of the upper receiver, ensure that it is no longer functional and cannot be used. Consult local regulations for proper disposal methods of firearm components.

Contact Information for Further Support

For any questions, concerns, or safety inquiries regarding the BRN180S Upper Receiver, please refer to the appropriate resources or contact your local firearms authority.

Conclusion

Your safety is the utmost priority. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your BRN180S Upper Receiver. Always prioritize safety and stay informed about best practices in firearm handling and maintenance.

Guida alle Istruzioni di Sicurezza per il BRN180S UPPER RECEIVER

Introduzione

Grazie per aver scelto il BRN180S UPPER RECEIVER. Questo prodotto è progettato per offrire prestazioni elevate e affidabilità. Tuttavia, è fondamentale seguire le linee guida di sicurezza per garantire un uso sicuro e responsabile. Questa guida fornisce informazioni importanti sui rischi potenziali e su come evitarli, insieme a istruzioni per l'installazione e l'uso.

Linee Guida Generali di Sicurezza

- Assicurati di leggere e comprendere tutte le istruzioni prima dell'uso.
- Utilizza il prodotto solo per gli scopi previsti.
- Non utilizzare il prodotto se presenta segni di danno o usura.
- Tieni il prodotto lontano dalla portata dei bambini e di persone vulnerabili.
- Segnala eventuali prodotti difettosi o incidenti alle autorità competenti.
- Controlla regolarmente gli aggiornamenti sui richiami tramite la piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Indossa sempre occhiali protettivi e protezioni per le orecchie durante l'uso.
- Non puntare mai l'arma verso persone o animali, anche se si ritiene che sia scarica.
- Assicurati che l'arma sia scarica prima di effettuare qualsiasi manutenzione.
- Utilizza solo munizioni compatibili con il tuo ricevitore (calibro .223 Wylde).
- Non modificare il prodotto in alcun modo, poiché ciò potrebbe compromettere la sicurezza.
- Segui sempre le istruzioni del produttore per l'uso e la manutenzione.

Istruzioni per l'Installazione e l'Uso

Installazione

1. **Preparazione:** Assicurati di avere a disposizione tutti gli strumenti necessari e di lavorare in un ambiente pulito e sicuro.
2. **Montaggio:**
 - Rimuovi il ricevitore superiore dalla confezione.
 - Fissa il ricevitore superiore al ricevitore inferiore AR15 "milspec" utilizzando le viti fornite.
 - Assicurati che il bullone e il carrier siano correttamente posizionati.
3. **Regolazione del Gas:**
 - Ruota la leva del blocco gas per impostare la configurazione desiderata ("S" per silenziatore, "U" per uso normale).
4. **Controllo Finale:** Verifica che tutto sia montato correttamente e che non ci siano parti allentate.

Uso

- Carica sempre l'arma seguendo le procedure di sicurezza.
- Controlla il funzionamento del sistema di rinculo prima di ogni utilizzo.
- Mantieni sempre una buona postura e un controllo adeguato dell'arma durante il fuoco.
- Dopo l'uso, esegui una pulizia completa del ricevitore e delle sue parti.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento di prodotti e materiali di armamento.
- Non abbandonare il prodotto in luoghi pubblici o non autorizzati.
- Se il prodotto è danneggiato e non più utilizzabile, contatta un centro di raccolta autorizzato per il corretto smaltimento.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni sulla sicurezza del prodotto, per assistenza o per segnalare un prodotto difettoso, contatta il servizio clienti del produttore. Assicurati di avere a disposizione il numero di modello e la prova di acquisto.

Seguendo queste linee guida, puoi garantire un uso sicuro e responsabile del tuo BRN180S UPPER RECEIVER. La sicurezza è fondamentale, quindi non trascurare mai le precauzioni necessarie.