

1L TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® MOS - AMERIGLO 1L OPTIC COMP SIGHTS TRIT/WHITE OL .220" F /.295" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. SPECS Fits Make: Glock® MOS Fits Model: All Glock Models Size: 1L Tall Fits MOS Slide: Yes Front Sight Style: Tritium Front Tritium Color: Green Front Outline Color: White, LumiGreen or Black Rear Sight Style: Flat Black These 1L height sights from Ameriglo are optimized for all Glock MOS Slides for use with Holosun 507k, 407k, EPS Carry, Vortex Defender. These sights will allow for use through the optic window. SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



Attributes

- Name: [AMERIGLO 1L OPTIC COMP SIGHTS TRIT/WHITE OL .220" F /.295" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110304
- Mfr. No.: GL-480
- Sight Color: Tritium
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.04kg
- Shipping height: 25mm
- Shipping width: 140mm
- Shipping length: 178mm
- UPC: 644406913337

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS
- About Us

Safety Instruction Guide for 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS

Introduction

Thank you for choosing the AMERIGLO® 1L Tall Optic Compatible Tritium Sight Set for your Glock® MOS. This guide provides essential safety instructions and guidelines to ensure the proper use and maintenance of your sight set. Please read this document carefully to ensure safe and effective use.

General Safety Guidelines

- **Product Safety:** Ensure safe handling and use of the sight set. Follow all instructions and guidelines provided.
- **Enhanced Recalls:** Stay informed about any recall notices regarding this product. If a recall is issued, follow the instructions provided for returning or replacing the product.
- **Online Shopping:** If purchased online, ensure the retailer complies with safety requirements similar to physical stores.
- **Special Consumer Focus:** Keep the product out of reach of children and vulnerable groups to avoid accidental injury.
- **EU Contact Point:** For safety inquiries, refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Stay updated on product safety through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Direct Eye Exposure:** Do not look directly into the tritium light source.
- **Installation Safety:** Ensure the firearm is unloaded before installing the sight set.
- **Regular Inspections:** Periodically check the sights for any signs of damage or wear.
- **Proper Use:** Use the sight set only for its intended purpose. Do not modify or alter the product.
- **Storage:** Store the sight set in a cool, dry place away from direct sunlight and extreme temperatures.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock® MOS is unloaded and in a safe condition.
- Gather necessary tools, including a screwdriver suitable for the sight screws.

2. Installation:

- Remove the existing sights from the Glock® MOS slide carefully.
- Align the new front sight (height: .220") with the sight dovetail and press it into place.
- Secure the front sight using the provided screws, ensuring it is tight but not overtorqued.
- Repeat the process for the rear sight (height: .295"), ensuring proper alignment with the front sight.

3. Usage:

- Familiarize yourself with the sight picture by practicing at a safe range.
- Ensure the sights are properly zeroed to your firearm for accurate shooting.
- Use the sights in conjunction with your red dot optic for optimal performance.

4. Maintenance:

- Clean the sights regularly with a soft, dry cloth to remove dirt and debris.
- Avoid using harsh chemicals or abrasive materials that may damage the sight.

Disposal Instructions

- **Environmental Considerations:** Dispose of the sight set responsibly according to local regulations for electronic waste.
- **NonHazardous Materials:** The materials used in this product are generally nonhazardous. However, check local guidelines for specific disposal instructions.

Contact Information for Further Support

For any questions or concerns regarding the AMERIGLO® 1L Tall Optic Compatible Tritium Sight Set, please refer to the contact information provided by your retailer or manufacturer.

Thank you for your attention to these safety instructions. Enjoy your new sight set and practice safe handling at all times.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk