

# **1L TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® MOS - AMERIGLO 1L OPTIC COMP SIGHTS TRIT/GREEN OL .220" F /.295" R FOR GLOCK**

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. SPECS Fits Make: Glock® MOS Fits Model: All Glock Models Size: 1L Tall Fits MOS Slide: Yes Front Sight Style: Tritium Front Tritium Color: Green Front Outline Color: White, LumiGreen or Black Rear Sight Style: Flat Black These 1L height sights from Ameriglo are optimized for all Glock MOS Slides for use with Holosun 507k, 407k, EPS Carry, Vortex Defender. These sights will allow for use through the optic window. SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



## **Attributes**

- Name: [AMERIGLO 1L OPTIC COMP SIGHTS TRIT/GREEN OL .220" F /.295" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110305
- Mfr. No.: GL-680
- Sight Color: Tritium
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406913344

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS Ameriglo
- About Us

# Safety Instruction Guide for 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS Ameriglo

## Introduction

Thank you for choosing the 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS by Ameriglo. This product is designed to enhance your shooting experience by providing precise, elevated cowitness sight pictures for slidemounted red dot optics. To ensure your safety and the optimal performance of this product, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of this product by following all instructions provided. This sight set is intended for use with Glock® MOS models only.
- **Enhanced Recalls:** In the event of a product recall, you will be notified through standardized recall notices. Please ensure that you register your product to receive timely updates.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries related to this product, please refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Stay informed about any safety updates regarding this product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Use with Approved Firearms:** Only use this sight set with compatible Glock® MOS models.
- **Avoid Modifications:** Do not modify or alter the sight set in any way as this may compromise safety and performance.
- **Inspect Before Use:** Regularly inspect the sight set for any signs of damage or wear. Do not use if damaged.
- **Proper Handling:** Handle the sight set with care to avoid dropping or damaging it.
- **Avoid Excessive Force:** When installing or adjusting the sights, do not apply excessive force as this may cause damage.
- **Follow Manufacturer Instructions:** Always follow the installation and usage instructions provided by Ameriglo.

## Instructions for Installation and Usage

### Installation Instructions

1. **Gather Required Tools:** Ensure you have the necessary tools for installation, including a torque wrench and appropriate screwdrivers.
2. **Remove Existing Sights:** If applicable, carefully remove the existing sights from your Glock® MOS model.
3. **Align Front Sight:** Position the front sight in the designated slot on the slide. Ensure it is aligned correctly.
4. **Secure Front Sight:** Using the appropriate screws, secure the front sight in place. Refer to the manufacturer's torque specifications.
5. **Install Rear Sight:** Position the rear sight in the designated slot. Align it for cowitness with your optic.
6. **Secure Rear Sight:** Fasten the rear sight using the appropriate screws, ensuring it is tightly secured.

7. **Check Alignment:** Verify that both sights are properly aligned before use.

## Usage Instructions

- **Sight Picture:** Use the sights to achieve a clear sight picture through your red dot optic.
- **Adjustments:** Make any necessary adjustments to your sights according to your shooting preferences.
- **Regular Maintenance:** Clean the sights regularly to maintain optimal visibility and performance.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the sight set responsibly. Do not dispose of it in regular household waste.
- **Follow Local Regulations:** Adhere to local regulations regarding the disposal of optical devices and tritium materials.

## Contact Information for Further Support

For any questions or concerns regarding the 1L Tall Optic Compatible Tritium Sight Set for Glock® MOS, please refer to the contact information provided by your retailer or the manufacturer. It is essential to reach out for support if you experience any issues with the product.

By following these safety instructions, you can ensure the safe and effective use of your Ameriglo sight set. Thank you for your attention to these guidelines, and enjoy your enhanced shooting experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)