

PREMIUM SLIDES FOR GLOCK® GEN 1-3 - BROWNELLS BRN

PREMIUM SLIDE FOR GLOCK 17 GEN 1/3 WITH RMR CUT NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

MADE IN THE USA Premium Slides for Glock® 17 & 19 (Gen 1 to 4) from Brownells The Premium Slide for Glock® 17 and 19 by Brownells replaces existing non-MOS OEM slides with an upgraded look with proven patented mounting technology. Our slides feature angled serrations for better grip engagement when racking the slide rearward, pocket cuts out to reduce weight and are optic-ready. Made in the USA from quality materials, these slides are compatible from Gen 1 to Gen 4 Glock® frames. Machined from premium heat treated 17-4 Stainless Steel. Black Nitride Coating. Compatible with Gen 1, Gen 2, Gen 3, Gen 4 Glock® frames. Angled front and rear serrations. Pocket cuts for aesthetics Factory rear dovetail and front sight cut. Available with or without a top window. Premium patented ZEV Technologies optic cut with front locating bosses. The ultimate in durability and repeatability Mounting bosses are threaded 4-40 tpi Includes screws for mounting optic and shorter screws for mounting a cover plate Channel liner required for these slides. Channel liners are a press fit and require a tool to install Channel liners sold separately, 100002697, 078000649, 100024261 Channel liner tool sold separately, 777100017 ZEV Technologies. Patent No. RE47335 for optic cut technology used with licensed agreement. DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or Glock®Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or Glock®Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of Glock®pistols, parts, or components. For genuine GLOCK, Inc. and Glock®Ges.m.b.H. products and parts visit www.Glock®.com.

NO IMAGE
AVAILABLE

Attributes

- Name: [BROWNELLS BRN PREMIUM SLIDE FOR GLOCK 17 GEN 1/3 WITH RMR CUT NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111188
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17
- Sights: RMR
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.286kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 203mm
- UPC: 050806002074

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for PREMIUM SLIDES FOR GLOCK® GEN 13
- About Us

Safety Instruction Guide for PREMIUM SLIDES FOR GLOCK® GEN 13

Introduction

Thank you for choosing the Premium Slides for Glock® Gen 13 from Brownells. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of your product. It is crucial to follow these guidelines to minimize risks and enhance your experience with this product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and firearm components with care and respect.
- Store the slides in a secure location, away from children and unauthorized users.
- Regularly inspect the slides for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or removing the slide.
- Use appropriate tools when installing or adjusting the slide to avoid injury.
- Do not modify or alter the slide in any way, as this may compromise safety.
- Wear safety glasses when working with firearms to protect your eyes from debris.
- If you are unsure about the installation or use of the slide, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather all necessary tools, including the channel liner tool (sold separately).

2. Installation Steps

- Remove the existing slide from the Glock® frame by following the manufacturer's instructions.
- Carefully align the Premium Slide onto the frame.
- Insert the mounting screws into the threaded mounting bosses (440 tpi) to secure the slide.
- If using an optic, install the optic using the included screws and follow the optic manufacturer's guidelines.
- For the channel liner, press fit the channel liner into the slide using the appropriate tool. (Channel liners sold separately.)

3. PostInstallation Checks

- Ensure that the slide is securely attached to the frame without any wobble.
- Check that all screws are tightened to the manufacturer's specifications.
- Perform a function check to ensure that the firearm operates correctly with the new slide.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm components and materials.
- If the slide is damaged or no longer usable, consider returning it to the manufacturer for proper disposal.

Contact Information for Further Support

For any inquiries or additional support regarding the Premium Slides for Glock® Gen 13, please refer to the manufacturer's website or customer service resources.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your Premium Slides for Glock® Gen 13. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk