

FLUTED MATCH GRADE BARRELS FOR GLOCK® - BARREL FOR GLOCK 43 FLUTED BLACK 9MM

MADE IN USA FLUTED MATCH GRADE BARRELS FOR GLOCK® 17, 19, 43
Our Fluted Match-Grade Barrel for the Glock® pistols is an excellent replacement for a shot-out factory barrel or for upgrading the factory barrel. Each Brownells Fluted Match-Grade Barrel is machined from hardened 416R stainless steel to precise dimensions. The extra-hard Black Nitride finish resists surface wear and corrosion that might try to challenge the stainless steel. This 9mm Luger (9x19mm) chambered barrel is button-rifled with standard, 1-10" right-hand twist. 430111192 and 430111193 fits Glock® 17 Gen 1 thru Gen 4 430111194 and 430111195 fits Glock® 19 Gen 1 thru Gen 5 430111196 and 430111197 fits Glock® 43 Button-rifled 1-10" twist 416R stainless steel Non-reflective Black Nitride anti-corrosion finish Threaded model available with 1/2"-28 tpi threads Available Glock® slide options 430111186, 430111187, 430111188, 430111189, 430111190, 430111191 DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or Glock®Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or Glock®Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of Glock®pistols, parts, or components. For genuine GLOCK, Inc. and Glock®Ges.m.b.H. products and parts visit www.Glock®.com.



Attributes

- Name: BARREL FOR GLOCK 43 FLUTED BLACK 9MM
- Manufacturer: BROWNELLS
- Product no.: 430111196
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 43
- Style: Non-Threaded
- UPC: 050806002159

Item details

Made in USA
US export classification: 0A501.c

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den Fluted Match Grade Lauf für Glock® 43
- English: Safety Instruction Guide for FLUTED MATCH GRADE BARRELS FOR GLOCK® 43

Sicherheitshinweise für den Fluted Match Grade Lauf für Glock® 43

Einleitung

Vielen Dank, dass Sie sich für den Fluted Match Grade Lauf für Ihre Glock® 43 entschieden haben. Dieser Lauf ist eine hochwertige Ersatzlösung, die eine verbesserte Leistung und Zuverlässigkeit bietet. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv verwenden.

Allgemeine Sicherheitshinweise

- Verwenden Sie den Lauf nur in Verbindung mit der entsprechenden Glock®Pistole.
- Überprüfen Sie vor jedem Gebrauch, ob der Lauf und die Waffe in einwandfreiem Zustand sind.
- Halten Sie den Lauf und die Waffe außerhalb der Reichweite von Kindern und unbefugten Personen.
- Tragen Sie immer geeignete Schutzausrüstung, einschließlich Augen und Gehörschutz, beim Schießen.
- Informieren Sie sich über die Gesetze und Vorschriften in Ihrem Land oder Ihrer Region, die den Besitz und die Verwendung von Feuerwaffen betreffen.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Achten Sie darauf, dass der Lauf vor der Installation gründlich gereinigt wird.
- Stellen Sie sicher, dass die Waffe vor der Installation entladen ist.
- Verwenden Sie nur empfohlene Munition (9 mm Luger) mit diesem Lauf.
- Überprüfen Sie regelmäßig den Zustand des Laufs auf Verschleiß oder Beschädigungen.
- Bei Anzeichen von Beschädigungen oder Fehlfunktionen verwenden Sie den Lauf nicht und wenden sich an einen Fachmann.

Anleitung zur Installation und Nutzung

1. Vorbereitung:

- Stellen Sie sicher, dass die Waffe entladen ist und sich in einem sicheren Zustand befindet.
- Reinigen Sie den Lauf und die Waffe gründlich.

2. Installation:

- Entfernen Sie den alten Lauf gemäß den Anweisungen des Herstellers.
- Setzen Sie den neuen Fluted Match Grade Lauf vorsichtig ein und stellen Sie sicher, dass er korrekt sitzt.
- Überprüfen Sie, ob alle Teile sicher befestigt sind.

3. Nutzung:

- Laden Sie die Waffe nur mit der empfohlenen Munition.
- Führen Sie einen Funktionstest durch, um sicherzustellen, dass der Lauf ordnungsgemäß funktioniert.
- Halten Sie beim Schießen stets eine sichere Handhabung der Waffe ein.

4. Nach dem Gebrauch:

- Reinigen Sie den Lauf nach jedem Gebrauch, um Rückstände zu entfernen.
- Lagern Sie die Waffe sicher und trocken.

Entsorgungsanweisungen

- Entsorgen Sie den Lauf und andere Teile gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Informieren Sie sich über spezielle Recyclingprogramme für Waffenbestandteile in Ihrer Region.

Kontaktinformationen für weitere Unterstützung

Für Sicherheitsanfragen oder weitere Informationen zu Ihrem Produkt wenden Sie sich bitte an den Hersteller oder einen autorisierten Fachhändler. Achten Sie darauf, dass alle Anfragen in Übereinstimmung mit den geltenden Gesetzen und Vorschriften behandelt werden.

Schlussfolgerung

Die Sicherheit ist von größter Bedeutung, wenn es um den Umgang mit Feuerwaffen geht. Indem Sie diese Sicherheitshinweise befolgen, tragen Sie dazu bei, eine sichere Umgebung für sich selbst und andere zu gewährleisten. Vielen Dank, dass Sie sich für Qualität und Sicherheit entschieden haben.

Safety Instruction Guide for FLUTED MATCH GRADE BARRELS FOR GLOCK® 43

Introduction

Thank you for choosing the Fluted MatchGrade Barrel for your Glock® 43. This guide provides essential safety information and instructions to ensure safe usage and maintenance of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the barrel is compatible with your specific Glock® model.
- Always handle firearms with care and ensure they are unloaded before any work is performed.
- Use appropriate personal protective equipment (PPE) when installing or handling the barrel.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the barrel for signs of wear or damage.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's specifications for ammunition type and pressure.
- Avoid using the barrel in environments where it may be exposed to extreme temperatures or moisture.
- Ensure that all firearm components are clean and well-maintained to prevent malfunction.
- If you notice any unusual sounds or malfunctions during use, cease operation immediately and consult a qualified gunsmith.
- Always ensure the firearm is pointed in a safe direction when loading, unloading, or performing maintenance.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a torque wrench and appropriate screwdrivers.

2. Remove the Existing Barrel:

- Follow the manufacturer's instructions to disassemble your Glock® 43.
- Carefully remove the factory barrel from the slide.

3. Install the Fluted MatchGrade Barrel:

- Align the new barrel with the slide and gently insert it.
- Ensure that the barrel is fully seated and properly aligned.

4. Reassemble the Firearm:

- Follow the manufacturer's instructions to reassemble your Glock® 43.
- Ensure all components are securely fastened.

5. Function Check:

- Before using the firearm, perform a function check to ensure proper operation.

Usage

- Use only 9mm Luger (9x19mm) ammunition with this barrel.
- Follow standard firearm safety practices during use.
- Regularly clean and maintain the barrel to ensure optimal performance.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding metal waste and hazardous materials.
- Do not dispose of the barrel in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding this product, please consult the manufacturer or a qualified firearms technician. Always refer to the official Glock® website for genuine products and support.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your Fluted MatchGrade Barrel for Glock® 43. Always prioritize safety and remain informed about best practices for firearm handling and maintenance.