

SLIDES WITH RMR CUT FOR GLOCK 19® - BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Optic-Ready Enhanced Slide With Unique Ergonomic & Performance Upgrades
The Brownells RMR Slide for Glock® 19 Gen3 pistols is the ideal upgrade for your factory G19 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 19 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 19, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. Fits Gen3 Glock® 19 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Factory front/rear iron sights installed Optic slot cover plate & recoil spring assembly also included Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 19 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: [BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111306
- Mfr. No.: G19-WSA
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19

- Sights: RMR
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 35mm
- Shipping length: 171mm
- UPC: 050806001602

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT](#)
- [About Us](#)

Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BROWNELLS BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

Introduction

Thank you for choosing the Brownells RMR Slide for Glock 19. This guide provides essential safety instructions and information to ensure the safe usage and installation of your slide. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock 19 and its components before installing the slide.
- Always treat firearms with respect and handle them safely, following the basic rules of firearm safety.
- Keep the slide and all firearm components out of reach of children and unauthorized users.
- Inspect the slide regularly for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is unloaded before attempting to install the slide.
 - Use proper tools and follow the installation instructions closely to avoid damage or injury.
- **Operational Precautions:**
 - Always wear appropriate eye protection when handling firearms.
 - Be aware of your surroundings and ensure a clear and safe shooting environment.
 - Do not point the firearm at anything you do not intend to shoot.
- **Maintenance Precautions:**
 - Regularly check and clean your slide to maintain optimal performance.
 - Use only compatible parts and accessories to prevent malfunction or injury.

Instructions for Installation and Usage

1. Preparation:

- Ensure the Glock 19 is unloaded and the magazine is removed.
- Gather necessary tools, including a channel liner installation tool (#777100017).

2. Installation Steps:

- Remove the factory slide from the frame.
- Install the channel liner as required for the slide.
- Align the Brownells RMR Slide with the frame, ensuring it is seated properly.
- Securely attach the slide to the frame, making sure all components are aligned.

3. PostInstallation Check:

- After installation, check that the slide operates smoothly and that all sights are properly aligned.
- Conduct a function check to ensure the firearm operates correctly.

4. Usage:

- Use the firearm in accordance with the manufacturer's instructions and local laws.
- Utilize the standardheight front and rear sights as needed for aiming.
- If using a reflex sight, ensure it is securely mounted in the precut slot.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not dispose of the slide or firearm components in regular household waste.
- Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please consult the manufacturer's website or customer service resources.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on the responsible use of your firearm and its components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk