

SCT 19 OVERMOLD FRAME - SCT MANUFACTURING SCT 19 OVERMOLD FRAME BLACK/BLACK

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

This SCT Manufacturing Glock® Compatible Full-Size assembled Frame is going to change the way you build pistols. It is the only frame at this price point packed with this level of features. This is a serialized frame with shooter-oriented ergonomics. Installed over-molded rails that are ready to build. They are made with an industry leading proprietary polymer blend and compatible with Glock® Gen 3 19, 23 and 32 parts. Each frame is assembled by a certified armorer utilizing SCT Manufacturing lower parts kits which have been tested and proven to meet or exceed OEM specifications. The last step of each frame assembly is function testing utilizing a GLOCK™ factory slide checking for safe operation, striker engagement, trigger pull, & trigger reset ensuring the end user is left with a frame that needs nothing but a slide assembly right out of the box! Frame assembly includes: SCT19polymer frame, electroless nickel locking block, polished trigger assembly with electroless nickel trigger bar and polymer trigger, standard polymer magazine catch, magazine catch spring, steel trigger pin, steel locking block pin, standard slide lock, slide lock coil spring, polymer trigger housing pin, trigger housing with GEN4 style ejector, standard slide stop assembly & polished 5.5 lb. electroless nickel trigger connector. FEATURES: Proprietary rubber over mold contour grip with aggressive texturing providing a non-slip grip, shock absorption, vibration dampening and enhanced durability Serrations and index point on trigger guard to help control recoil Serrations on top of beaver tail reduce glare Flared mag well Thumb Accelerator pad Picatinny rail (not a Glock® rail) "MIL-STD 1913 Picatinny" High beaver tail with low profile bore axis Grip angle is the same as Glock® Slide stop guard Larger trigger guard for better access with gloves Recessed contoured mag release area for faster mag changes Multi caliber- Compatible with compact 9mm, .40 cal, .357SIG Mag Well compatibility - SCT 19 Magwell



Attributes

- Name: [SCT MANUFACTURING SCT 19 OVERMOLD FRAME BLACK/BLACK](#)
- Manufacturer: [SCT MANUFACTURING](#)
- Product no.: 430111481
- Mfr. No.: 02-2600-01-00
- Capacity: 0-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Length: 7"
- Model: 19
- Style: Complete
- Weapon type: Glock
- Weight: 0.35 lbs
- Delivery weight: 0.161kg
- Shipping height: 32mm
- Shipping width: 152mm
- Shipping length: 254mm
- UPC: 850055982307

Item details

Made in USA

US export classification: 0A509.c

Table of Contents

- Startpage
- SCT 19 Overmold Frame Safety Instructions
- About Us

SCT 19 Overmold Frame Safety Instructions

Introduction

Thank you for choosing the SCT 19 Overmold Frame from SCT Manufacturing. This product is designed to enhance your pistolbuilding experience while ensuring safety and compliance with the EU General Product Safety Regulation (GPSR). Please read this safety instruction guide carefully to understand how to use and maintain the frame safely.

General Safety Guidelines

- Always treat the frame as if it is loaded.
- Keep the frame out of reach of children and unauthorized users.
- Use only compatible parts when assembling your pistol.
- Regularly inspect the frame for wear and damage before each use.
- Always follow local laws and regulations regarding firearm assembly and use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that you are familiar with the operation of Glock® compatible parts before assembly.
- Wear appropriate safety gear, including safety glasses and gloves, when handling the frame.
- Avoid using the frame in wet or slippery conditions to prevent accidents.
- Do not modify the frame in any way that could affect its integrity or safety.
- Be cautious of the trigger mechanism during assembly to prevent accidental discharge.
- Always perform function testing in a safe environment, away from people and animals.

Instructions for Installation and Usage

1. Assembly Preparation

- Gather all necessary tools and parts, including the SCT 19 polymer frame, locking block, trigger assembly, and other components listed in the product description.
- Ensure you are in a clean, welllit workspace.

2. Frame Assembly

- Begin by installing the electroless nickel locking block into the designated area of the frame.
- Attach the polished trigger assembly, ensuring that the trigger bar and polymer trigger are correctly aligned.
- Install the magazine catch and spring, followed by the steel trigger pin and locking block pin.
- Secure the standard slide lock and its coil spring in place.
- Insert the polymer trigger housing pin and attach the trigger housing with the GEN4 style ejector.

3. Final Assembly Checks

- Conduct a thorough inspection of all components to ensure they are securely fitted.
- Perform a function test using a GLOCK™ factory slide to check for safe operation, striker engagement, trigger pull, and trigger reset.
- Ensure that the frame is functioning correctly before considering it ready for use.

4. Maintenance and Care

- Regularly clean and maintain the frame to prevent wear and ensure longevity.
- Store the frame in a safe, dry place when not in use.

Disposal Instructions

- Dispose of the frame and any components responsibly, following local regulations for hazardous materials.
- Do not dispose of the frame in regular household waste. Instead, contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the SCT 19 Overmold Frame, please refer to the manufacturer's contact information provided with your product.

By following these safety instructions, you can ensure a safe and enjoyable experience with your SCT 19 Overmold Frame. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk