

# SCT 19 OVERMOLD FRAME - SCT MANUFACTURING SCT 19 OVERMOLD FRAME FLAT DARK EARTH/BLACK

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

This SCT Manufacturing Glock® Compatible Full-Size assembled Frame is going to change the way you build pistols. It is the only frame at this price point packed with this level of features. This is a serialized frame with shooter-oriented ergonomics. Installed over-molded rails that are ready to build. They are made with an industry leading proprietary polymer blend and compatible with Glock® Gen 3 19, 23 and 32 parts. Each frame is assembled by a certified armorer utilizing SCT Manufacturing lower parts kits which have been tested and proven to meet or exceed OEM specifications. The last step of each frame assembly is function testing utilizing a GLOCK™ factory slide checking for safe operation, striker engagement, trigger pull, & trigger reset ensuring the end user is left with a frame that needs nothing but a slide assembly right out of the box! Frame assembly includes: SCT19polymer frame, electroless nickel locking block, polished trigger assembly with electroless nickel trigger bar and polymer trigger, standard polymer magazine catch, magazine catch spring, steel trigger pin, steel locking block pin, standard slide lock, slide lock coil spring, polymer trigger housing pin, trigger housing with GEN4 style ejector, standard slide stop assembly & polished 5.5 lb. electroless nickel trigger connector. FEATURES: Proprietary rubber over mold contour grip with aggressive texturing providing a non-slip grip, shock absorption, vibration dampening and enhanced durability Serrations and index point on trigger guard to help control recoil Serrations on top of beaver tail reduce glare Flared mag well Thumb Accelerator pad Picatinny rail (not a Glock® rail) "MIL-STD 1913 Picatinny" High beaver tail with low profile bore axis Grip angle is the same as Glock® Slide stop guard Larger trigger guard for better access with gloves Recessed contoured mag release area for faster mag changes Multi caliber- Compatible with compact 9mm, .40 cal, .357SIG Mag Well compatibility - SCT 19 Magwell



## Attributes

- Name: [SCT MANUFACTURING SCT 19 OVERMOLD FRAME FLAT DARK EARTH/BLACK](#)
- Manufacturer: [SCT MANUFACTURING](#)
- Product no.: 430111482
- Mfr. No.: 02-2600-01-00-I
- Capacity: 0-Round
- Cartridge: 9 mm Luger
- Finish: Flat Dark Earth
- Length: 7"
- Model: 19
- Style: Complete
- Weapon type: Glock
- Weight: 0.35 lbs
- Delivery weight: 0.161kg
- Shipping height: 32mm
- Shipping width: 152mm
- Shipping length: 254mm
- UPC: 850055982338

## **Item details**

Made in USA

US export classification: 0A509.c

# Table of Contents

- Startpage
- SCT 19 Overmold Frame Safety Instruction Guide
- About Us

# SCT 19 Overmold Frame Safety Instruction Guide

## Introduction

Thank you for choosing the SCT 19 Overmold Frame by SCT Manufacturing. This product is designed for compatibility with Glock® models 19, 23, and 32, providing a robust and ergonomic platform for your pistolbuilding needs. This safety instruction guide is intended to ensure the safe use and installation of your frame while complying with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the SCT 19 Overmold Frame by adhering to all safety guidelines outlined in this document.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. In case of a recall, free remedies will be provided for any dangerous products.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is stored out of reach of vulnerable groups.
- **EU Contact Point:** For any safety inquiries, refer to the designated EUbased contact for this product.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on any unsafe products.

## Specific Safety Precautions for Use

- **Age Restriction:** This product is intended for adult users. Ensure that it is not accessible to individuals under the legal age for firearm assembly and use in your jurisdiction.
- **Proper Handling:** Always treat the frame as if it is loaded. Ensure that the firearm is pointed in a safe direction during handling.
- **Protective Gear:** Wear appropriate protective gear, such as safety glasses and gloves, when assembling or modifying your firearm.
- **Check Compatibility:** Ensure that all parts used with the SCT 19 Overmold Frame are compatible with Glock® Gen 3 models 19, 23, and 32.
- **Function Testing:** After assembly, conduct thorough function testing to ensure safe operation before use.

## Instructions for Installation and Usage

1. **Unboxing:** Carefully remove the SCT 19 Overmold Frame from its packaging. Inspect the frame for any visible damage or defects.
2. **Assembly Preparation:**
  - Gather all necessary tools and parts, including the SCT19 polymer frame, electroless nickel locking block, trigger assembly, and other components listed in the product description.
  - Ensure that you are working in a clean, welllit area free from distractions.
3. **Frame Assembly:**
  - Follow the assembly instructions provided with the SCT Manufacturing lower parts kit.
  - Ensure that the electroless nickel locking block is properly installed.
  - Install the polished trigger assembly, ensuring the trigger bar and polymer trigger are correctly positioned.
  - Attach the standard polymer magazine catch and magazine catch spring.
  - Secure the steel trigger pin and locking block pin in place.
  - Install the standard slide lock and slide lock coil spring.
  - Insert the polymer trigger housing pin and attach the trigger housing with GEN4 style ejector.
  - Complete the assembly with the standard slide stop assembly and polished 5.5 lb. electroless nickel trigger connector.

#### 4. Function Testing:

- Once the assembly is complete, perform a function test using a GLOCK™ factory slide.
- Check for safe operation, striker engagement, trigger pull, and trigger reset.

#### 5. Final Checks:

- Ensure that the frame is free from any obstructions or debris.
- Verify that all components are securely installed before proceeding to use the firearm.

## Disposal Instructions

- **Environmental Considerations:** Dispose of any packaging materials in accordance with local waste disposal regulations.
- **Product Disposal:** If the SCT 19 Overmold Frame is no longer in use, ensure that it is disposed of in a manner that prevents unauthorized access. Follow local laws regarding the disposal of firearm components.

## Contact Information for Further Support

For any additional support or inquiries regarding the SCT 19 Overmold Frame, please refer to the designated EUbased contact for this product or consult the retailer from whom you purchased the item.

Thank you for your attention to these safety guidelines. Enjoy your experience with the SCT 19 Overmold Frame, and always prioritize safety in all firearmrelated activities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)