

DUAL-LED CEILING KIT LIGHTING SYSTEM

Complete LED kit with "Ceiling" option. Perfect for the RCBS Pro2000, RCBS Rockchucker, LEE loadmaster, Hornady LNL AP, and many more. This Patent Pending kit includes, power supply with 48" long cord, on\off switch, "Y" adapter, (1) 4"" LED w\quick connect, (1) 2" LED w\quick connect, prep kit and wire routing anchors. This kit is for presses (Like the Hornady Lock N Load and the Dillon 650) that have enough room at "ceiling" to install the 2"" light in a downward fashion to flood the shellplate with even more light. Plenty of bright, white light with-out being too much.



Attributes

- Name: DUAL-LED CEILING KIT LIGHTING SYSTEM
- Manufacturer: INLINE FABRICATION
- Product no.: 430112032
- Mfr. No.: LEDCEL
- Delivery weight: 0.227kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für das DUALLED CEILING KIT LIGHTING SYSTEM
- English: DUALLED CEILING KIT LIGHTING SYSTEM Safety Instruction Guide

Sicherheitshinweise für das DUALLED CEILING KIT LIGHTING SYSTEM

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des DUALLED CEILING KIT LIGHTING SYSTEM von INLINE FABRICATION. Dieses umfassende LEDKit bietet eine ausgezeichnete Beleuchtung für Ihre Wiederladepresse. Um Ihre Sicherheit und die ordnungsgemäße Nutzung des Produkts zu gewährleisten, beachten Sie bitte die folgenden Sicherheitshinweise und Anweisungen.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt in Übereinstimmung mit den Anweisungen installiert und verwendet wird.
- Überprüfen Sie das Produkt regelmäßig auf sichtbare Schäden oder Abnutzungsscheinungen.
- Verwenden Sie das Produkt nicht, wenn es beschädigt ist oder nicht ordnungsgemäß funktioniert.
- Halten Sie das Produkt von Wasser und anderen Flüssigkeiten fern, um elektrische Schläge zu vermeiden.
- Lagern Sie das Produkt an einem trockenen, kühlen Ort, fern von direkter Sonneneinstrahlung.
- Achten Sie darauf, dass das Produkt außerhalb der Reichweite von Kindern aufbewahrt wird.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie nur das mitgelieferte Netzteil, um das Produkt mit Strom zu versorgen.
- Stellen Sie sicher, dass alle Kabel und Anschlüsse fest verbunden sind, um Kurzschlüsse zu vermeiden.
- Berühren Sie das Produkt nicht mit nassen Händen oder wenn Sie barfuß sind.
- Bei der Installation des Lichts darauf achten, dass keine Kabel unter Druck stehen oder gequetscht werden.
- Schalten Sie das Produkt immer aus, bevor Sie Wartungsarbeiten oder Anpassungen vornehmen.

Anweisungen zur Installation und Nutzung

1. Vorbereitung der Installation:

- Überprüfen Sie, ob alle Teile des Kits vorhanden sind: Netzteil, Ein/AusSchalter, YAdapter, 4" LED, 2" LED, Vorbereitungsset und Kabelverankerungen.
- Wählen Sie einen geeigneten Platz an Ihrer Wiederladepresse, wo genügend Platz für die Installation des Lichts vorhanden ist.

2. Installation:

- Verbinden Sie das Netzteil mit einer geeigneten Stromquelle.
- Schließen Sie den Ein/AusSchalter an das Netzteil an.
- Verwenden Sie den YAdapter, um die beiden LEDLeuchten anzuschließen.
- Montieren Sie die 2" LEDLeuchte an der Decke Ihrer Presse, sodass sie das Arbeitsfeld optimal ausleuchtet.
- Befestigen Sie die Kabelverankerungen, um die Kabel ordentlich und sicher zu führen.

3. Benutzung:

- Schalten Sie das Licht über den Ein/AusSchalter ein und aus.
- Passen Sie die Position der LEDLeuchten an, um die beste Beleuchtung für Ihre Arbeit zu erzielen.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Elektro und Elektronikgeräte.
- Trennen Sie alle elektrischen Teile vom Produkt, bevor Sie es entsorgen.
- Bringen Sie das Produkt zu einem Recyclingzentrum, das auf die Entsorgung von Elektronik spezialisiert ist.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen zu Ihrem DUALLED CEILING KIT LIGHTING SYSTEM, wenden Sie sich bitte an den Kundenservice von INLINE FABRICATION oder besuchen Sie die offizielle Website des Herstellers.

Bitte beachten Sie, dass Sie auch unsichere Produkte und Unfälle den zuständigen Behörden melden können.
Halten Sie sich über Rückrufupdates auf der EU Safety GatePlattform informiert.

Vielen Dank, dass Sie sich für das DUALLED CEILING KIT LIGHTING SYSTEM entschieden haben. Wir wünschen Ihnen viel Freude bei der Nutzung!

DUALLED CEILING KIT LIGHTING SYSTEM Safety Instruction Guide

Introduction

Thank you for choosing the DUALLED CEILING KIT LIGHTING SYSTEM. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Regularly check the product for any signs of damage or wear. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Always follow the installation and usage instructions provided in this guide.
- In case of emergency, disconnect the power supply immediately.

Specific Safety Precautions for Use

- Do not exceed the recommended voltage and current specifications as outlined in the product details.
- Avoid using the product in wet or damp conditions to prevent electrical hazards.
- Ensure that the power supply cord is not pinched or damaged during installation or use.
- Do not attempt to repair or modify the product. Contact a qualified technician for repairs.
- Always use the provided components (e.g., power supply, adapters) as specified. Substituting parts may lead to unsafe conditions.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure the workspace is clean and free of any obstructions. Gather all necessary tools and components.
2. **Power Supply Connection:**
 - Plug the power supply into a suitable electrical outlet.
 - Ensure the outlet matches the power supply requirements.
3. **Mounting the LEDs:**
 - Identify the installation area on your reloading press.
 - Use the wire routing anchors to secure the power supply cord and prevent tripping hazards.
 - Mount the 2inch LED light in a downward position at the "ceiling" of the press to maximize lighting on the shellplate.
4. **Final Check:**
 - Ensure all connections are secure and that the installation does not obstruct any moving parts of the press.
 - Turn on the power supply using the on/off switch to test the lighting.

Usage

- Use the on/off switch to control the LED lights as needed.
- Regularly check the light output and replace any faulty LEDs promptly.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste.
- Do not dispose of the product in regular household trash.
- Remove batteries (if applicable) and dispose of them separately according to local regulations.

Contact Information for Further Support

For any questions or concerns regarding the DUALLED CEILING KIT LIGHTING SYSTEM, please refer to the manufacturer's contact details provided with your product.

Thank you for following these safety instructions. Your safety is our priority.