

4" MICRO QUICK CHANGE ULTRAMOUNT W/LEGS & QUICK CHNGE BASE PLATE - 4" MICRO QUICK CHANGE ULTRAMOUNT BASE PLATE

Ultramount Micro 4" has the same beefy 3/16" thick steel construction as the standard Ultramount, however, Micro is only 4" tall. With Ultramount Micro being only 4" tall, press linkages will hang below the benchtop to impede opening of cabinet doors or drawers below your bench. If you have any doubt, before placing an order, measure the linkages hanging down below your bench top and subtract 4". If you want to have the press completely on top of the bench, the standard 9 3/4" tall Ultramount will fix you up perfectly. This base set up is to be used with Inlines quick change top plates. You need one top plate per item you wish to swap in and out. INCLUDES Legs and Quick Change Base Plage. NOTE: Quick Change Top Plates Sold Seperate.



Attributes

- Name: 4" MICRO QUICK CHANGE ULTRAMOUNT BASE PLATE
- Manufacturer: INLINE FABRICATION
- Product no.: 430112048
- Mfr. No.: ULEGMC.1
- Delivery weight: 3.856kg
- Shipping height: 356mm
- Shipping width: 89mm
- Shipping length: 305mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den 4" MICRO QUICK CHANGE ULTRAMOUNT W/LEGS & QUICK CHNGE BASE PLATE](#)
- [English: Safety Instruction Guide for 4" Micro Quick Change Ultramount with Legs & Quick Change Base Plate](#)

Sicherheitshinweise für den 4" MICRO QUICK CHANGE ULTRAMOUNT W/LEGS & QUICK CHNGE BASE PLATE

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des 4" MICRO QUICK CHANGE ULTRAMOUNT W/LEGS & QUICK CHNGE BASE PLATE von Inline Fabrication. Dieses Produkt wurde entwickelt, um Ihnen eine sichere und effiziente Nutzung zu ermöglichen. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um potenzielle Gefahren zu vermeiden und die besten Ergebnisse zu erzielen.

Allgemeine Sicherheitsrichtlinien

- Dieser Ultramount ist für den Einsatz in Verbindung mit SchnellwechselOberplatten konzipiert.
- Überprüfen Sie vor der Verwendung, ob alle Teile vollständig und unbeschädigt sind.
- Halten Sie den Arbeitsbereich sauber und frei von Hindernissen, um Unfälle zu vermeiden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Achten Sie darauf, dass Kinder und Haustiere während der Nutzung ferngehalten werden.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Stellen Sie sicher, dass die Unterseite Ihres Tisches ausreichend Platz für die Pressenverbindungen bietet. Messen Sie 4" von der Unterkante Ihrer Arbeitsplatte ab.
- Verwenden Sie keine beschädigten oder defekten Teile. Bei Anzeichen von Verschleiß oder Beschädigung wenden Sie sich an den Hersteller.
- Tragen Sie bei der Installation und Nutzung geeignete Schutzausrüstung, wie z. B. Handschuhe und Schutzbrille.
- Vermeiden Sie es, die Presse während des Betriebs zu berühren oder zu bewegen.

Anweisungen für Installation und Nutzung

1. Vorbereitung:

- Überprüfen Sie, ob alle Teile des Ultramounts und der SchnellwechselOberplatte vorhanden sind.
- Stellen Sie sicher, dass die Arbeitsfläche stabil und eben ist.

2. Installation:

- Befestigen Sie die Beine des Ultramounts sicher an der Basisplatte.
- Stellen Sie sicher, dass alle Schrauben fest angezogen sind.
- Platzieren Sie den Ultramount auf Ihrer Arbeitsplatte und sorgen Sie dafür, dass er stabil steht.
- Montieren Sie die SchnellwechselOberplatte gemäß den Anweisungen des Herstellers.

3. Nutzung:

- Verwenden Sie die Presse nur mit den dafür vorgesehenen SchnellwechselOberplatten.
- Achten Sie darauf, dass die Presse sicher fixiert ist, bevor Sie mit der Arbeit beginnen.
- Überprüfen Sie regelmäßig den Zustand der Presse und der Oberplatte auf Abnutzung.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Abfallentsorgung.
- Trennen Sie alle Materialien, wenn möglich, und recyceln Sie, wo es zulässig ist.
- Werfen Sie keine elektrischen Teile in den normalen Hausmüll. Informieren Sie sich über die richtige Entsorgung.

Kontaktinformationen für weitere Unterstützung

- Bei Fragen oder zur Meldung von Sicherheitsvorfällen wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt gekauft haben.

Bitte beachten Sie, dass diese Sicherheitshinweise nicht alle möglichen Gefahren abdecken können. Es liegt in Ihrer Verantwortung, sicherzustellen, dass Sie alle Sicherheitsvorkehrungen befolgen und das Produkt sicher verwenden.

Safety Instruction Guide for 4" Micro Quick Change Ultramount with Legs & Quick Change Base Plate

Introduction

Thank you for choosing the 4" Micro Quick Change Ultramount with Legs & Quick Change Base Plate. This product is designed to provide a sturdy and efficient solution for your reloading press needs. To ensure your safety and the proper use of this product, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that all assembly and installation instructions are followed precisely.
- Keep the product out of reach of children and vulnerable individuals.
- Always inspect the product for any visible damage before use.
- Do not use the product if any parts are damaged or missing.
- Report any unsafe products or accidents to local authorities.
- Check the EU's Safety Gate platform regularly for recall updates.

Specific Safety Precautions for Use

- **Risk of Injury:** The product contains heavy components. Use caution when handling and installing.
- **Stability:** Ensure the Ultramount is securely attached to the workbench to prevent tipping or falling.
- **Linkage Clearance:** Verify that linkages do not obstruct cabinet doors or drawers. Measure the linkages and ensure they are 4" below the benchtop.
- **Protective Gear:** Use appropriate personal protective equipment (PPE) such as gloves and safety glasses when installing or using the product.
- **Weight Limit:** Do not exceed the weight capacity intended for the Ultramount to prevent accidents or damage.

Instructions for Installation and Usage

1. Installation:

- Gather all components including the Ultramount, legs, and quick change base plate.
- Identify a stable workbench or surface for installation.
- Attach the legs to the Ultramount base securely.
- Ensure that the Ultramount is level and stable on the workbench.
- Use appropriate fasteners to secure the Ultramount to the workbench.
- Confirm that all connections are tight and secure before use.

2. Usage:

- Ensure that you have the correct quick change top plates for your intended use.
- Follow the specific instructions for attaching and detaching the top plates.
- Regularly check for wear and tear on the quick change mechanism.
- Store the Ultramount in a dry place to prevent rust and corrosion.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Recycle any metal components where possible.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For safety inquiries or additional support, please reach out to your local dealer or the manufacturer. Ensure you have the product details ready for efficient assistance.

Thank you for prioritizing safety while using the 4" Micro Quick Change Ultramount with Legs & Quick Change Base Plate. Your adherence to these guidelines helps ensure a safe and effective experience.