

7.5" JUNIOR QUICK CHANGE ULTRAMOUNT W/LEGS & BASE PLATE - 7.5" JUNIOR QUICK CHANGE ULTRAMOUNT BASE PLATE

Ultramount Junior has the same beefy 3/16" thick steel construction as the standard Ultramount, however the Junior is only 7-1/2" tall. With Ultramount JR being only 7-1/2" tall, some press linkages will hang below the benchtop to impede opening of cabinet doors or drawers below your bench. If you have any doubt, before placing an order, measure the linkages hanging down below your bench top and subtract 7.5". If you want to have the press completely on top of the bench and be able to push it back a bit, the standard Ultramount 9-3/4" with quick change base will fix you up. This base set up is to be used with InLine's quick-change top plates. You need one top plate per item you wish to swap in and out. INCLUDES Legs and Quick Change Base Plate. NOTE: Quick Change Top Plates Sold Seperate.



Attributes

- Name: 7.5" JUNIOR QUICK CHANGE ULTRAMOUNT BASE PLATE
- Manufacturer: INLINE FABRICATION
- Product no.: 430112049
- Mfr. No.: ULEGJR.1
- Delivery weight: 4.536kg
- Shipping height: 356mm
- Shipping width: 89mm
- Shipping length: 305mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die 7.5" JUNIOR QUICK CHANGE ULTRAMOUNT W/LEGS & BASE PLATE](#)
- [English: Safety Instruction Guide for 7.5" Junior Quick Change Ultramount with Legs & Base Plate](#)

Sicherheitshinweise für die 7.5" JUNIOR QUICK CHANGE ULTRAMOUNT W/LEGS & BASE PLATE

Einleitung

Vielen Dank, dass du dich für die 7.5" Junior Quick Change Ultramount entschieden hast. Dieses Produkt wurde entwickelt, um dir beim Wiederladen von Munition zu helfen. Bitte lese die folgenden Sicherheitshinweise sorgfältig durch, um eine sichere und effektive Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Überprüfe regelmäßig das Produkt auf Anzeichen von Beschädigungen oder Verschleiß.
- Bewahre das Produkt außerhalb der Reichweite von Kindern auf.
- Achte darauf, dass der Arbeitsbereich gut beleuchtet und frei von Hindernissen ist.
- Verwende das Produkt nur auf stabilen und ebenen Oberflächen.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Achte darauf, dass alle Teile sicher befestigt sind, bevor du das Produkt benutzt.
- Vermeide es, Hände oder andere Körperteile in die Nähe von beweglichen Teilen zu bringen.
- Verwende das Produkt nicht, wenn du müde oder unter dem Einfluss von Alkohol oder Drogen stehst.
- Trage geeignete persönliche Schutzausrüstung, wie z.B. Schutzbrille und Handschuhe, während du das Produkt benutzt.
- Halte die Arbeitsfläche sauber und frei von unnötigen Materialien.

Anweisungen zur Installation und Verwendung

1. Installation

- Stelle sicher, dass der Arbeitsbereich sauber und ordentlich ist.
- Montiere die Ultramount Junior gemäß der mitgelieferten Anleitung.
- Überprüfe, dass die Beine und die Basisplatte sicher befestigt sind.
- Stelle sicher, dass die Ultramount stabil steht, bevor du mit der Verwendung beginnst.

2. Verwendung

- Platziere die Presse auf der Ultramount und stelle sicher, dass sie richtig sitzt.
- Überprüfe vor dem ersten Gebrauch alle Verbindungen und stelle sicher, dass sie fest sind.
- Führe alle Arbeiten langsam und vorsichtig durch, um Unfälle zu vermeiden.
- Wenn du die Presse abnehmen möchtest, stelle sicher, dass sie vollständig entlastet ist, bevor du sie abziehst.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metall und anderen Materialien.
- Achte darauf, dass alle Teile sicher entsorgt werden, um Umweltverschmutzung zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Bitte wende dich an den Hersteller oder einen autorisierten Händler, wenn du Fragen oder Bedenken zur Sicherheit des Produkts hast.

Schlussfolgerung

Die Sicherheit hat oberste Priorität. Durch die Beachtung dieser Richtlinien kannst du sicherstellen, dass die Verwendung der 7.5" Junior Quick Change Ultramount sowohl sicher als auch effektiv ist. Achte darauf, alle Anweisungen zu befolgen und regelmäßig auf Sicherheitsupdates zu achten.

Safety Instruction Guide for 7.5" Junior Quick Change Ultramount with Legs & Base Plate

Introduction

Thank you for choosing the 7.5" Junior Quick Change Ultramount with Legs & Base Plate. This product is designed to enhance your reloading experience while ensuring safety during its use. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure that the Ultramount is used only for its intended purpose.
- Always follow the installation and usage instructions provided in this guide.
- Keep this product out of reach of children and vulnerable individuals.
- Regularly inspect the Ultramount for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Make sure the work area is clean and free of clutter.
- Ensure that the Ultramount is securely attached to the workbench before use.
- Do not exceed the recommended weight limit for the Ultramount.
- Be cautious when adjusting or changing the press to avoid pinching fingers or other body parts.
- Use appropriate personal protective equipment (PPE), such as safety glasses, when operating the reloading press.

Instructions for Installation and Usage

Installation

1. Prepare the Workbench:

- Ensure the workbench is sturdy and level.
- Clean the area where the Ultramount will be installed.

2. Attach the Ultramount:

- Position the Ultramount on the workbench.
- Use the provided legs and base plate to secure the Ultramount.
- Ensure that all screws and bolts are tightened properly.

3. Check Stability:

- After installation, check that the Ultramount is stable and does not wobble.
- If necessary, adjust the legs to ensure a level installation.

Usage

1. Setup:

- Before using the Ultramount, ensure that the press is properly mounted and secured.
- Verify that you have the appropriate quickchange top plate for your application.

2. Operating the Press:

- Follow the manufacturer's instructions for the specific press you are using.
- Do not force the press beyond its designed capacity.
- If you experience resistance, stop and check for any obstructions.

3. Changing Top Plates:

- Ensure the Ultramount is stable before changing top plates.
- Remove the current top plate by following the quickchange instructions.
- Install the new top plate securely.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- When disposing of the Ultramount or any damaged components, follow your local guidelines for electronic waste and metal recycling.
- Ensure that the product is rendered unusable before disposal to prevent accidental use.

Contact Information for Further Support

For any questions or concerns regarding the 7.5" Junior Quick Change Ultramount, please refer to the manufacturer's contact information provided separately. It is important to have an EU-based contact for safety inquiries.

By following these safety instructions, you can ensure a safe and effective experience with your 7.5" Junior Quick Change Ultramount. Thank you for your attention to safety!