

ARGOS BTR GEN2 1-8X24MM SFP ILLUMINATED RIFLE SCOPE - ARGOS BTR GEN2 SCOPE W/BROWNELLS 30MM CANTILEVER MOUNT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

ATHLON OPTICS ARGOS BTR GEN2 1-8X24MM SFP ILLUMINATED RIFLE SCOPE
Multigunners, hunters, and those in the market for a self-defense optic; A 1-8x scope is very versatile tool. Whether you are expecting close engagement with wild hogs, or burning up ammo at the local range, a reliable close-range scope with the ability to engage targets mid-range is something no one should be without. The glass-etched ATSR5 reticle provides quick target acquisition at close range and holdovers out to 600 yards using 68 and 69 BTHP 223/5.56mm rounds. The illuminated reticle and Advanced Fully-Multi Coated optics aid in low light situations. SKU 430112341 - Includes a Brownells 30mm Cantilever Scope Mount (SKU 080001351). ATN Argos BTR Gen2 Scope w/Brownells 30mm Cantilever Mount: The Brownells AR-15 Cantilever Scope Mount is a true one-piece scope mounting solution for your AR-type "Modern Sporting Rifle." It positions the scope forward to give you plenty of eye relief, while it elevates the scope high enough for a comfortable head position and plenty of clearance for the objective bell. Machined from a solid billet of 6061 T6 aluminum, our AR-15 Cantilever Scope Mount is lightweight, strong, and rigid. A pair of hardened steel 1/2" hex nuts provide tremendous locking force to ensure your mount - and the scope attached to it - stays in place. Remove the mount/scope unit from the rifle and reinstall it with little-to-no shift in the scope's zero. FEATURES: Advanced Fully Multi-Coated Lenses Xpl Protective Coating Argon Purged High Precision Erector System Aircraft Grade Aluminum Tube Illuminated Reticle Etched Glass Reticle Waterproof Fog Proof Shockproof One Piece Tube Construction SPECIFICATIONS: Power: 1-8x Obj. Lens: 24mm Tube Size: 30mm Turrets: Capped Eye Relief: 3.5" FOV @100Y: 110-14.5 Ft Click Value: 0.5 MOA Adjustment Per Rotation: 44 MOA Total Elevation Adjustment: 120 MOA Total Windage Adjustment: 120 MOA Parallax Adjustment: Fixed @ 100 yds Purging Material: Argon Weight: 16.1oz

NO IMAGE
AVAILABLE

Attributes

- Name: [ARGOS BTR GEN2 SCOPE W/BROWNELLS 30MM CANTILEVER MOUNT](#)
- Manufacturer: [ATHLON OPTICS](#)
- Product no.: 430112341
- Mfr. No.: NONE-MIX
- Battery: CR-2032
- Click Value: 1/2 MOA
- Click Value: 1/2 MOA
- Eye Relief: 3.50"
- Finish: Black
- Focal Plane: Second
- Illumination: Yes
- Length: NA
- Max Magnification: 8x
- Min. Magnification: 1x
- Model Number: Argos BTR (Tactical) Gen 2
- Objective Size: 24mm

- Reticle: ATSR5 IR MOA
- Tube Size: 30mm
- Weight: NA
- Delivery weight: 3.629kg

Item details

Made in USA

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- Startpage
- Safety Instruction Guide for ARGOS BTR GEN2 18X24MM SFP ILLUMINATED RIFLE SCOPE
- About Us

Safety Instruction Guide for ARGOS BTR GEN2 18X24MM SFP ILLUMINATED RIFLE SCOPE

Introduction

Thank you for choosing the ARGOS BTR GEN2 18X24MM SFP ILLUMINATED RIFLE SCOPE. This guide provides essential safety information and instructions to ensure the safe use and handling of your new optic. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure the rifle scope is mounted securely before use.
- Use the scope only for its intended purpose; misuse may result in injury or damage.
- Keep the scope and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the scope for damage or wear. Do not use if any part is damaged.
- Follow all local laws and regulations regarding firearm ownership and use.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

- Do not look at the sun or any bright light source through the scope, as this may cause permanent eye damage.
- Ensure the scope is properly zeroed before engaging targets.
- Use appropriate eye protection when shooting.
- Avoid using the scope in extreme weather conditions that may impair its functionality.
- Be cautious when adjusting the illuminated reticle settings to avoid distractions while aiming.

Instructions for Installation and Usage

Installation

1. Mounting the Scope:

- Select a suitable mounting location on your rifle.
- Use the included Brownells 30mm Cantilever Scope Mount for a secure fit.
- Ensure the mount is tightened using the hardened steel hex nuts provided.
- Confirm that the scope is level and aligned with the rifle's barrel.

2. Adjusting the Scope:

- Set the power magnification to your desired level (18x).
- Adjust the objective lens focus to ensure a clear sight picture.
- Use the turrets to make adjustments for windage and elevation as needed.

Usage

1. Using the Illuminated Reticle:

- Turn on the illuminated reticle using the designated control. Adjust brightness as needed for lighting conditions.
- Practice target acquisition at various ranges to become familiar with the reticle.

2. Safety Checks:

- Before shooting, doublecheck that the rifle is unloaded.
- Ensure the area is clear of people and obstacles.

Disposal Instructions

- Dispose of the scope and any packaging materials in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for recycling options in your area.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of your ARGOS BTR GEN2 18X24MM SFP ILLUMINATED RIFLE SCOPE, please refer to the manufacturer's customer service resources. Always ensure you have access to the latest safety information and product updates.

By following these guidelines, you ensure a safer experience while using your rifle scope. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at