

ALPHA TANK BRAKE - STAINLESS - 24MM

ALPHA TANK BRAKE FEATURES: Dual chamber brake for maximum reduction in muzzle climb Constructed from 416 Stainless Finish Options: Blast or Black Nitride Weight: 12 oz Diameter: 2.25" Diameter hole: .410 Made for thread pitch 24MM / M14X1LH / 1/2X28-9MM Made in the USA Lifetime Warranty



Attributes

- Name: ALPHA TANK BRAKE - STAINLESS - 24MM
- Manufacturer: MIDWEST INDUSTRIES, INC.
- Product no.: 430112424
- Mfr. No.: MI-ALPHA-TB24MM
- Finish: Silver
- Make: AK-47
- Material: Stainless Steel
- Threads: 24mm RH
- Delivery weight: 0.454kg
- Shipping height: 102mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 812102035473

Item details

Made in USA

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den ALPHA TANK BRAKE
- English: Safety Instruction Guide for ALPHA TANK BRAKE STAINLESS 24MM

Sicherheitshinweise für den ALPHA TANK BRAKE

Einführung

Herzlichen Glückwunsch zum Erwerb des ALPHA TANK BRAKE von MIDWEST INDUSTRIES, INC. Dieser Mündungsbremsen ist aus hochwertigem Edelstahl gefertigt und bietet eine zuverlässige Leistung. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um eine sichere Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie alle Sicherheitsanweisungen befolgen, um Verletzungen oder Schäden zu vermeiden.
- Verwenden Sie das Produkt nur gemäß den vorgesehenen Anwendungen.
- Bewahren Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen auf.
- Informieren Sie sich über Rückrufmeldungen und Sicherheitsupdates über die EU Safety Gate Plattform.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Überprüfen Sie vor der Verwendung, ob das Produkt unbeschädigt ist.
- Tragen Sie geeignete Schutzausrüstung, einschließlich Schutzbrille und Handschuhe.
- Verwenden Sie das Produkt nicht, wenn Sie unter dem Einfluss von Alkohol oder Drogen stehen.
- Achten Sie darauf, dass der ALPHA TANK BRAKE korrekt installiert ist, um Fehlfunktionen zu vermeiden.

Anleitung zur Installation und Nutzung

1. Installation

- Stellen Sie sicher, dass das Gewinde des ALPHA TANK BRAKE mit dem Ihres Geräts kompatibel ist (24MM / M14X1LH / 1/2X289MM).
- Reinigen Sie die Gewinde vor der Installation gründlich.
- Schrauben Sie den ALPHA TANK BRAKE vorsichtig auf das Gewinde und ziehen Sie ihn mit dem empfohlenen Drehmoment fest.
- Überprüfen Sie die Installation auf festen Sitz und Dichtheit.

2. Nutzung

- Verwenden Sie den ALPHA TANK BRAKE nur auf den dafür vorgesehenen Waffen.
- Achten Sie darauf, dass der Mündungsbremsen im Betrieb nicht blockiert wird.
- Überprüfen Sie regelmäßig den Zustand des ALPHA TANK BRAKE auf Risse oder andere Beschädigungen.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Metallabfälle.
- Stellen Sie sicher, dass das Produkt umweltgerecht entsorgt wird, um die Umwelt zu schützen.

Kontaktinformationen für weitere Unterstützung

Wenn Sie Fragen oder Bedenken haben, wenden Sie sich bitte an den Hersteller oder die zuständige Stelle in Ihrem Land für weitere Unterstützung.

Safety Instruction Guide for ALPHA TANK BRAKE STAINLESS 24MM

Introduction

Thank you for choosing the ALPHA TANK BRAKE STAINLESS 24MM. This product is designed to enhance the performance of your firearm by reducing muzzle climb. It is crucial to follow safety guidelines and instructions to ensure safe and effective use. This guide complies with the EU General Product Safety Regulation (GPSR) to provide you with essential safety information.

General Safety Guidelines

- Ensure that the ALPHA TANK BRAKE is installed correctly to avoid any accidents.
- Always handle your firearm with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly check for any signs of wear or damage to the brake and your firearm.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only with compatible thread pitch: 24MM / M14X1LH / 1/2X289MM.
- Do not exceed the weight limit of your firearm's mounting system.
- Ensure that the brake is securely attached before use.
- Avoid using the brake in environments that may expose it to extreme temperatures or corrosive substances.
- Wear appropriate eye and ear protection while using your firearm equipped with the ALPHA TANK BRAKE.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Clean the threaded area of the muzzle to remove any debris or oil.
- Align the ALPHA TANK BRAKE with the threads of the muzzle.
- Handtighten the brake onto the muzzle until secure.
- Use a wrench to tighten the brake further, but do not overtighten to avoid damage.

2. Usage:

- Always check the brake before use to ensure it is securely attached.
- Fire the weapon in a controlled environment and observe for any unusual behavior.
- If any issues arise, stop using the firearm immediately and inspect the brake.

Disposal Instructions

- Dispose of the ALPHA TANK BRAKE responsibly.
- Follow local regulations for the disposal of metal products.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please reach out to your local distributor or manufacturer. Ensure that you have the product details available for reference.

By following these guidelines, you can ensure safe and effective use of the ALPHA TANK BRAKE STAINLESS 24MM. Thank you for your attention to safety.