

# **ZERO S-SERIES SIZING DIES - AREA 419 ZERO S-SERIES 6MM CREEDMOOR SIZING DIE**

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

**ZERO S-SERIES SIZING DIES** Following the resounding success of our M-Series Sizing Die, the mission became to take as many of those industry-leading features as possible and push them into a traditional 7/8" die, keeping the price point under \$300. Introducing the ZERO S-Series Sizing Die. KEY

**FEATURES** Precision Ground Expander Mandrels (all dies ship with a .002 neck tension mandrel, or add more increments with our MANDREL KIT) Full-Length Neck to Extractor Sizing Spring Ejection for Spent Primers Replaceable Steel Decap Pins Reamer Cut to Exacting Dimensions for a TRUE Size (no more sticky bolt after the second firing) Hydraulic Shoulder Pressure Relief 100% Made in AMERICA NOTE: This is for a Die-Only. These dies do not come with a shellholder. They are compatible with common shellholders from Redding, Hornady, RCBS, etc. They are also compatible with our ZERO Modular Shellholder System All dies ship with an Area 419 ZERO Universal Die Ring, a spare decapping pin and necessary install/removal tools. After testing them all, and finding everything Area 419 like and didn't like, and working with thousands of customers and a variety of industry partners, they believe this is what a 7/8" sizing die should be.



## **Attributes**

- Name: [AREA 419 ZERO S-SERIES 6MM CREEDMOOR SIZING DIE](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112747
- Mfr. No.: 419-ZERODIE-S6CR
- Cartridge: 6mm Creedmoor
- Die Style: Sizing Dies
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 114mm
- Shipping length: 165mm
- UPC: 810080183131

## **Item details**

Made in USA

# Table of Contents

- Startpage
- [ZERO SSeries Sizing Die Safety Instruction Guide](#)
- About Us

# ZERO SSeries Sizing Die Safety Instruction Guide

## Introduction

Thank you for choosing the ZERO SSeries Sizing Die. This guide provides essential safety instructions and guidelines to ensure the safe use of your sizing die. Please read this document carefully before using the product to avoid any potential hazards.

## General Safety Guidelines

- Ensure the die is used only for its intended purpose, which is to resize brass cases for reloading.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling the die and during the reloading process.
- Keep the die and all reloading equipment out of reach of children and vulnerable individuals.
- Regularly inspect the die for any signs of wear or damage before use. Do not use a damaged die.
- Follow all local laws and regulations regarding the reloading of ammunition.

## Specific Safety Precautions for Use

- **Handling:** Always handle the die with care. Avoid dropping or mishandling it.
- **Compatibility:** Ensure the die is compatible with your reloading press and shellholder. Use only recommended shellholders from manufacturers like Redding, Hornady, and RCBS.
- **Installation:** Follow the installation instructions carefully to avoid improper setup that could lead to accidents.
- **Neck Tension Mandrel:** Use the provided .002 neck tension mandrel or additional increments from the MANDREL KIT only as specified in the product documentation.
- **Spring Ejection:** Be cautious when using the spring ejection feature for spent primers. Ensure that your hands and face are clear of the ejection path.
- **Hydraulic Pressure Relief:** Familiarize yourself with the hydraulic shoulder pressure relief feature to prevent overloading and damaging the die.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the reloading press is securely mounted and stable.
- Insert the ZERO SSeries Sizing Die into the press according to the manufacturer's instructions.
- Tighten the die securely to prevent movement during operation.
- Attach the appropriate shellholder to the press.

### 2. Usage:

- Prepare your brass cases by cleaning and inspecting them for damage.
- Insert a brass case into the shellholder and ensure it is seated correctly.
- Lower the ram of the press to engage the die and resize the brass case.
- After resizing, raise the ram and remove the resized case from the shellholder.
- Repeat the process for additional cases as needed.
- Always ensure that the die is clean and free from debris before and after use.

## Disposal Instructions

- Dispose of the ZERO SSeries Sizing Die according to local regulations for metal recycling.
- Do not dispose of the die in regular household waste.
- If the die is damaged beyond repair, contact your local recycling center for proper disposal methods.

## Contact Information for Further Support

For any safety inquiries or support regarding the ZERO SSeries Sizing Die, please refer to the manufacturer's contact information included with the product packaging or visit the official website.

By following these safety instructions and guidelines, you will help ensure a safe and effective reloading experience with your ZERO SSeries Sizing Die. Thank you for prioritizing safety in your reloading practices.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)