

ZERO S-SERIES SIZING DIES - ZERO S-SERIES 308 WINCHESTER SIZING DIE

ZERO S-SERIES SIZING DIES Following the resounding success of our M-Series Sizing Die, the mission became to take as many of those industry-leading features as possible and push them into a traditional 7/8" die, keeping the price point under \$300. Introducing the ZERO S-Series Sizing Die. KEY FEATURES Precision Ground Expander Mandrels (all dies ship with a .002 neck tension mandrel, or add more increments with our MANDREL KIT) Full-Length Neck to Extractor Sizing Spring Ejection for Spent Primers Replaceable Steel Decap Pins Reamer Cut to Exacting Dimensions for a TRUE Size (no more sticky bolt after the second firing) Hydraulic Shoulder Pressure Relief 100% Made in AMERICA NOTE: This is for a Die-Only. These dies do not come with a shellholder. They are compatible with common shellholders from Redding, Hornady, RCBS, etc. They are also compatible with our ZERO Modular Shellholder System All dies ship with an Area 419 ZERO Universal Die Ring, a spare decapping pin and necessary install/removal tools. After testing them all, and finding everything Area 419 like and didn't like, and working with thousands of customers and a variety of industry partners, they believe this is what a 7/8" sizing die should be.



Attributes

- Name: ZERO S-SERIES 308 WINCHESTER SIZING DIE
- Manufacturer: AREA 419
- Product no.: 430112749
- Mfr. No.: 419-ZERODIE-S30
- Cartridge: 308 Winchester
- Die Style: Sizing Dies
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 114mm
- Shipping length: 165mm
- UPC: 810080183155

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: ZERO SSeries Sizing Die Safety Instruction Guide](#)

ZERO SSeries Sizing Die Safety Instruction Guide

Introduction

Thank you for choosing the ZERO SSeries Sizing Die for your reloading needs. This guide provides essential safety instructions to ensure the safe and effective use of your die. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the operation of your reloading equipment before using the ZERO SSeries Sizing Die.
- Always wear appropriate personal protective equipment (PPE), including safety glasses, to protect against any potential debris or injury.
- Keep your work area clean and organized to avoid accidents.
- Store the die in a safe place, out of reach of children and pets.
- Do not attempt to modify or alter the die in any way, as this may compromise safety and functionality.
- Regularly inspect the die for wear or damage. If any issues are found, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- **Cartridge Compatibility:** Ensure that the ZERO SSeries Sizing Die is compatible with the 308 Winchester cartridge before use.
- **Neck Tension Mandrel:** Use the provided .002 neck tension mandrel for optimal performance. Additional increments can be added using the Mandrel Kit.
- **Ejection of Spent Primers:** Be cautious during the ejection process of spent primers. Ensure that your hands and face are clear of the die's operation area.
- **Decap Pins:** The die comes with replaceable steel decap pins. Regularly check these pins for signs of wear and replace them as necessary.
- **Hydraulic Shoulder Pressure Relief:** Familiarize yourself with the hydraulic shoulder pressure relief feature to prevent overloading during use.
- **Shellholder Compatibility:** Use only compatible shellholders from Redding, Hornady, RCBS, or the ZERO Modular Shellholder System.

Instructions for Installation and Usage

1. Installation:

- Securely mount the ZERO SSeries Sizing Die in your reloading press according to the manufacturer's instructions.
- Ensure that the die is tightened properly to avoid movement during operation.

2. Usage:

- Prepare your brass cases by cleaning and inspecting them for damage.
- Insert the brass case into the shellholder and position it under the die.
- Slowly raise the press handle to engage the die with the brass case.
- Monitor the process to ensure smooth operation and avoid excessive force.
- After sizing, lower the press handle and remove the sized case.

3. PostUsage:

- After completing your reloading session, clean the die to remove any residue or debris.
- Store the die in its original packaging or a safe location to prevent damage.

Disposal Instructions

- Dispose of any worn or damaged components of the ZERO SSeries Sizing Die in accordance with local regulations.
- Do not dispose of the die or its components in regular household waste. Consult your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the ZERO SSeries Sizing Die, including safety concerns or product support, please consult the manufacturer's contact information provided on the product packaging or the official website.

By following these safety instructions, you can ensure a safe and effective reloading experience with your ZERO SSeries Sizing Die. Thank you for your attention to safety and for choosing our product.