

ZERO S-SERIES SIZING DIES - AREA 419 ZERO S-SERIES 6.5X47MM SIZING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

ZERO S-SERIES SIZING DIES Following the resounding success of our M-Series Sizing Die, the mission became to take as many of those industry-leading features as possible and push them into a traditional 7/8" die, keeping the price point under \$300. Introducing the ZERO S-Series Sizing Die. KEY

FEATURES Precision Ground Expander Mandrels (all dies ship with a .002 neck tension mandrel, or add more increments with our MANDREL KIT) Full-Length Neck to Extractor Sizing Spring Ejection for Spent Primers Replaceable Steel Decap Pins Reamer Cut to Exacting Dimensions for a TRUE Size (no more sticky bolt after the second firing) Hydraulic Shoulder Pressure Relief 100% Made in AMERICA NOTE: This is for a Die-Only. These dies do not come with a shellholder. They are compatible with common shellholders from Redding, Hornady, RCBS, etc. They are also compatible with our ZERO Modular Shellholder System All dies ship with an Area 419 ZERO Universal Die Ring, a spare decapping pin and necessary install/removal tools. After testing them all, and finding everything Area 419 like and didn't like, and working with thousands of customers and a variety of industry partners, they believe this is what a 7/8" sizing die should be.



Attributes

- Name: [AREA 419 ZERO S-SERIES 6.5X47MM SIZING DIE](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112750
- Mfr. No.: 419-ZERODIE-S6547
- Cartridge: 6.5 x 47 mm Lapua
- Die Style: Sizing Dies
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 114mm
- Shipping length: 165mm
- UPC: 810080183162

Item details

Made in USA

Table of Contents

- Startpage
- [ZERO SSeries Sizing Die Safety Instructions](#)
- About Us

ZERO SSeries Sizing Die Safety Instructions

Introduction

Thank you for choosing the ZERO SSeries Sizing Die. This product is designed to provide precision and reliability for your reloading needs. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure safe use of the ZERO SSeries Sizing Die by following these guidelines:
 - Always handle the die with care to avoid injury.
 - Keep the die out of reach of children and vulnerable individuals.
 - Use the die only for its intended purpose as described in this manual.
 - Regularly inspect the die for wear or damage before use.
 - Store the die in a dry, safe place when not in use.

Specific Safety Precautions for Use

- When using the ZERO SSeries Sizing Die, adhere to the following precautions:
 - Wear appropriate safety gear, including safety glasses and gloves.
 - Ensure that your workspace is clean and free of obstructions.
 - Do not exceed the recommended specifications for cartridge sizing.
 - Avoid using excessive force when operating the die to prevent damage.
 - If you experience any difficulties during use, stop immediately and consult the troubleshooting section of this manual.

Instructions for Installation and Usage

- Follow these steps to properly install and use the ZERO SSeries Sizing Die:

Installation

1. Prepare Your Equipment:

- Gather all necessary tools and components, including your reloading press and shellholder.

2. Attach the Die:

- Insert the ZERO SSeries Sizing Die into your reloading press.
- Ensure that the die is securely tightened to prevent movement during operation.

3. Install the Shellholder:

- Select a compatible shellholder from Redding, Hornady, RCBS, or use the ZERO Modular Shellholder System.
- Securely attach the shellholder to the reloading press.

Usage

1. Prepare Cases:

- Ensure that your cases are clean and free of debris before sizing.

2. **Adjust the Die:**

- Adjust the die for the desired neck tension using the included .002 neck tension mandrel or additional increments from the Mandrel Kit.

3. **Begin Sizing:**

- Insert a case into the shellholder and raise the ram of the press to engage the die.
- Apply steady pressure until the case is fully sized.

4. **Eject Spent Primers:**

- Utilize the spring ejection feature for spent primers. Ensure that the area is clear of obstructions.

5. **Inspect Sized Cases:**

- After sizing, inspect the cases for consistency and proper dimensions.

Disposal Instructions

- Dispose of any packaging materials and used components in accordance with local regulations.
- Ensure that the ZERO SSeries Sizing Die is disposed of responsibly if it becomes damaged or unusable.

Contact Information for Further Support

- For safety inquiries or further assistance, please refer to the contact details provided with your product packaging.

Thank you for following these safety instructions. Your adherence to these guidelines will help ensure a safe and enjoyable reloading experience with the ZERO SSeries Sizing Die.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk