

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL CANTILEVER 30MM DIA 32MM HIGH 20 MOA PICATINN MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL CANTILEVER 30MM DIA 32MM HIGH 20 MOA PICATINN MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112766
- Mfr. No.: 419-TCM-303220
- Elevation: 20 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 30mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182677

Item details

Made in USA

Table of Contents

- Startpage
- TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS
- About Us

TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and information to ensure the safe and effective use of your scope mounts. Please read this document carefully before installation and usage.

General Safety Guidelines

- Always handle the scope mounts with care to avoid injury.
- Ensure that your work area is clean and free of clutter to prevent accidents during installation.
- Keep the scope mounts out of reach of children and vulnerable individuals to avoid misuse.
- Regularly inspect your scope mounts for any signs of wear or damage before each use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the scope mount is compatible with your rifle and scope specifications before installation.
- Use appropriate tools when installing the scope mounts to avoid damaging the product or your firearm.
- Follow the torque specifications provided in the installation instructions to ensure a secure fit.
- Avoid overtightening the mounting screws, as this may lead to damage or failure of the scope mount.
- Do not modify or alter the scope mounts in any way, as this may compromise their safety and performance.
- Always wear proper eye protection when handling tools and firearms.

Instructions for Installation and Usage

Installation Instructions

1. **Prepare Your Work Area:** Ensure you have a clean, welllit workspace with all necessary tools on hand.
2. **Check Compatibility:** Confirm that the scope mount fits your rifle's picatinny rail and your scope's tube diameter (30mm).
3. **Align the Mount:** Place the scope mount on the picatinny rail and align it to your desired position.
4. **Insert the Clamping Bars:** Use the separate rail clamping bars to secure the mount to the rail.
5. **Torque to Specification:** Using a torque wrench, tighten the screws to the specified torque settings provided in the product manual.
6. **Final Inspection:** Once installed, doublecheck the alignment and tightness of the mount to ensure it is secure.

Usage Instructions

- After installation, carefully attach your scope to the mount, ensuring it is properly aligned.
- Check the scope's elevation and windage adjustments before heading to the range.
- Regularly inspect the mount and scope for any signs of loosening or damage during use.

Disposal Instructions

- Dispose of packaging materials in accordance with local waste management regulations.
- If the scope mount becomes damaged beyond repair, it should be disposed of in a manner that complies with local regulations regarding metal and hardware disposal.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information provided with your product.

Thank you for prioritizing safety while using the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Your attention to these guidelines will help ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk