

# TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - TACTICAL CANTILEVER 30MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



## Attributes

- Name: TACTICAL CANTILEVER 30MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT
- Manufacturer: AREA 419
- Product no.: 430112767
- Mfr. No.: 419-TCM-3039
- Elevation: 0 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 30mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182585

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS](#)

# Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS

## Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and usage guidelines to ensure the safe operation of your scope mount. Please read through this document carefully to familiarize yourself with the necessary precautions and procedures.

## General Safety Guidelines

- Ensure that the scope mount is suitable for your specific firearm and optic.
- Inspect the mount for any visible damage or defects before installation.
- Do not exceed the weight limit specified for the mount.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the scope mount and its components out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always use the mount in accordance with the intended purpose.
- Avoid using the mount in extreme weather conditions that may affect performance.
- Do not modify the mount in any way, as this may compromise safety and functionality.
- Ensure that all mounting hardware is securely tightened before use.
- Regularly check the mount for signs of wear and tear, especially after heavy use.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools for installation, including a torque wrench and appropriate screwdrivers.
- Ensure that your workspace is clean and free of obstructions.

### 2. Installation:

- Place the scope mount on the Picatinny rail of your firearm.
- Align the mount with the desired position for optimal eye relief and comfort.
- Secure the mount using the provided clamping bars, ensuring they grip the rail firmly.
- Torque the mounting screws to the specifications provided by the manufacturer.

### 3. Final Checks:

- After installation, doublecheck all screws and components to ensure they are tight and secure.
- Verify that the scope is properly seated in the rings and that there is no movement.

### 4. Usage:

- Always handle your firearm safely and responsibly when using the scope mount.
- Regularly check the mount's stability and the alignment of the scope during use.

## Disposal Instructions

- Dispose of the scope mount and its components in accordance with local regulations.
- Do not dispose of the mount in general waste if it contains materials that require special handling.
- Consider recycling options for metal components where applicable.

## Contact Information for Further Support

For additional support or inquiries regarding safety or product information, please refer to the manufacturer's website or contact their support team.

Thank you for prioritizing safety while using the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Your careful attention to these guidelines will help ensure a safe and enjoyable experience.