

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL CANTILEVER 30MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. **NOTE:** All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. **KEY FEATURES** CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL CANTILEVER 30MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112767
- Mfr. No.: 419-TCM-3039
- Elevation: 0 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 30mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182585

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS
- About Us

Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS

Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that the scope mount is compatible with your optic and firearm.
- Always follow the manufacturer's instructions for installation and use.
- Inspect the scope mount for any visible damage or defects before installation.
- Keep the scope mount and all components out of reach of children.
- Report any unsafe products or incidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the recommended torque specifications when tightening the caps to avoid damaging the mount or the optic.
- Ensure that the mount is securely attached to the firearm before use.
- Avoid using the scope mount for purposes other than those specified by the manufacturer.
- Be cautious of sharp edges during installation and handling.
- If you notice any unusual wear or damage, discontinue use immediately and contact a qualified professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and any additional mounting hardware.
- Ensure your workspace is clean and welllit.

2. Installation Steps

- Remove the scope mount from its packaging and inspect for any damage.
- Place the base of the mount on the picatinny rail of your firearm.
- Align the mount properly to ensure it fits securely.
- Use the provided spacers to create the necessary gap for proper torque application.
- Secure the mount using the provided clamping bars and steel guide pins to aid in alignment.
- Torque the caps to the recommended specifications, ensuring a firm grip without overtightening.

3. Usage

- Once installed, check the alignment and stability of the scope mount before taking your firearm to the range or field.
- Regularly inspect the mount during use for any signs of wear or looseness.
- Adjust the scope as needed for optimal sighting.

Disposal Instructions

- Dispose of the scope mount and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling options or designated disposal sites.

Contact Information for Further Support

For any inquiries regarding safety concerns or product support, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure the safe and effective use of your TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk