

# **TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419**

## **TACTICAL CANTILEVER 34MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



### **Attributes**

- Name: [AREA 419 TACTICAL CANTILEVER 34MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112771
- Mfr. No.: 419-TCM-3439
- Elevation: 0 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182547

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Consumer Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS
- About Us

# Consumer Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS

## Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions to ensure proper use and maintenance of the product. Please read this guide carefully to maximize your safety and the performance of your scope mounts.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a scope mount.
- Always inspect the product for any signs of damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about any recalls or updates regarding the product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

### • Installation Precautions:

- Use appropriate tools and follow the installation instructions carefully.
- Avoid overtorquing screws, as this may cause damage to the mount or firearm.

### • Usage Precautions:

- Regularly check the mount for tightness and stability during use, especially after heavy use or transportation.
- Do not exceed the weight limit specified by the manufacturer to avoid failure of the mount.

### • Maintenance Precautions:

- Clean the mount regularly to prevent corrosion and ensure optimal performance.
- Store the mount in a dry and secure location when not in use.

## Instructions for Installation and Usage

### 1. Installation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Align the mount with the Picatinny rail on your firearm.
- Insert the screws through the mount's base and into the rail.
- Torque the screws to the manufacturer's specifications using a torque wrench to ensure a secure fit.
- Doublecheck the alignment and stability of the mount before attaching the scope.

### 2. Usage:

- Once the mount is securely installed, carefully attach your scope according to the scope manufacturer's instructions.
- Ensure that the scope is properly aligned and that the eye relief is adjusted for comfortable viewing.
- After installation, take the firearm to a safe shooting range to test the setup, ensuring that the

mount and scope hold zero after firing.

### **3. PostUse:**

- After use, inspect the mount for any signs of wear or damage.
- Clean the mount to remove any dirt or debris, which can affect performance.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.
- Consider recycling options for metal components when possible.

## **Contact Information for Further Support**

For any questions or concerns regarding the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS, please refer to the contact information provided by the manufacturer or retailer. Ensure that you have your product details handy for efficient assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy your new scope mounts responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)