

# **TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419**

## **TACTICAL CANTILEVER 34MM DIA 39MM HIGH 20 MOA PICATINN MOUNT**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

**TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS** When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. **NOTE:** All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. **KEY FEATURES** CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



### **Attributes**

- Name: [AREA 419 TACTICAL CANTILEVER 34MM DIA 39MM HIGH 20 MOA PICATINN MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112772
- Mfr. No.: 419-TCM-343920
- Elevation: 20 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182714

## **Item details**

Made in USA

# Table of Contents

- Startpage
- TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS
- About Us

# TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your scope mount. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is suitable for your specific firearm and scope.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the scope mount for any damage or defects before use.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Always use the scope mount in accordance with its intended purpose.
- Do not exceed the weight limit specified for the mount.
- Ensure that all screws and fittings are securely tightened before use.
- Avoid exposing the mount to extreme temperatures or corrosive materials.
- Regularly check the mount for signs of wear or damage.
- Use caution when handling sharp tools or components during installation.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure you are working in a clean, dry environment.

### 2. Installation Steps

- Remove any existing scope mounts or accessories from your firearm.
- Align the base of the scope mount with the Picatinny rail on your firearm.
- Using the provided screws, attach the base to the rail. Ensure that the screws are tightened to the manufacturer's specifications.
- Place the scope in the rings of the mount. Adjust the position of the scope as necessary for eye relief and comfort.
- Secure the caps onto the rings, ensuring that they are evenly tightened to avoid misalignment.
- Check that the scope is level and properly aligned with the firearm.

### 3. PostInstallation Check

- After installation, doublecheck that all screws are tightened and that the scope is securely mounted.
- Perform a function check to ensure that the scope operates correctly.

### 4. Usage Guidelines

- Always handle your firearm and scope mount with care.
- When not in use, store the firearm and scope mount in a safe location.
- Regularly clean and maintain the scope mount to ensure optimal performance.

## **Disposal Instructions**

- Dispose of the scope mount and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, use designated recycling facilities if available.

## **Contact Information for Further Support**

For any questions or concerns regarding the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety instructions, you can ensure a safe and enjoyable experience with your TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)