

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL CANTILEVER 35MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL CANTILEVER 35MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112775
- Mfr. No.: 419-TCM-3539
- Elevation: 0 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 35mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182561

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS
- About Us

Safety Instruction Guide for TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS

Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and guidelines to ensure the safe use, installation, and disposal of this product. Please read this guide carefully before using the scope mount.

General Safety Guidelines

- Ensure that the scope mount is suitable for your specific rifle and optic before installation.
- Always inspect the mount for any damage or defects before use.
- Follow all installation instructions carefully to avoid improper mounting.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified for the scope mount.
- Ensure that all screws and fasteners are securely tightened before use.
- Avoid using the scope mount in extreme environmental conditions unless specified.
- Regularly check the mount for signs of wear, corrosion, or damage.
- Use caution when adjusting the scope once mounted, as excessive force can damage the equipment.
- If you are unsure about the installation or use, consult a professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench, to ensure proper installation.
- Ensure the work area is clean and free of debris.

2. Installation Steps

- Remove any existing mounts from your rifle if applicable.
- Align the base of the scope mount with the Picatinny rail on your rifle.
- Secure the mount using the provided screws, ensuring they are tightened according to the specified torque settings.
- Attach the scope to the mount, ensuring it is properly aligned and secured.
- Doublecheck all connections and fasteners for security.

3. Usage

- Once installed, ensure that the scope is properly zeroed according to the manufacturer's instructions.
- Regularly check the mount and scope during use for any signs of looseness or damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations concerning electronic and metal waste.
- Do not dispose of the product in regular household waste.

- Consider recycling components where possible to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines, you can ensure a safe and effective experience with your TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Thank you for your attention to safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk