

# TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - TACTICAL CANTILEVER 35MM DIA 39MM HIGH 20 MOA PICATINN MOUNT

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



## Attributes

- Name: TACTICAL CANTILEVER 35MM DIA 39MM HIGH 20 MOA PICATINN MOUNT
- Manufacturer: AREA 419
- Product no.: 430112776
- Mfr. No.: 419-TCM-353920
- Elevation: 20 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 35mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182684

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [English: TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS Safety Instruction Guide](#)

# TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS

## Safety Instruction Guide

### Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS from AREA 419. This guide provides essential safety instructions and guidelines for the safe use, installation, and disposal of the product. Please read this guide carefully to ensure safe handling and operation.

### General Safety Guidelines

- Ensure the product is used only for its intended purpose as a scope mount.
- Always inspect the mount for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- If you notice any defects or issues, discontinue use immediately and report it.
- Follow all local laws and regulations regarding the use of firearm accessories.

### Specific Safety Precautions for Use

- Use appropriate tools when installing the scope mount to avoid injury.
- Ensure that the mount is securely attached to the firearm before use.
- Do not exceed the recommended torque specifications when fastening components.
- Avoid using the mount in extreme weather conditions that may affect its performance.
- Regularly check the stability and integrity of the mount during use.

### Instructions for Installation and Usage

#### Installation

1. **Preparation:** Gather all necessary tools and ensure you have a clean workspace.
2. **Inspect the Components:** Check the mount parts for any damage or defects.
3. **Attach the Base:**
  - Position the base on the firearm's picatinny rail.
  - Use the provided steel guide pins for alignment.
  - Secure the base using the appropriate clamping bars.
4. **Install the Scope:**
  - Place the scope into the rings of the mount.
  - Ensure the scope is level and properly aligned.
5. **Secure the Caps:**
  - Place the caps over the scope and align them with the base.
  - Torque the caps to the specified settings using the correct tools.
6. **Final Check:** Ensure all components are securely fastened and check for stability.

#### Usage

- After installation, conduct a function check to ensure the scope is properly mounted.
- Regularly inspect the mount during use to ensure it remains secure.
- If you experience any issues with the mount, stop using it immediately.

### Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling components where possible to minimize environmental impact.

### Contact Information for Further Support

For safety inquiries or further assistance, please refer to the official AREA 419 website or contact your local distributor.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS responsibly.