

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL CANTILEVER 36MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made - as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.54" (39mm) height mounts are a more traditional AR-style cantilever. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL CANTILEVER 36MM DIA 39MM HIGH 0 MOA PICATINNY MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112779
- Mfr. No.: 419-TCM-3639
- Elevation: 0 MOA
- Finish: Black
- Height: 6"
- Length: 2"
- Scope Tube Diameter: 36mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182523

Item details

Made in USA

Table of Contents

- Startpage
- TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS
- About Us

TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS by AREA 419. This product is designed to provide reliable and consistent performance for your optical equipment. To ensure your safety and the longevity of the product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always ensure that the mount is compatible with your scope and firearm before installation.
- Inspect the mount for any visible damage or defects before use.
- Keep the mount out of reach of children and vulnerable individuals.
- Do not use the mount for any purpose other than its intended use.
- If you notice any unusual performance or defects during use, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that all screws and components are properly tightened before use to prevent any loosening during operation.
- Avoid overtorquing the mount, as this may cause damage to the mount or the scope.
- Use appropriate tools when installing or adjusting the mount to avoid injury.
- Be aware of your surroundings and ensure that the firearm is pointed in a safe direction at all times.
- Always follow the manufacturer's instructions for your specific scope and firearm when mounting.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools (e.g., torque wrench, screwdrivers).
- Ensure that the mounting surface is clean and free of debris.

2. Installation Steps

- Place the mount onto the Picatinny rail of your firearm.
- Align the mount with the desired position on the rail.
- Use the provided clamping bars to secure the mount in place.
- Torque the screws to the manufacturer's specifications using a torque wrench.
- Doublecheck that all screws and components are secure.

3. Usage Guidelines

- After installation, check the alignment of the scope and make any necessary adjustments.
- Regularly inspect the mount during use for any signs of wear or damage.
- If you remove the mount for any reason, repeat the installation steps to ensure proper reinstallation.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- When disposing of the mount, check with local waste management authorities for proper disposal

methods to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your TACTICAL CANTILEVERED 1PIECE SCOPE MOUNTS. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk