

ARCALOCK 17" UNIVERSAL FLAT RAIL W/MLOK HARDWARE - AREA 419 ARCALOCK 17" UNIVERSAL FLAT RAIL W/M-LOK HARDWARE

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

ARCALOCK 17" UNIVERSAL FLAT RAIL W/MLOK HARDWARE Area 419 is always looking for ways to improve existing products when Area 419 are not developing new technologies. With the rapid growth in popularity of ARCA rails in precision rifle, they saw a need to improve this great dovetail technology to something that could be mechanically locked in place instead of just friction. If you have ever tried using a Barricade stop on an existing ARCA rail, you've probably also seen it slide under much pressure. Introducing the ARCALOCK Dovetail Rail System *Rail is only locking with an Area 419 clamp* *MLOK Hardware included.* Rail Features: Serrated rail sides interface with Area 419's proprietary clamp design to mechanically lock it in place so no movement is possible. Serrations are not sharp, will not damage bags or your hands. Rail is backwards compatible with standard Arca accessories, but will not be locking without their clamp Rail is 17" long giving you the entire length of the stock forend for attachments. Made to the RRS 1.5" Dovetail Standard, so you can be sure lever clamps will work No sharp edges. Every corner is radiused, and every edge is chamfered on the machine. This takes longer to make, but it is the only right way. Spacers for rifle stocks with non-flat forends are available [HERE](#) Designed to attach to the rifle up to 4 places for maximum strength and stability. Type 3 Hard Coat anodized for additional durability. Made from 6061-T6 Aluminum Made in-house here in the USA from USA sourced Aluminum on USA made CNCs Notes Rail comes with extra Remington 700-style action screw of extended length to fit the rail to the front action screw attachment point. Some trimming will likely be required. A 3/4" paddle bit and drill press may be required for installation of tee-nuts, depending on current rifle configuration. Tee nuts and hardware included.



Attributes

- Name: [AREA 419 ARCALOCK 17" UNIVERSAL FLAT RAIL W/M-LOK HARDWARE](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112801
- Mfr. No.: 419-ALK-UNIV17
- Colour: Black
- Material: Aluminum
- Delivery weight: 0.907kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 457mm
- UPC: 810080181250

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [ARCALOCK 17" Universal Flat Rail Safety Instruction Guide](#)
- [About Us](#)

ARCALOCK 17" Universal Flat Rail Safety Instruction Guide

Introduction

Thank you for choosing the ARCALOCK 17" Universal Flat Rail with MLOK Hardware from Area 419. This guide provides essential safety instructions and recommendations for the safe use, installation, and disposal of your product. Please read this guide carefully to ensure safe operation and compliance with European safety regulations.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always wear appropriate safety gear when handling and installing the rail.
- Inspect the product for any damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls and safety alerts via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Mechanical Locking:** The rail is designed to lock in place using the Area 419 clamp. Ensure that the clamp is securely fastened before use to prevent movement.
- **Compatibility:** The rail is backwards compatible with standard Arca accessories but will not lock without the Area 419 clamp. Ensure you are using compatible accessories.
- **Installation Precautions:**
 - Some trimming may be required for proper installation. Use caution when trimming.
 - A 3/4" paddle bit and drill press may be necessary for teenut installation. Ensure proper safety measures are in place when using power tools.
- **Handling:** The rail has no sharp edges, but always handle it with care to avoid injury.
- **Weight Limitations:** Ensure that the rail and all attached accessories do not exceed the weight limits recommended by the manufacturer.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a drill press, paddle bit, and any required safety gear.
- Ensure your workspace is clean and free of hazards.

2. Installation Steps:

- Align the rail with the desired attachment points on your rifle.
- Mark the location for the teenuts and drill the necessary holes using a 3/4" paddle bit.
- Install the teenuts into the drilled holes as per the manufacturer's instructions.
- Attach the rail to the rifle using the provided screws. Ensure the screws are tightened securely.
- Attach the Area 419 clamp to the rail to lock it in place. Verify that the rail is securely locked and does not move.

3. Usage:

- Once installed, you can attach compatible accessories to the rail.
- Always check the stability of the rail and accessories before use.

- Do not exceed the weight limits specified by the manufacturer.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general household waste.
- Consider recycling the aluminum components where facilities are available.

Contact Information for Further Support

For any safety inquiries or support, please refer to the manufacturer's contact information provided with your product. Always ensure that you are following the latest safety guidelines and recommendations.

By adhering to these safety instructions, you can ensure a safe and effective experience with your ARCALOCK 17" Universal Flat Rail. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk