

ALPHA-MSR 1.535" SCOPE MOUNT - ALPHA-MSR 34MM 1.535" SCOPE MOUNT BLACK

ALPHA MSR 1.535" SCOPE MOUNT Sig Sauer proprietary steel alloy ALPHA MSR Scope Mounts are machined with an exactness that is both strong yet ductile that allows Their rings to form around a riflescope yet will not damage scope under proper installation. The steel rings are epoxy powder coated to prevent oxidation and resist gun oils, cleaning solutions, and outdoor exposure. FEATURES: Steel 1913 style clamps Covered by SIG SAUER's Infinite Guarantee SPECIFICATIONS: Main Tube Diameter: 30mm OR 34mm Material: 7075-T6 Mount Type: Integral Mount Elevation: 0 MOA Attachment Type: M1913 Picatinny Torq Specifications for Alpha MSR Scope Mounts: To Rail (1/2in Nut): 65in/lbs To Scope (T15-TORX): 25in/lbs



Attributes

- Name: ALPHA-MSR 34MM 1.535" SCOPE MOUNT BLACK
- Manufacturer: SIG SAUER, INC.
- Product no.: 430112964
- Mfr. No.: SOA20015
- Elevation: 0 MOA
- Finish: Black
- Height: 2"
- Length: 4.5"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.454kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 127mm
- UPC: 798681656011

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for ALPHAMSR 1.535" Scope Mount](#)

Safety Instruction Guide for ALPHAMSR 1.535" Scope Mount

Introduction

Thank you for choosing the ALPHAMSR 1.535" Scope Mount. This guide provides essential safety instructions and usage guidelines to ensure your product is used safely and effectively. It is important to follow these instructions to prevent accidents and ensure compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the product is installed and used according to the manufacturer's instructions.
- Regularly inspect the scope mount for any signs of wear or damage before use.
- Use the scope mount only for its intended purpose as specified in the product documentation.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to scope misalignment or damage.
- Excessive torque during installation can cause damage to the scope or mount.
- Exposure to harsh chemicals may degrade the coating of the mount.

• Instructions to Avoid Hazards:

- Follow the specified torque settings during installation.
- Use only compatible scopes with the mount.
- Avoid using harsh cleaning solutions on the mount. Use mild soap and water instead.

• Agespecific Warnings:

- This product is not intended for use by children. Ensure adult supervision during installation and usage.

Instructions for Installation and Usage

1. Installation:

- Gather all necessary tools, including a T15TORX screwdriver and a torque wrench.
- Ensure the firearm is unloaded and safe before beginning installation.
- Align the scope mount with the rifle's Picatinny rail.
- Secure the mount using the steel 1913 style clamps.
- Tighten the clamps to a torque of 65 in/lbs.
- Attach the scope to the mount, ensuring proper alignment.
- Secure the scope using the T15TORX screws, tightening to a torque of 25 in/lbs.

2. Usage:

- Regularly check the tightness of the scope mount and screws before each use.
- Adjust the scope as needed for optimal sighting.
- Store the firearm and scope mount in a safe, dry location when not in use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, use designated recycling facilities for metal and electronic components.

Contact Information for Further Support

For any inquiries or support regarding the ALPHAMSR 1.535" Scope Mount, please refer to the manufacturer's website or contact your local retailer.

By following these safety instructions, you can ensure the safe and effective use of your ALPHAMSR 1.535" Scope Mount. Thank you for your attention to these important guidelines.