

SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP - THYRM LLC SWITCHBACK 2.0 LARGE FLASHLIGHT RING W/POCKET CLIP BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP The SwitchBack® 2.0 adds a multi-function finger ring and robust pocket clip to your tactical flashlight. It mounts securely between the light's tailcap and body, providing a repeatable grip index during deployment from pocket or pouch, and enhances ergonomics while shooting or searching. The SwitchBack® 2.0 is the next evolution in the innovative SwitchBack Flashlight Ring product line. It incorporates new features and refinements based on thousands of hours of use by our subject matter experts and customers. The SwitchBack mounts between the tailcap and body of your flashlight, making it secure regardless of impact, moisture, and heat/cold changes. FEATURES: SwitchBacks can be used with handguns or long guns. It allows the user to: Reliably deploy and index a flashlight from both pockets and pouches, using the SwitchBack's rigid, but releasable, retention ring. Shoot using a natural two-handed grip (the SwitchBack Technique). Employ all traditional low-light techniques such as Neck Index, Modified FBI, and Harries. Positively retain the light when drawing a firearm, reloading, and addressing a malfunction. The SwitchBack provides fast deployment and enhanced retention during many activities such as climbing, backpacking, car and home maintenance, and self-defense. New for SwitchBack 2.0: A finger ring that releases under heavy force/torque but can be reset. A stronger pocket clip that also works with MOLLE/PALS webbing. A pocket clip position that allows for slightly deeper carry than the SwitchBack® Large (original). A tubular portion that is cut lower to allow grip on both sides of the tail-cap during installation. A wider thumb rest with traction features. Small crush ribs on the SwitchBack 2.0's lip that create a custom fit across a broader range of lights. An aluminum spacer that expands compatibility to Streamlight HL and HL-X flashlights and other manufacturers with similar designs. Installation For installation, first try installing the SwitchBack on your light without use of the O-ring or aluminum washer. Simply unscrew the tailcap, add the SwitchBack, and rescrew the tailcap back on. If the light does not activate upon use of the tailcap switch with the SwitchBack installed, try installing the aluminum washer as shown in the diagram below. Streamlight models tend to require the aluminum washer, but may not, depending on the tailcap features of the light. Elzetta and Surefire models do not usually require the aluminum washer, but users may find that addition of the rubber O-ring will help to stabilize the position of the SwitchBack



Attributes

- Name: [THYRM LLC SWITCHBACK 2.0 LARGE FLASHLIGHT RING W/POCKET CLIP BLACK](#)
- Manufacturer: [THYRM LLC](#)
- Product no.: 430113931
- Mfr. No.: SB007
- Colour: Black
- Delivery weight: 0.057kg
- Shipping height: 38mm

- Shipping width: 89mm
- Shipping length: 152mm
- UPC: 754697743381

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP Safety Instruction Guide](#)
- [About Us](#)

SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP Safety Instruction Guide

Introduction

Thank you for choosing the SwitchBack 2.0 Large Flashlight Ring with Pocket Clip by THYRM LLC. This product is designed to enhance the functionality and usability of your tactical flashlight. To ensure your safety and the proper use of this product, please read this safety instruction guide carefully.

General Safety Guidelines

- **Product Safety:** The SwitchBack 2.0 is designed to meet high safety standards for nonfood products. Ensure safe use by following the guidelines provided in this manual.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices and free remedies for any dangerous issues.
- **Online Shopping Safety:** When purchasing online, you are entitled to the same safety protections as when buying in physical stores. Ensure that the platform complies with safety requirements.
- **Special Consumer Focus:** Extra precautions are taken to protect vulnerable groups, including children. Keep this product out of reach of children.
- **EU Contact Point:** For any safety inquiries, please refer to the EU-based contact information provided by your retailer.
- **Rapid Alerts:** Stay informed about unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Proper Usage:** Always use the SwitchBack 2.0 as intended. Do not modify the product or use it in a manner not specified in this guide.
- **Avoid Excessive Force:** While the finger ring is designed to release under heavy force, avoid applying excessive torque that could lead to unintended release.
- **Secure Installation:** Ensure that the SwitchBack is securely installed between the tailcap and body of your flashlight to prevent dislodging during use.
- **Moisture and Temperature:** Be cautious when using the flashlight in extreme temperatures or wet conditions, as these can affect performance.
- **Regular Inspection:** Periodically inspect the SwitchBack for wear or damage. If any issues are identified, discontinue use immediately.
- **Safe Handling:** When drawing a firearm or during other activities, ensure that the flashlight is securely retained to prevent accidental drops.

Instructions for Installation and Usage

1. Initial Installation:

- Unscrew the tailcap of your flashlight.
- Place the SwitchBack between the tailcap and the body of the flashlight.
- Rescrew the tailcap back onto the flashlight.

2. Testing Activation:

- After installation, test the flashlight to ensure it activates properly using the tailcap switch.
- If the flashlight does not activate, install the aluminum washer as indicated in the installation diagram.

3. Adjustments:

- If required, adjust the position of the pocket clip for optimal carry depth.
- Ensure the pocket clip is firmly attached to prevent detachment during use.

4. **Using the SwitchBack:**

- Practice deploying the flashlight from pockets or pouches using the SwitchBack's retention ring.
- Familiarize yourself with the natural twohanded grip technique for effective use.

5. **Maintenance:**

- Clean the SwitchBack and flashlight regularly to maintain functionality.
- Store the product in a cool, dry place when not in use.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the SwitchBack 2.0 in accordance with local regulations for electronic waste.
- **Recycling:** If possible, recycle the product to minimize environmental impact.
- **Batteries:** If your flashlight uses batteries, ensure they are disposed of separately according to local hazardous waste guidelines.

Contact Information for Further Support

For any questions or concerns regarding the SwitchBack 2.0, please refer to the contact information provided by your retailer or manufacturer. Ensure you have the product details handy for efficient assistance.

By following these safety instructions, you can enjoy the full benefits of your SwitchBack 2.0 Large Flashlight Ring with Pocket Clip while ensuring your safety and the safety of others. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk