

SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP - SWITCHBACK2.0 LARGE FLASHLIGHT RING W/POCKET CLIP SAGE GREEN

SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP The SwitchBack® 2.0 adds a multi-function finger ring and robust pocket clip to your tactical flashlight. It mounts securely between the light's tailcap and body, providing a repeatable grip index during deployment from pocket or pouch, and enhances ergonomics while shooting or searching. The SwitchBack® 2.0 is the next evolution in the innovative SwitchBack Flashlight Ring product line. It incorporates new features and refinements based on thousands of hours of use by our subject matter experts and customers. The SwitchBack mounts between the tailcap and body of your flashlight, making it secure regardless of impact, moisture, and heat/cold changes. **FEATURES:** SwitchBacks can be used with handguns or long guns. It allows the user to: Reliably deploy and index a flashlight from both pockets and pouches, using the SwitchBack's rigid, but releasable, retention ring. Shoot using a natural two-handed grip (the SwitchBack Technique). Employ all traditional low-light techniques such as Neck Index, Modified FBI, and Harries. Positively retain the light when drawing a firearm, reloading, and addressing a malfunction. The SwitchBack provides fast deployment and enhanced retention during many activities such as climbing, backpacking, car and home maintenance, and self-defense. New for SwitchBack 2.0: A finger ring that releases under heavy force/torque but can be reset. A stronger pocket clip that also works with MOLLE/PALS webbing. A pocket clip position that allows for slightly deeper carry than the SwitchBack® Large (original). A tubular portion that is cut lower to allow grip on both sides of the tail-cap during installation. A wider thumb rest with traction features. Small crush ribs on the SwitchBack 2.0's lip that create a custom fit across a broader range of lights. An aluminum spacer that expands compatibility to Streamlight HL and HL-X flashlights and other manufacturers with similar designs. **Installation** For installation, first try installing the SwitchBack on your light without use of the O-ring or aluminum washer. Simply unscrew the tailcap, add the SwitchBack, and rescrew the tailcap back on. If the light does not activate upon use of the tailcap switch with the SwitchBack installed, try installing the aluminum washer as shown in the diagram below. Streamlight models tend to require the aluminum washer, but may not, depending on the tailcap features of the light. Elzetta and Surefire models do not usually require the aluminum washer, but users may find that addition of the rubber O-ring will help to stabilize the position of the SwitchBack



Attributes

- Name: SWITCHBACK2.0 LARGE FLASHLIGHT RING W/POCKET CLIP SAGE GREEN
- Manufacturer: THYRM LLC
- Product no.: 430113934
- Mfr. No.: SB0010
- Color: Sage Green
- Delivery weight: 0.057kg
- Shipping height: 38mm
- Shipping width: 89mm
- Shipping length: 152mm

- UPC: 752785882189

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP](#)

Safety Instruction Guide for SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP

Introduction

Thank you for choosing the SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP. This product is designed to enhance your tactical flashlight experience by providing a secure grip and easy access. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** This product is designed for safe use. Always ensure that you follow the guidelines provided in this manual to mitigate risks.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices and remedies at no cost.
- **Online Shopping Protections:** Ensure that you purchase this product from authorized retailers to maintain safety compliance.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, please refer to the contact information provided by your retailer.
- **Rapid Alerts:** Stay informed about potential safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Usage with Firearms:** The SwitchBack 2.0 can be used with handguns and long guns. Always ensure that the firearm is unloaded when attaching or adjusting the SwitchBack.
- **Grip and Retention:** Use the SwitchBack's rigid retention ring to ensure a secure grip during deployment. Avoid using excessive force that could lead to malfunction.
- **Environmental Considerations:** The SwitchBack is designed to withstand impact, moisture, and temperature changes. However, avoid exposing it to extreme conditions unnecessarily.
- **Maintenance:** Regularly inspect the SwitchBack for any wear or damage. Replace it if any components are compromised.
- **Installation:** Follow the installation instructions carefully to avoid any hazards associated with improper setup.

Instructions for Installation and Usage

1. Initial Setup:

- Unscrew the tailcap of your flashlight.
- Add the SwitchBack between the tailcap and the flashlight body.
- Rescrew the tailcap back on securely.

2. Testing Functionality:

- Test the flashlight by using the tailcap switch. If the light does not activate, proceed to the next step.
- Install the aluminum washer if necessary, especially for Streamlight models.

3. Using the SwitchBack:

- To deploy the flashlight, use the retention ring to index it from your pocket or pouch.
- Employ the SwitchBack Technique for a natural twohanded grip while shooting or searching.

- Utilize lowlight techniques such as Neck Index, Modified FBI, and Harries for effective use.

4. Adjustments:

- The finger ring is designed to release under heavy force but can be reset. Ensure it is properly engaged after any release.
- Adjust the pocket clip to allow for deeper carry if desired.

5. Safety Checks:

- Always check that the flashlight is securely mounted before use.
- Ensure that the SwitchBack is functioning correctly after installation and before each use.

Disposal Instructions

- Dispose of the SWITCHBACK 2.0 according to local regulations. Do not dispose of it in regular household waste.
- If the product is damaged or no longer functional, consider recycling components where possible.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the SWITCHBACK 2.0 LARGE FLASHLIGHT RING WITH POCKET CLIP, please refer to the contact information provided by your retailer.

Thank you for following these safety guidelines. Your safety is our priority!