

VAPOR BIPODS - WARNE MFG. COMPANY VAPOR M-LOK BIPOD BLACK

WARNE MFG. COMPANY VAPOR BIPODS The Warne® Vapor® Bipod features an all-aluminum construction with steel hardware to ensure performance—no matter your budget. The legs boast eight height positions providing over three inches of height adjustment and can be locked in 0, 90, and 180 degrees, making the bipod completely reversible. The 50 degrees of total cant is adjusted by an oversized aluminum tension knob, ensuring you can lock in your position with confidence. Designed, engineered, and manufactured in the USA. FEATURES BODY Stowable at 0° or 180° and deployed at 90° — making the bipod completely reversible Oversized aluminum tension knob 50° of total cant range All aluminum construction with steel hardware Picatinny or M-LOK® head LEGS Buttonless stow and quick pull deployment of legs 8 leg positions Minimum height: 7.1" Maximum height: 10.5"

NO IMAGE
AVAILABLE

Attributes

- Name: WARNE MFG. COMPANY VAPOR M-LOK BIPOD BLACK
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 430114639
- Mfr. No.: V7934M
- Attachment: M-LOK
- Colour: Black
- Weight: 0.869 lbs
- Delivery weight: 0.454kg
- UPC: 656813114979

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: VAPOR BIPODS WARNE MFG. COMPANY Safety Instruction Guide](#)

VAPOR BIPODS WARNE MFG. COMPANY Safety Instruction Guide

Introduction

Thank you for choosing the Warne® Vapor® Bipod. This guide provides essential safety information and instructions to ensure safe and effective use of your bipod. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that the bipod is used only for its intended purpose as a shooting support.
- Always check the bipod for any signs of damage or wear before use.
- Do not exceed the maximum height or weight limits specified in this guide.
- Keep the bipod away from children and individuals who may not understand its use.
- Store the bipod in a safe place when not in use to prevent accidents.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the bipod is securely attached to your firearm before use.
- Always deploy the legs fully before use to maintain stability.
- Be cautious when adjusting the height and cant of the bipod to avoid pinching fingers.
- When using the bipod on uneven surfaces, ensure all legs are in contact with the ground for stability.
- Avoid using the bipod in extreme weather conditions that may affect its performance.
- Do not modify the bipod in any way, as this may compromise its safety and functionality.

Instructions for Installation and Usage

Installation

1. Attachment:

- Select either the Picatinny or MLOK® head for attachment.
- Align the bipod with the mounting system on your firearm.
- Securely fasten the bipod to the firearm, ensuring it is held firmly in place.

Usage

1. Deployment:

- To deploy the bipod, press the buttonless stow feature and pull the legs outward until they lock into place.
- Adjust the legs to the desired height by selecting one of the eight available positions.
- Ensure the legs are locked in position before using the bipod.

2. Adjustment:

- Use the oversized aluminum tension knob to adjust the cant of the bipod.
- Ensure that you can lock the cant position securely before taking your shot.

3. Reversibility:

- The bipod can be stowed at 0° or 180° and deployed at 90°. Ensure you are familiar with this feature for optimal use.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- Do not dispose of the bipod in regular household waste.
- If the bipod is damaged beyond repair, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for using the Warne® Vapor® Bipod. Your safety is our priority, and we hope you enjoy your experience with our product.