

U-RAC XL SUPPRESSOR SHIELD - MODTAC U-RAC XL SUPPRESSOR SHIELD SIZE 5.5" RAIL TYPE AR-15

[Shooting Accessories](#) > [Suppressor Accessories](#) > [Suppressor Covers](#)

Picatinny Rail mounted / QD Suppressor Shield for suppressors up to 1.900" (48 mm) U-RAC XL Suppressor Shield is designed to be compatible with the widest variety of US-made Gas guns Suppressor Shield - Advanced Suppressor Cover Prevent Burns. Eliminate Mirage. Mitigate Risk. U-RAC XL Suppressor Shield - Lightweight, Free-Floating, and Built for Performance The U-RAC XL Suppressor Shield delivers superior suppressor protection while maintaining minimal weight. Designed for compatibility, it integrates with standard AR-15 and AR-10 rails using a Picatinny rail grabber that also supports the Unity Tactical FUSION™ Backup Iron Sight. The U-RAC's free-floating, air-gapped design protects the user and enables the mission without increasing peak suppressor temperatures or inhibiting suppressor cool down. The quick-disconnect ensures a secure fit, even under full-auto fire. Crafted with a lightweight aluminum coupler and high-temp carbon fiber, the U-RAC XL is a precision tool built for peak performance in any environment. Key Features Protect Users - An average of 60% or greater heat reduction and advanced composite construction prevents burns and protects equipment. Built for Larger Suppressors - Maintains all the benefits of the U-RAC while accommodating larger diameter suppressors. Picatinny Rail Compatibility - Works with AR-15 and AR-10 platforms.



Attributes

- Name: [MODTAC U-RAC XL SUPPRESSOR SHIELD SIZE 5.5" RAIL TYPE AR-15](#)
- Manufacturer: [MODTAC](#)
- Product no.: 430114701
- Mfr. No.: 18B-017-AR15-55
- Colour: Carbon Fiber
- Material: Carbon Fiber
- Delivery weight: 0.354kg
- Shipping height: 241mm
- Shipping width: 93mm
- Shipping length: 93mm
- UPC: 860007981609

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [URAC XL Suppressor Shield Safety Instruction Guide](#)
- [About Us](#)

URAC XL Suppressor Shield Safety Instruction Guide

Introduction

Thank you for choosing the URAC XL Suppressor Shield. This product is designed to enhance your shooting experience by providing superior suppressor protection while ensuring user safety. Please read this guide carefully to understand the safety precautions, installation instructions, and proper usage of the URAC XL Suppressor Shield.

General Safety Guidelines

- Ensure safe use of the URAC XL Suppressor Shield by following these guidelines:
 - Always wear appropriate eye and ear protection when using firearms.
 - Keep the suppressor shield clean and free from debris to maintain optimal performance.
 - Regularly inspect the suppressor shield for signs of wear or damage.
 - Do not exceed the recommended suppressor size of 1.900 inches (48 mm) in diameter.
 - Ensure that the suppressor is securely attached before use to prevent accidents.
 - Keep the suppressor shield away from children and unauthorized users.

Specific Safety Precautions for Use

- To ensure safe operation, please observe the following precautions:
 - Avoid touching the suppressor shield immediately after use, as it may be hot and can cause burns.
 - Be aware of the potential for mirage when using the suppressor. Adjust your shooting position accordingly.
 - Use the suppressor shield only with compatible platforms, specifically AR15 and AR10.
 - Do not modify the suppressor shield or its components in any way.
 - If you notice any unusual sounds or malfunctions during use, cease operation immediately and inspect the equipment.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure that your firearm is unloaded and the suppressor is not attached.
2. **Attach the Suppressor:**
 - Securely attach your suppressor to your firearm according to the manufacturer's instructions.
3. **Mount the Suppressor Shield:**
 - Position the URAC XL Suppressor Shield on the Picatinny rail of your firearm.
 - Use the quickdisconnect mechanism to secure the shield in place.
 - Ensure that the shield is firmly attached and does not wobble.
4. **Check Compatibility:**
 - Confirm that the suppressor shield is compatible with your specific suppressor size (up to 1.900 inches).
5. **Final Inspection:**
 - Doublecheck all connections and ensure that the suppressor and shield are secure before proceeding to use.

Usage

- When using the URAC XL Suppressor Shield:
 - Always follow safe shooting practices.
 - Monitor the temperature of the suppressor and shield during use.

- If the shield becomes excessively hot, allow it to cool before handling.
- Maintain a safe distance from the muzzle when firing.

Disposal Instructions

- When the URAC XL Suppressor Shield reaches the end of its life cycle:
 - Dispose of it in accordance with local regulations for electronic and composite materials.
 - Do not dispose of the product in regular household waste.
 - Consider recycling options for the aluminum and carbon fiber components.

Contact Information for Further Support

- For any safety inquiries or concerns regarding the URAC XL Suppressor Shield, please refer to the product's packaging or your retailer for contact information.

Conclusion

The URAC XL Suppressor Shield is designed to enhance your shooting experience while prioritizing safety. By following the guidelines and instructions outlined in this manual, you can ensure a safe and effective use of the product. Thank you for your attention to safety, and enjoy your time on the range!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk